



OCCASION

This publication has been made available to the public on the occasion of the 50th anniversary of the United Nations Industrial Development Organisation.

TOGETHER

for a sustainable future

DISCLAIMER

This document has been produced without formal United Nations editing. The designations employed and the presentation of the material in this document do not imply the expression of any opinion whatsoever on the part of the Secretariat of the United Nations Industrial Development Organization (UNIDO) concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries, or its economic system or degree of development. Designations such as "developed", "industrialized" and "developing" are intended for statistical convenience and do not necessarily express a judgment about the stage reached by a particular country or area in the development process. Mention of firm names or commercial products does not constitute an endorsement by UNIDO.

FAIR USE POLICY

Any part of this publication may be quoted and referenced for educational and research purposes without additional permission from UNIDO. However, those who make use of quoting and referencing this publication are requested to follow the Fair Use Policy of giving due credit to UNIDO.

CONTACT

Please contact <u>publications@unido.org</u> for further information concerning UNIDO publications.

For more information about UNIDO, please visit us at <u>www.unido.org</u>

We regret that some of the pages in the microfiche copy of this report may not be up to the proper legibility standards, even though the best possible copy was used for preparing the master fiche.



FOOD AND AGRICULTURE ORGANIZATION OF THE UNITED NATIONS ORGANISATION DES NATIONS UNIES POUR L'ALIMENTATION ET L'AGRICULTURE ORGANIZACION DE LAS NACIONES UNIDAS PARA LA AGRICULTURA Y LA ALIMENTACION

SYMPOSIUM ON INDUSTRIAL DEVELOPMENT

COLLOQUE SUR LE DEVELOPPEMENT INOUSTRIEL SIMPOSIO SOBRE EL DESARROLLO INDUSTRIAL E/CN.14/AS/III .3

TE: ECALSIPIES/IV

Paper No. IV

25 November 1965

This Symposium on Industrial Development in Africa is organised by the

UNITED NATIONS ECONOMIC COMMISSION FOR AFRICA

and will be held in

CAIRO, U.A.R.

D04748

from

27 January to 10 February 1966

PAPER IV


INDUSTRIES PROCESSING AGRICULTURAL FRODUCTS OTHER THAN FOOD

The FAO Contribution to this Symposium includes in addition to the one mentioned above six other papers entitled:

- I: The Economic Significance and Contribution of Industries based on Renewable Natural Resources and the Policies and Institutions Required for their Development.
- II: Some Essential Requisites for Industrial Development of Renewable Natural Resources.
- III: Food and Food Products Industries.
- V: Development of Forest Industries.
- VI: Fisheries Industries.
- VII: FAO's Relations with Industry through the Freedom from Hunger Campaign.

This is a provisional text and the advance distribution is limited to delegates and participants. Reproduction in whole or in part is permissible only with the approval of FAO.

WM/32908/1



	i are
	1
	ذ
and and the second	ذ
3 1 e v 1 e e e c	5
	5
	6
	7
a s est f e s en	7
"是我的 ^{们就} 要了这样说,我没有一个爱心 ^了 的话, 做我我 一个你。"	9
that the Ha t shows the term	10
47 47 3 4500 500 5130 5130 500 5 485 - 48443	11
	12
the form of a matrix of the form of the	12
in a second a secon	12 13
in the second s	13
f ⁴ - 4α φ \$	13
r to restrict or reveloping ountries	14
HERE AND LEATHER AND ANIMAL BY-TRODUCTS	16
thes and kins - Feonomi Significance	16
¹ arthor (tisa)	16
El 🕈 Karan 🗰 🕸 - an 👔 - an 🦹 - a El 👔 🗍 🏚 🏘	16
(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	17
e al 3 martines	17
eather Manifacture - Lochomic Sugnificance	17
*●11113:141111111111111111111111111111111	18
○通行内(1) 内(1) (○) (○) (○) (○) (○) (○) (○) (○) (○) (○	18
en mai Be roducte	19
e elorgest of trigerous Tarnin Hearing Products	19
der der bereiten der	
Traduction of Neturel Rubber	2.0

its durtism	of Natural Rubber	20
1.1220.068等工作家		20
1100000100	's Smallholders	21
Subber Manu		21
	stries in Developing Countries	22
、「」 【熱作論的書	of Synthetics on Rubber Consumption	23

TECHNI AL ANI ESSENTIAL OILS

C

-152-

ils Used for weap - lypes of Vegetable Scap Oils	23
Frocessing	24
map Manufacture in Developing Countries	25
impact of Synthetics	25
STYLE IN THE STATE	25
) from the state of the state o	27
【的飲▲が来、27年、20日本お金を11日後	27

		Page
	Significance for Industrialization of	
	Developing Countries	28
	Other Technical Oils	28
	Production	28
	Froc e ssing	28
	Industrial Products	28
	Essential Oils	29
	Sources	29
	Processing Methods	30
	Processing in Developing Countries	30
	Impact of Synthetics	31
٧.	STIMULANTS AND CONDIMENTS	32
	Теа	32
	Production	32
	Processing	32
	Blending	34
	Industrial Products from Tea	34
	Coffee	35
	Production and Significance	35
	Primary Processing	35
	Further Processing and Utilization	36
	Industrial Products made from Coffee	36
	Cocoa	37
	Production Bringer Bringer	37
	Primary Processing	38
	Manufacture of Intermediate Products and Chocolate	
		39
	Processing Industries in Developing Countries Tobacco	39
	Production	40
	Processing	40
	Manufacture of Tobacco Products	41
	Tobacco Manufacturing Industries in Africa	41
	Spices	41
	Importance for Africa	42
		46
VI.	VARIOUS PRODUCTS	48
	Technical Starch Products	48
	Insecticides	48
	Medicaments	48
	Dves	49
VII.	CONCLUDING REMARKS	49
APPE	XIGN	
		51

le .

i **i**

INDUSTRIES PROCESSING AGRICULTURAL PRODUCTS OTHER THAN FOOD

INTRODUCTION

1. Agricultural products other than food (excluding forestry and fishery products) include the beverages and raw materiale used in various industries manufacturing a wide range of mainly consumer goods. The farmer himself rerely consumes much of such produce in the raw state, but rather sells it for each. Since in developing regions such as Africa, industries are relatively few, the sale is mainly for export. Yet requirements of the manufactured consumer goods in such regions are considerable, and are liable to increase relatively rapidly as economic development leads to higher standards of living. With the raw materials at hand, this naturally leads to consideration of their local manufacture, which should however take into account industrial and technological developments in other parts of the globe.

The raw products can be roughly divided into five main groups, vis:

- I. <u>Hatural Fibers</u>, vegetable as well as animal fibere;
- II. <u>Hides, Skins, Leather</u>, including also animal hy-products and tannin extracts;
- III. Saps and Secretions, such as rubber, lac, resins, etc.;
- IV. Technical and Essential Oils, including drying oils;
- V. <u>Condiments</u>, such as tes, coffee, cocces, tobacco and spices;
- VI. <u>Various Products</u>, such as industrial starch, insecticides, medicaments and dys-stuffs.

In general, the agricultural raw materials all require some degree of processing to put them in a form suitable for commercial marketing - ootton has to be ginned, wool ecoured, hides tanned, rubber milled, while the processing of other agricultural raw materials is even more complicated. This initial processing is largely performed in the producing countries, and most developing countries have processing units which may be quite small, or in the case of plantation crops, such as hard fibers, organised (for decortication) on industrial lines. By a series of further strictly industrial processes, the raw materials are transformed into finished goods, such as textiles, footwear, tyres, etc.

2. As a result of technical developments in this century, and mainly in the last few decades, san is no longer so dependent on the agricultural raw materials as formerly when clothes, footwear, tyres, paints, perfumes, etc., were exclusively made from "natural" materials. Only the products of group V, condiments are not as yet greatly threatened by synthetic substitutes. In groups I to IV; artificial products or synthetics are increasingly taking the place of the agricultural producte, as production growth rates in the following table indicate. Apart from the fact that synthetics can be "tailored" to use, they have advantages in the relative stablilly of their junity and prise, and in technological developments of processing, which and relatively officient and profitable use of thes

Table & Freduction of Natural and Brathette Fi are and Habber

	<u>kekk</u>	يوب	Later	- Lum	1264 10001117 0.0.1000	1991	1967	126		1293 2000 11 12 0.0.1000
	I ndi a	6 # 195	7-60 .	100		Indione 1957-60 = 100				
Pibers - Matural	109	110	114	115	17.89	181	121	12 (124	8.8/
Xan-made -										
Collulosia	: 10	117	125	134	3.27	1.80	1 94	1 1 m		• •
Synthetice	173	224	276	348	1.60	295	126 464	135 536	165 950	(0. (0.
Rubber - Natural	107	109	206	113	2.24	107	109	106	113	2.24
synthetice	124	142	100	185	3.75	-	-			.01

While the development of synthetic substitutes for agricultural raw materials has taken place mainly outside the developing countries, it is a question of sconomic analysis and policy whether some sountries in the Middle Bast and African regions rich in mineral oil, make more of their agricultural raw materials by extending processing industries or sake more of their oil in petrochemical products, such as synthetics, which compete throughout the world if not always for the same industrial processing capacity, for the same and uses as the agricultural raw

Sotwithstanding the rising tide of the synthetice, production of many agricultural raw materials will no doubt continue to expand, especially in many developing countries in the African and other less developed regions. Such production is likely to continue to be the mainstay of their processing industries for some time to come, and provided costs of producing and processing these materials can be lowered, they should be able to meet competition from synthetics in markets of developed countries also.

3. The setablishment and expansion of demotic industries processing local agricultural raw materials is a field of economic development often favoured by developing countries because it can contribute to the maintenance and increase in standards of living, while effecting savings in foreign exchange expenditures on consumer goods in favour of expenditures on import of capital and other goods more essential for economic development; or because the value added in manufacture increases the foreign exchange earned where the product can be exported in place of the raw material. It can also by proceeding a larger domestic market for raw materials largely exported, help stabilize prices to the producer.

Africe shares with other developing regions of the globe a substantial interest in the production of a number of agricultural raw materials and in the potentialities for their local manufacture. Some developing countries are further advanced than others in exploiting these potentialities. In the further development of local manufacture of certain raw materials as, for example, cotton, developing countries not only within Africa, but in other regions, will no sould what to take into account each others plans, to ensure the highest sconshie benefit from investments made in this field.

•

I. LINES

D

MTLEY OF BASHERS FAMARE

Natural fibers may be distinguished between animal and vegetable fibere; both 1. groups are different in chemical composition, and consequently in certain typical properties like reaction to dree. There are many types of antural fibere", more than 2,000 species of fiber-yielding plants in various parts of the world being knows, of which, however, loss than fifty are proceeded in any significant quantity, and only about ten or twolve are of outstanding commercial importance. The following school gives a review of the sore important fibere. ..

Animal Pibers

A. 3434

- a. free silk, produced by the silkwore Deskys morig
- b. "dild" silks, fuscore silks, produced by various insects, such as Anthores and.

P. Baldestiel Jears

- a. dool, the spidermal protoctive covering of sheep;
- b. Robair, the bairs of the Angora goat, the linns, alpace and 75.01
- e. Various animal hairs, such as samel and rabbit hairs used for folt, pig brietle, yek hair, etc.;
- Lores bair. 4.

Vace table Pibers

- A. Jack and Prist Bair Pibare
 - a. Sood hairs such as sotton: Gesarpius spp.;
 - b. Pod fibers, such as
 - Kapok (Indonesia, Thailand): Coibs pontandra; Bonbaz (India): Bonbaz malabarioun;
 - Vegetable cilks: "alotropis gigantes and othere; c. Euck or Eull fibers, such as Coir (Caylon, India, etc.): Goods maifers.

B. Losf fibers

a. Agave fibers, such as: Sical (Africe, Brasil, Venesuela, Indonesia, Taivan): Agave sicalams; Henequen (Merico, Cuba): A. foureroydes:

"Details of their origins can be supplied as required.

** Statistical information is attached in the appendix.

Cantala (Philippime): A. cantalo; Loobeguille: A. loobeguille: Nesidan benequent A. lurida; Lotona (8) Salvador, Customala, Honduras): A. lotona; Phoresus tenas or Fore. Enove veriously as: ð. New Joaland Flag (New Joaland); Pormio chilene (Chile), Neeles (Japan) c. Parorees fibers, such as: Figue (Colombia). Purormon meerophylla; Nauritius fiber (Nauritius and Nounion): Furerasa gigantes; 4. Sameriors, Boustring-Heap (Africs): Sameriers spp. . Pineapple fibers, such as: Anonae fiber (Philippines, South America, Hosenbigue): Bromelia anamas L.; Fits flogs (Control and South America): Anohaes magialence; f. Various fibers, such as: Polma 10116 (Nozico): Samuela estrepuesas; Caroa (Brasil); Beoglasovis variegata; .

3

G. Loof-eten Vitere

a. Husa fibers, such as: Abasa or Hamile homp (Philippines): Husa textilis; Hamass fibers: (Husa perdiaisa var.);
b. Pala fibers, such as: Dum palm fiber (Bthiopia, Hast Africa): Hyphasme spp. Vegetable bruch fibers, derived from various palme.

D. Jaci Pibere

Flaz and heap fibers, such as: Flaz (Burope, U.S.S.R., U.A.R., Japan, Turkey): Linum usitatiosimum; seep (Burope, Furkey): Cannabis sativa; Sunn heap (India, Pakistan): Crotalaria juncea;
Jute and allied fibers, such as: Frue jute (India, Pakistan): Corehorus spp.; Kenaf or Nesta (India, Pakistan, Thailand): Mibisous Gannabinus; Roselle (Indonesia, South Africa): Mibisous Sabdariffa; Congo jute (Africa): Urena lobata, Cephalonia polyandrum); Abutilon (China): Abutilon Avisenmes and A. indisua;
Remie: Boshaeria nivea

whatever their origins, the uses to which the various fibers are ultimately put, are determined primarily by their physical properties as modified in processing. In this connection it is useful to powelder the fibers and industries processing thes under the following headings:*

1. Testile fibers, including ootton, wool, silk, flax, ramis, hesp.

The most important, ootton and wool are often classified along with cellulosic and Synthetic fibers as "apparel fibers" although in fact their uses are much wider there statistical Annexy.

[&]quot;Paper-making fibers are dealt with in the paper No. V. "Development of Forest industries".

- 2. Saching fibers, sainly the soft fibers, jute, hennef, and allied fibers.
- 3. Cortage fibers, sainly the bard fibers, sisal and heneques, abass.
- 4. Briatia, bruch of mat fibers, including doir, pisconve, palayra;
- 5. Etuffing fibers, including sapes and vegetable silks.

Following pre-industrial processing to put thes is asrketable form, the fibere is categories 1 through 3 nove into industries where preparatory processes such as carding and spinning convert them into yarm. These processes and the equipment involved are adapted to each particular fiber. And is subsequent processes of doubling, weaving, etc., the several natural fibers is yarm form are relatively rarely processed together, although the sam-made cellulosis and synthetic fibere are sufficiently adaptable to be processed on equipment designed to process particular natural fibers. It follows therefore that the names of particular natural fibere enter into the designation of the industries processing them, e.g. dotton textile industries, woollen and worsted industries, jute samufacturing industries, sto.

Major Textile fibere

<u>Getten</u>

2. While it is largely identified with apparel, and in Africa cottom is highly favoured for this use, oottom has in fact a very wide range of household and industrial uses also. Since it is a general purpose fiber, with many uses in manufactured form, requirements tend to expand relatively rapidly with economic development, especially in regions such as Africa, where the initial level of development is generally lev. Thus, FAU calculations⁶ show that the continent as a whole communes 1.3 kg. of sottom textiles per caput, while developed regions ounsume 6.3 kg., but elasticity of demand is much higher in Africa, the co-efficient is relation to income being around 1.3 against less than unity in developed countries.

In terms of tonnage produced, oottom is the most important fiber. Its production is quite widely spread throughout the globe, and its processing even more so. A considerable number of countries in the African region are in fact very well adapted to the production of cottom of different varieties. The output on the continent which shows diverse trends, in total, approaches 900,000 tons, which is about 8.5 per cent of world output of cottom. Half this output is attributable to U.A.B., which along with Sudam provides the bulk of the world's supply of extre-long staples, while Uganda, Tansania, and some twenty other countries are producers mostly of medium staples.

Pable J Cotion in Africa 1961/62 to 1961/64 and sister ooo Desetie Requirements (Resufactures) 1961/2 1962/1 1963/4 Industrial Cons 1961/2 1962/1 1961/4 1961/2 1962/3 1963/4 Total AFRICA 788 234 **511** 190 206 221 **M M M** Sudan 217 163 102 3 6 5 24 26 25 Tansania - 31 39 48 à 7 11 U.A.R. 336 457 442 123 128 93 135 93 86 Umada - 35 65 69 4 10 9 Others 169 210 216 60 69 76 247 249 260

"See Statistical Annex

- 5 -

The pre-marketing process of ginning, that is separating the lint from the ootion meed which yields valuable oil as a by-product, is done on roller gins in the oass of extra-long stelles produced by U.A.H. and Sudan, while for shorter stalles, saw gins are used. In this connection FAU is rendering assistance under U.S. Special Fund Cotton Messarch Project to U.A.R. in introducing the most modern ginning and testing methods with the object of improving the quality and marketability of the orop.

The great bulk of Afridan outton is exported mainly to major developed countries, but there is an expanding industrial consumption on the continent, and come 220,000 tons, ecout one-quarter of total output now goes to demonic outton textile industries. Because of fluctuations in demand, and also in world prices for cotton, the African experiable surplus does not always find a ready market. For this reason a number of African cotton producing countries have contralised or special marketing systems" which attempt to support the price to the producer; and as demonic cotton textile industry is developed to absorb a larger proportion of production, it should underpin these efforts.

Sotton Textile Industrialisation

3. From another important standpoint, however, cotton textile industrialisation represente an attractive line of development for Airican countries. African countries' demontic requirements of cotton textiles totalled some 380,000 tons in 1963, involving a ne. heport of 170,000 tons. This is a coetly item in foreign exchange since the value added to cotton in textile processing may be as such as twothirds of the value of the finished goods. Consequently, if the continuest reduced its exports of raw cotton by 176,000 tone and instead expanded African cotton textile production by this amount, saving in import expenditure might be three times the lose in export earning, and other things being equal, foreign exchange availability for development imports would be correspondingly increased.

This general argument for action textile industrialisation in Africa cannot nowever be jureued without reference to the economic consequences for individual Atrican countries, and indeed for countries outside the region. African countries which embark on such industrial development would no doubt have to consider restriction on seport of ootton textiles which os "infast industry" if not balance of caments grounds, would no doubt be acceptable under GATT. However, the many actual and jotential oction producing countries in Africe (and the Middle Hest) have mostly ather small domestic marks to for cotton textiles, as can be seen from the computed availabilities for home uss" in the statistical anner. A proliferation of infant rdustries eventually destined to compete with each other aight mean wanted investment, whereas a po-ordinated approach to development of textile industries within Certain limits, might offer sconomies in the strategic siting of factories, and in the scale of their operations. Where as sconomic framework such as the Bast African Semmon Market exists, such an appress would no doubt stand a greater chance of suscess. Fossibly incentives and organization to ensure a continuously adequate supply of pay ection of a kind suitable for local consumption would be necessary where there were exports of such cotton to fluctuating world markets; and in order to promote efficiency of such industry, labour supply would have to be organised and trained for operations to which it would, in many cases, be wholly unacoustomed. Fowever, industrial concerns in one or other of the aid-giving developed countries may be atte to provide the more same generat and technical services.

"E CH. 4 SPC 73 ... Note prepared by FAC for BCA Commodity Stabilisation Meeting,

on the other hand, developing countries in Africa (and indeed in other regions of the globe) with relatively large and long-setablished ootton textile industries, such as U.A.R., manage to export a siscable part of their textile output. They find their access to markets in developed countries restricted, due not only to the increasing use of synthetics, but under the GAPT Cotton Textils Agreement designed to prevent "market disruption". Consequently, they may look more towards other developing countries as potential markets. In this connection, African countries might want to explore in the context of UNCTAD recommendations" the possibilities of trade preferences among developing countries.

<u>Wool</u>

4. Wool is predominently an apparel fiber, but has also important household uses into which the carpet wools of sheep indigenous to Africa enter. Production of wool in Africa is fairly substantial in certain areas, in total averaging in recent years some 90,000 tone on a clean basis, and accounting for some 6.6 per cent of world output. Following the initial process of washing (ecouring and carbonising) and grading which are undertaken largely in the producing countries, a relatively high proportion of wool output is exported from Africa, as from other major producing regions. It is converted into finished goods in the woollen and worsted industries of the more developed countries, where indeed the great bulk of such goods are consumed.

<u>Fable C</u>	<u>Mool in Africa 1961/62 to 1963/64</u>						000 metric tons			
	<u>1961/2</u>	roduo \$10 1962/3	1963/4	<u>Industr</u> 1961/2	1el Cone 1962/3	1963/4	<u>Domesti</u> 1961/2	o Ro gui: 1962/3	1963/4	
Istal: AFRICA	91	88	91	21	21	21	31	34	35	

Of the total African output only about 21,000 tons, less than a quarter, is manufactured into wool textiles in African countries themselves. There is therefore asple local raw material supply, if wool textile manufacture were to be extended. The region has a net import requirement for wool textiles of the order of 13,000 tons which in view of the relatively high value added to the raw material in this case, eight on balance of payments grounds, warrant consideration of their local manufacture. Any extension of wool textile manufacturing for the purpose of export of the product to the developed countries, however, might well proceed with circumspection, due not only to competition likely to be met from synthetics in these markets, but also because of the possibility of such countries applying for limitations on imports under GATT, on grounds of market disruption.

Secking (Soft) Fibers

5. The fibere used primarily in the manufacture of sacks and other containers, are jute, kenaf and allied fibers. They are also used in substantial quantities in the manufacturing of floor coverings. The latter, however, enter into the economic life of mainly the developed countries. On the other hand, developing countries in Africa and elsewhere, with expanding outpute of agricultural commodities such as cosea, coffee, sugar, cotton, wool, etc. have increasing requirements of containers; and only in epecial circumstances are they likely to introduce the bulk handling

*Final Act Annez A. III.6

methods which have become widespread in developed countries.

The great bulk of juts and allied fibers is produced in the Far East where agronomic conditions for ite production are epscially favourable. The growing of true jute (Corohorus capsularis and other epp.) in Africa has not developed to any significant extent. More successful has been production of jute substitutes like the Conglo-jute (Urena lobata) and kenaf (Hibiecus canabinus) in U.A.R. In total, Africa produces only about 27,000 tons of the fibers, less than one per cent of global output.

As for other fibers, initial proceesing from the plant into the baled fiber takes place in the growing area. The usual way of initial processing for jute and all other bast fibers, is retting for 10-15 days in stagmant or slow-moving water. During retting, the outer bast layer esparates from the stam by bacterial action and can afterwards easily be stripped off by hand. By energetic washing of the retted bast, clean fibers are obtained.

While this way of proceesing is still predominantly used in India, Pakietan and Thailand, it is less practical for other countrise, where sither water is not so abundant, or labour not so plentiful and cheap. Attempts have therefore been made, and are still being made, to extract kensf and similar fibers without retting, that is by mechanical decortication, as in the case of the hard fiber, sisal. While certain decorticators have been developed for this purpose, they are by no means an ideal solution because bast or soft fibers, are really too fine for mechanical decortication, with the result that either the fiber losses in decorticators are too high, or the fibers are not opened up sufficiently. A satisfactory solution is a two-stage process: the stams are first treated in a "ribboner" (a kind of rather crude decorticator) which delivers the bast in the form of small ribbons or fiber bundles. These are then retted, sither in the rather primitive traditional way, or in a more afficient modernised way, like canal-retting, sprinkler retting, application of warm water, etc.

The further processing of jute and allied fibere by spinning and waving into finished goods - twines, fabrice and sacks - is carried on mainly in the principal fiber-producing countries, India and Pakistan. It is also carried on in countrise which, while having considerable requirements of such goods, do not produce the fibers at all, as in Western Europe, or not in sufficient quantities to cover their requirements, as in Africa. The latter group of countrise are therefore importers of raw jute and kenaf; and they may also be importers of jute goods, if their jute sanufacturing industries are still not sufficiently large to take care of their requirements of such goods. Finally, there are countrises without jute manufacturing facilities, but with requirements of jute goods, which have to be imported. While African countries have expanded their manufacturing capacity for jute and allied fibers, so that they now consume over 100,000 tone of these fibers, they still depend on importe of raw jute to the extent of about 80,000 tons, that is over three-quarters of their ray material supply.

Table D	Jute and	Allie	d Fibers	in Afri	.06 : 19	61/62-19	63/64	000 met	ric tons
	Pr 1961/2	oduotio 1962/3	n 1963/4	Indust: 1961/2	1al Con 1962/3	sumption 1963/4	Domeetic 1961/2	Requis 1962/3	1963/4
Total - AFRICA	25	25	27	80	95	110	260	270	280

One of the global commodity problems which impinge on African countries with ute manufacturing capacity dependant on imported fiber supply, notably U.A.R., Asnya, Ghana and others, is therefore the wide fluctuations which coour in the supply and prices of raw jute. They have therefore a strong interest in efforts being made by the FAO Study Group on Jute, Kenaf and Allied Fibers, to promote the supply of fiber to the international market at stable prices. The Group has setablished a Concultative Committee which seets twice annually to make recommendations on supply disposals and planting policies in the major producing countries. At its meeting last September the Committee indicated a price range and how purchases by importing countries should be phased in 1965/66 to secure supply at prices within the range; and st its forthooming meeting in early 1966, will review these arrangements and consider planting policies for 1966/67.

Africa's requirements of jute goods are, however, greatly in success of the continent's capacity to manufacture them. They have been increasing steadily and in 1964 are estimated to have reached some 280,000 tons. A number of African countries produce only a fraction of their requirements; some do not manufacture jute goods at all.

Production and Consumption of Jute Goods in Africa - 1964

Thousand metric tons

		Production	Consumption
Congo (Leopoldville)		7.0	6.0
Ivory Coast		-	6.0
U.A.R.		30.0	50.0
Ethiopia		5.0	6.0
Ghana		3.0	13.0
Kenya		7.4	9.0
Nadagascar		4.0	5.0
Nigoria		-	25.0
Sudan		-	25.0
Tansania		-	10.0
Uganda		-	9.0
Others		54.0	116.2
	Total	110.4	280.2

Reports indicate, however, that production in countries already manufacturing could increase from 110,000 tons in 1964 to 125,000 tons in 1968; and in eight other African countries (Algeria, Central Africa, Ivory Coast, Mali, Nigeria, Zambia, Sudan, Tansania) the creation of new plants with a global capacity of 44,000 tons has either been decided already, or is under consideration. Even if all these plans were not fully implemented the total African output by 1968 could very well exceed 150,000 tons.

Jute Manufacturing Industries

6. While the problems of raw jute and allied fiber supply and price remain acute, the proliferation of jute manufacturing industries in many developing countries has to be approached with caution, the more so because it also raises problems of international adjustment, and questions of the economic benefits of investment in such industry. In this connection, the FAO Study Group on Jute, Kenaf and Allied Fibers at its September 1964 session considered that it would be useful to collect and exchange information on investment plans in the various countries and also gave attention to data on investment requirements for setting up new jute industries in developing countries, some details of which are given below. The Group will again be considering these matters at its next session in September 1966. The cost of the raw material is by far the most important ites in costs of production of jute or kenaf macks. Therefore, if a mack factory is to be established in a certain country, and if the fiber is to be produced locally, the fiber price to the factory must be competitive with the cost of jute produced in India; otherwise the factory will have to rely on Jovernment assistance to keep it going.

In the hypothetical case of a country having an annual decand of six million bags a year, the investment required would be approximately as follows:

	Total	of which imported
Machinery, furnishings, apare parts, electric motors, <u>excluding the power</u>		.
house	US \$ 1,260,000	US \$ 1,260,000
Buildings	630,000	<u> </u>
	US \$ 1,890,000	US \$ 1,573,600

The length of time involved from the date of the placing of the order of machinery and plant will be about 2g years; if a fiber is to be grown locally, starting from soratch, before establishing a factory, a period of at least five years would probably be required.

About 50 to 60 per cent of the cost of the finished bag would be the raw material cost, including batching oil. Required raw material is 7,000 tons for 0,000 tons of bags. Assuming that the raw material costs \$160 per ton and the bags \$270 per ton, the gross value added by manufacture would be \$770,000. If the fiber was all produced locally, the saving per annum in foreign exchange would be \$1,020,000, if the fiber was imported the savings of foreign exchange compared with the import of the eacks would etill be about \$500,000.

It a soft fiber is to be grown locally to supply the sack factory, a labour force of around 12,500 will be needed for oultivation, harvseting, retting and drying, during a period of, eay, four sonthe during the year.

Cordage (Hard; Fibers

7. The principal products of the hard fibers - abaca, sisal and henequen - are ropes for marine and industrial use and binder and baler twines used in mechanised agriculture, while subaidiary uses of these fibere are in carpets, unholstery and paper manufacture. All such products are mainly in demand in the more highly developed countries where there is an increasing application of synthetic fibers.

Eard fiber plants grow in tropical and subtropical regions and production of the fibers is quite widespread among developing countries, not only in Africa but in the Far East and in Latin America. Initial "on the epot" processing consists in extracting the fiber from the leaf by means of hand stripping or scraping in a power-driven decorticator, either a handfed raspador or an automatic continuously working decorticator. A by-product of decorticator is similarwaste ("flume tow"), which after retting and, or mechanical cleaning, can be used for upholstery or eack manufacture. Automatic decorticators are huge stationary machines with high capacity, often requiring mechanised transport for the leaves. They involve countderative capital investment by big plantations which employ them. While (reduction in Africa is largely on these lines, there is now an increasing demand capacity, transfortable decorticators which are within reach of groups of

ма на става на става на ст

♣ € 2 ● 5	AND TABORN AN ALFAGE CARD DOCUMENTS	a and the second
	n 🖌 👘 na statistica a calificativa e e calificativa e	2 . A.

i i in menton vi≃ i	L	reduc 11	<u>.</u>	insuetr		MILLOD		- 1012-11	marile
	2 at 4 day &	100-	فخطعه	A. A	ာင်းကြားနှို့ 🖌 👌	107 4	<u>, 10, 1</u>	it is a	A Carl
itai - AFRILA	295	17.	22	•	•	• 97.54	2. 84	•	* .
aderia Borys Brids ⁽ _e conde	64	\$	•	*		۰,			
tiere	1 3 A A	i • "	a à f	٠	•	•	(*		

"Neglattle grantity

hard . 10 ro i robeeting inquetries

. Conditions in developing countries which provide raw anterial left fuel of a pule well to the denuistive of a ringe and atter road to its which is a country see a new neither power but depited which to he are an interior of country see a more are are not derived and enterial out a country of art in the distribution, and miner approximate by dendative cart interior of production, and miner approximate by dendative varies of the initial for the rest of production which are all of respectation for the abain of the value of rest of which is the initial for the rest of an abain of the value of rest of others. I the initial for the rest of an analy of a state of the initial other in the initial for the rest of an analy of a state of the and product depite and the country of a state of the initial and the product depite an and the country of a state of the state.

The relatively raise expension of the Second and acre recently critican supplete inductry suggests pitch is opportunities in a friction of untries in this desiration. A beginning the in fact been and with the processing of static charante where production of rope and twine started in the last juster of 1900. In Secan twine along and the size and size waste have already been assult the for a considerable time, the size bags bein, used samply for the transportation of college.

the development of siski processing industries in ofricen countries would on an advantage incommuch as fluctuations in the desand for export of Lard fibers can be entready wide, and an internal source of desand for the fibers should not; to preserve a balance, so that uncouncil adjustments in output from plantations would be drawning to become less mechanism. Equally important it would be advantageous insofares the processed cordage or other sanufacture was exported and increased for exponents in solutions.

A broader approach to the development of siski annused use in all that the structure in the second states and the second states and

are concumed mainly in developed countries, where technological advances affecting their manufacture and usage are liable to take place relatively rapidly. Insofaras competition from synthetics has to be met, recently polypropolene agricultural twines are reportedly being developed. The long-term demand prospects for hard fiber products or producte into which hard fibers may enter, have therefore to be There is also need to promote not only more efficient production, but aesessed. more efficient marketing and greater stability in sisal prices. The Government of Panzania and other governments concerned have recognized that this problem of aseessing long terms prospects, and of making approaches to stabilization of sigal prices can beet be taken up at international level. In November 1965 the FAU Committee on Commodity Probleme recommended that an ad hoc meeting on hard fiber producing and consuming countries be held next March to go into these questions with a view to recommending euitable measures.

Coir Fiber

General

9. Coir, or coconut fiber, is obtained from the husk of the coconut. It is therefore a by-product of copra manufacture. The name coir is derived from the Malay word for cord, kayar.

On an average, about 25 - 30 per cent of the weight of husks can be obtained as fibres of which one-quarter to one-third are long, and the rest short fibers. The quality of the fiber depends on the variety of the coconut husks used, on the degree of ripeness of the nute, and on the freshness of the husks. The finest and longest varieties of coir fiber are used for making cordage and floor coverings. A coarser variety is used in manufacturing brushes and brooms, and a short variety is employed for filling mattressee, or as a substitute for horse hair in upholstery. Rubberized coir is used in furniture, aeroplane and automobile upholstery, and coir dust is useful for accustics, inculation and air-conditioning filters.

Fiber Quality

10. Coir has natural resilience, durability, resistance to dampness and elasticity, and stands up well to mechanical wear and abrasion. Coir rope is said to be unique in not rotting in salt water. On the other hand, the texture of coir rope and mate is rough, and the appearance not highly aesthetic. Coir does not have as light a colour as sisal and cannot be epun to the same fineness. Coir rope being rougher is reasy to handle than eisal rope, and is also stiffer and more brittle. Because of these limitations and because it is a by-product of coconut production, coir is one of the cheapest natural fibers. The unit values of annual imports of coir into the United Kingdom in the years 1959 to 1962 ranged from 40 to 55 per cent of the unit value of the imports of sisal. The average prices paid by manufacturers in the Netherland for coir yarn in the years 1952-1956 were reported as ranging from half to three-quarters of the average prices paid for sisal yarn.

Soonomic Importance

11. World production of coir is estimated at about 250,000 metric tons in recent years, therefore about double that of abaca and not far short of half that of sisal. About 95 per cent of the world supply of coir is produced in India and Ceylon where the concentration of coir production in Western coastal areas make it vital to the sconomies of these regions. Coir production is one of the biggest cottage industries of India, and is a means of supplementing the low earnings of small coconut growers and fichermen, and of providing employment for the otherwise unutilised female labour of the lensely populated coastal areas. Attempts to produce coir are also made in other Sountries. In the Hillppines, for example, there are plans to start producing coir fiber on a large scale. Coir production in Zanzibar is being increased under the direction of its Co;ra Board, and the export potential of East African countries is put at 10,000 metric tons annually. In Thailand, until 1961 only small amounts of coir fiber were produced by mand for fishing nets and local cordage, but production with modern machinery has recently been introduced.

As about five-sixths of the world's coconut husks are still burnt as fuel, used as manure or (mostly) wasted, the potential roduction in all coconut producing countries is very high. To assess the possible maximum coir production, it can safely be assumed that 1,000 coconuts yield about 100 kgs. of coir and about 200 kgs. of copra. For each kilogram of copra, therefore, half a kilogram of coir could be produced. For the world production of about 3,200,000 metric tons of copra, the theoretically possible coir production would be 1,000,000 metric tons compared with an actual production of 250,000 metric tons.

For Africa, with a production of about 100,000 metric tons of copra, the potential coir production would be 50,000 metric tons. It is therefore understandable that beside the already mentioned Isle of Zansibar, also other African countries, e.g., Nigeria, Guinea, Tansania, are encouraging or considering coir production and are trying to improve the processing methods.

The future rate of growth of the world coir industry will depend mainly on the price at which good quality coir can be supplied because coir output is a small proportion of the world supplies of industrial fibres, and close substitutes exist in all end-uses.

Coir Substitutes

12. The closest substitute of coir is sizel and decreases in the import of coir in Western European countries since the second world war have been ascribed to lower purchases by manufacturers of mats and matting who have turned to sizel. The threat of substitutes is serious for coir yarn as the process of substitution involves no capital costs the same machine being able to process sizel yarn.

In the industrialized countries, tacked carpets covering the whole floor of the living room have become more popular, and consequently coir carpets are used less. Coir matting is usually covered by a carpet of other materials. The increased use of synthetic floor coverings, such as cocovinyl tiles in corridors, entrance halls, kitchens, etc., has also made the customary carpets and mats superflucus. In lowincome countries like India, the market for coir floor coverings will depend on price rather than quality. Among wealthier consumers in India, coir faces competition from jute mattings.

Processing

13. Initial processing is the extraction of the fiber from the husks which can be done either by hand or by machine. The manual processing is highly labourintensive, involves a long retting period, and is the traditional method used in India, Thailand and Indonesia. Husks, out into two or three sections, have to be scaked in sea or brackish water for five to nine months before fiber separation can be done by vigorous beating of the scaked husks with mallets. The fibrous material is then washed, dried and opened up into fibers five to ten inches long, ready for spinning.

Spinning of coir fiber into yarn is a cottage industry performed almost entirely by women and children, and is done by hand or by means of simple hand-driven machines. the parme are made into manks of up to twenty yards' length and sold to buyers, often against payment in kind. The manks are then transported to the commercial centres where the parm is graded and baled for export or for the coir mills. At present, almost all the world's supplies of coir yarm are produced in India. The estimated value added per mead per day is more than ha. 2, probably the highest of all the pottage industries of India.

In mechanical processing of sir, the nusks are crushed between fluted rollers and conveyed mechanically to retring jits. The retted pieces are fed into breaker argues where mort and long tibers suitable for different purposes are separated. The fiver is then washed, sun-dried, combed and bundled with coir twine, and pressed into bales for export. This technique of processing reduces the length of the retting period to three to six weeks, and the labour requirements per machine are very low. By the use of strong crushing and hackling machines, this retting period can be further reduced and consists a metimes only in a few days' soaking in water.

To eliminate retting altogether, a dry processing method has been developed in the nited dim low, a noisting of neavily beating the nuske in a "husk-bursting mill", followed by treatment in a "sifter" for further opening and screening, and eventually in a "turbe-screen" for the final separation of the remaining waste and duet. This type of equipment is built for high outputs, but requires also high capital investment.

Cheaper processing equipment for smaller capacities, making use of the wet method with soaking, is obtainable from Japan. A set of machines for the processing of 1,000 musks a day, producing about 100 kgs. of coir, requires an investment of less than 2,000 US dollars, and includes crushing machine, combing machine and baling press. Labour requirement for such a unit would be six men.

Also the twisting and spinning of fibres to yarns is already done in some construes (Seylon) by mechanical equipment consisting of automatic spinning frames. by wet spinning, drying and intwisting, curled fiber can be obtained, as used for various purposes.

dnu-uses

14. The major and-uses of coir are mats and matting, carpets and rugs, mattresses and upholstery, c rdage and brushes and brooms. Except in the case of cordage, the consumption is overwhelmingly in the industrialized countries. When cordage is included, the industrialized countries account for about three-fifths of total consumption. Over one-third of the world output of coir is used as floor coveringe in the form of coir mats, mattings, rugs or carpets, and about 90 per cent of these are consumed in the industrialized countries of the world, the United Kingdom being the biggest single market. Somewhat under one-third of world consumption of coir is in mattresses and upholstery, 95 per cent of this in the industrialized countries, and 80 per cent in E.E.C., the United Kingdom and Japan. The same applies to coir brushes and brooms the consumption of which is also concentrated in the high income countries.

An exception to the general consumption pattern of coir products is that of cordage, the third most important outlet of coir. Unlike coir floor coverings and mettress filter, coir cordage is mainly used in less-developed countries, the leading consumers being India and Ceylon.

Coir Industries in Developing Countries

1. In frontes are increasingly produced in developing countries, especially make. The timest coir industry is in India where ooir carpets and rugs are

manufacturea and exported.

1

Coir is an excellent raw material for the establishment of small industries in developing countries, especially the manufacture of cordage, mats, trooms and brushes. Such industries require only relatively small investment for the necessary machinery and can be managed by farmers' co-operatives, by small entrepreneurs or groups (families) at village level, contributing to the industrialization of rural districts by what is now called "intermediate technology". FAC has favoured such a development in several countries, and a few examples from recent FAC projects will show how much capital and labour is required:

A small brush manufacturing workshop can be constructed for about 1,300 US \$ using simple Japanese machinery, viz. a wooden-holder making machine, a bristle filling machine, a shaving machine, etc., for the daily production of 350 kitchen brushes by six workers.

Also Japanese equipment for the making of cordage on a small scale is rather cheap, e.g., a two-ply twine-making machine with treadle drive for a capacity of about 120 meter/hour costs US \$ 110 f.o.b., whilst a three-ply machine driven by a \$ h.p. motor, and for a capicity of about 150 metres per hour can be obtained for US \$ 175. The price for a small, treadle-operated floor mat loom is US \$ 453.

For the making of fiber board from coconut husks producing about 300 pieces of 3×6 feet per day, an investment of US \$ 15,000 to 30,000 would be required, and a labour force of 20 workers.

For various end-uses, coir is required as a "refined" fiber; refining consists of chemical treatment ("boiling") to remove remnants of pulp and to make the fibers more supple, followed by a treatment with oils, soaps, paraffins, urized castor oil and similar agents to make the fiber more lustrous, resembling horse hair. The fiber is then dyed black, if required, spun, steamed and dried. There is no reason why this refining could not be done in developing countries, manufacturing a variety of nigh-priced export products suitable for every purpose.

Another product that could be made in developing countries, especially in countries which are also rubber producers, is rubberized coconut fiber, a popular upholstery material that can be used in a similar way as foam rubber, but is much oheaper. The manufacturing process starts with spinning the wet fibers, drying and untwisting, forming ("meedling") the now curled fibers in a mat-making machine into a continuous sheet of pre-set density and dimensions. This sheet with even surface and squared edges is then sprayed with specially prepared latex, and at the same time aried in a special oven, then cut to the lengths required and vulcanised in an autoclave.

There are other by-products of coconut processing that could be used as industrial raw materials, such as coconut shells for charcoal, and as a filler for plastics and similar purposes. Whether or not the manufacture of such by-products is economic depends on local circumstances and on market outlet; before engaging in such an enterprise, a careful marketing survey should take place.

II. HIDES, SKINS, LEATHER AND ANIMAL BY-FREDUCTS

Hides and Skins

Sconomic Significance

1. Cash crops, such as sisal and coffse, are immediately apparent when one looks at the export figures. Animal products, because of their intrinsic role in the life of the people, the walking bank balance or general provider, do not receive the attention that they deserve.

Frequently only 50% or less of the hides and skins produced reach the markets. The rest are left to rot near the place where the animals are elaughtered. Those products that do reach the markets are too frequently not of the highest quality. At the present time there is over demand for medium weight hides and skins and the orgger suppliers can demand quality prices for mixed bales of clean and ticky hides. With the perfection of synthetic soling materials, the heavy hides trade is suffering a set-back which would appear to be irreversible. Fo offset these conditions some producers are selling the lighter, looser-grained belly and the thick back separately.

Further Cutlook

2. What does the future hold for the hide, skin and leather industry ? Suedes, Sloving leathers, upper leather for the footwear industry generally and leather for fancy goods which up to the present have generally been able to maintain their osition, are likely to be faced with increased competition from new types of synthetic leather and the heavy leathers previously used for travel goods and sole leather are not expected to make up the ground lost to synthetics. These heavy leathers produced from heavy cattle hides will, however, find a place in the internal markets of the countries of origin where these are also developing countries with a shildly growing footwear consciousness. For these countries in particular it is well that the applied research, development and training programmes necessary for the establishment of local industries to meet these demands be started in plenty of time. Local raw materials need to be surveyed, not only as to the supply of the raw hides and skins, but also the available ancillary materials, indigenous tannin materials, salt and lime.

Frocessing of Haes

3. Apart from the use of the airdried hides as a roofing material by some nomadic tribes, cured hid must be regarded as the raw material for the leather industry. The value of a hide is determined at any one time by the demand for the leather of types of leather for which the hides can be used, this being a reflection of the weight and quality of the cured hide.

Processing of the green hidee invariably takes place in the country of origin. The method employed depends to a large extent on the quantity of hides to be processed in unit time, the distance from the market and consumer, climatic conditions and the availability of labour and raw materials (curing salt and building materials). In highly developed countries, where the abbatoir is trequently adjacent to the tanneries and large numbers of oattle are slaughtered daily and where flaying is carried out under supervision or mechanically, then it is found that the processors adopt the wet-salted method of ouring. The quality of the product is good and there is a minimum of labour involved. In some of the less developed countries they have a well-developed meat industry, and handle large numbers of stock-slaughtering at a central factory. In this latter case the hides

are salted and filed immediately after cheaning. They are rater suspension inter, folded, baled and enjorted in the dry-salted condition. These hides beak back were in the tanneries and provided they were folded before they were completed fint dry, there is normally little damage, if any, to the grain of the hide. For salting is preferred in cases where long distances letween producer and the mer are concerned, because of the saving in transport costs and save of handling a cry, taled product. The bulk of the world supply of hides comes from the small producer, particularly in the remote parts of the tropical and sub-tropical region. The uph the activities of Governments and international agencies a marked ingrement in the quality of products has been accomplished, more hides now reach the markets and fewer are left to jutrify. More and more of these hides are produced by the suspension air drying method. In places where the climatic conditions are not so favourable for parts of the year, drying sheds are being erected for individual of communal use. In Asian countries, with a long tradition of vegetable tanning processes, and also in some Near Sastorn countries, there has grown of a tradition of rough tanned leather production. In this latter process, the hides are de-maired, and vegetable tanned before drying. These are folded and exported in the bale. The advent of cheap plastic bags has made it possible to transport moust rough chrome tanned pelts treated with disinfectant over large distances, taking this int account together with the difficulty in finding Wet-house Workers in the Diresean and North American tanneries, this process has become economic, and there is a growing demand for rough chrome tanned products.

Frocessing of Skins

4. The practice for handling skins follows very closely the pattern indicated above for cattle hides. There are two practices which apply particularly to the skin trade. The first is connected with the method of flaying. In order to minimise the damage to the skin, a practice known as casing is frequently used. This method minimises the use of the knife in the whole operation and uses air under pressure to initially separate the connective tissue which holds the skin. The second practice is the pickling of sheepskins in an acid, salt mixture. The skins are transported in the wet condition in bundles in plastic bags. The outer bessian sack protects the plastic and makes handling easier.

Grading

5. The value of the raw or cured hide and skin production can be greatly enhanced by careful adherence to grading practices. The buyer prefers to pay a higher price for products whose grading is consistent. This has been very noticeable in the export side of the business. The domination of the world markets in the 1930's by olean quality hides from South America is but one example. In this export business there is always the danger of completency, particularly at the time when de and exceeds supply. The quality falls, as has happened in the case of the South American hides with ticky "northern hides". Consumers are, therefore, turning more to hides of North American origin and rough chrome tanned hides from Asia. It is time too, that the process of grading is taken up on the internal markets so that the producer receives a share of the higher return. On a national tasis thre will increase the circulation of money within the country; a stimulue to the development of commercial economy.

Leather Manufacture

Economic Significance

6. It is a sobering thought that in many rapidly developing countries the amount of the national income spent on importing footwaar and leather goods is double the money In an order the line and the summary entered to be the point of the production of the second term of term

Section of the spectrum of the section of the se

de manized anneries

nor posse traditional tanning industry emata, it is as well to start right at and the instances a second learnery geared to the impound of the ÷ and the take the simplie raw stock over and above external trade commitments. the advantages i mechanised tanneries are threefold. Firstly, it is easier to inject the technical know-now into a centralised unit or units. Secondly, a re hardsed tannery can produce a re types of reather. For example, the same group of Carea Canners , reviews y Worstra Co - Lon Bides and exine daily, Would be an crossent of some \$ process to candle out mides daily in a semi-mechanised istative. A trug me hashadd tannorg costing some \$ 100,000 - 250,000 would on an over preater induction and le atle to manufacture finished leathers outside the term a line of varyon, the knose into an almost uniform piece of leather and incluves the ettinions, for instrum. Speerwrine can be eplit layerwise,

andly in cooses

So the last thirty years much progress has been made in the improvement of salidate processes. There has been a change from the vegetable tannin materials to make their tans. The mineral tank have a number of advantages. The material is of more tent analysis. The mineral tanks are tannage can be controlled scientifically, where the structure of vegetable tinnage is an art. Only one tenth to one there transport that are involved the sineral tan is prefered. Mineral tannage is after all of prefered in metabolic prefered in the prefere, and the sineral tannage is after the prefere for showing the sineral tank are involved the sineral tan is prefered. Mineral tannage is after the prefere for showing of the sineral tanks of the sineral

with the envertion of grain berrection techniques, which are economically sectrified to force mechanised tanneries, many recent developments in leather sectors a factor instation for the memi-mechanized as work as fully mechanised so the end. The provider for the remaining function finishes, which can be applied in the remain optimation, can be used with a withmum of equipment.

Animal By-Products

3. Many Governments have embarked on plans to increase the availability of protein. They have in some cases suggested the introduction of vegetable protein-rich plants, while every year thousands of tons of more valuable animal protein goes to waste. Neat is exported and the protein-rich by-products go down the drain, or are thrown on the waste heap for the stray dogs and vultures to clean up.

It is not only the waste of protein that has to be considered, but also the Waste of valuable raw materials for glue, fertilizer, tallow, pharmaceutical products, surgical ligatures, etc. It is in the interests of disease control to process the inedable offals. The availability of material for processing depends on local oustom as under certain conditions even the hide of an animal may be eaten by the human population whereas in other parts even the cheaper cuts of meat are included with the offal to be rendered for fat and meat meal. The size of the operations and the celectivity of the final products depend on the quantitative availability of raw material, the availability of markets for the products and availability of capital for the initial investment. The equipment required to start the small plant for producing a simple protein meal should not be beyond the reach of any butcher or abbatoir. Naturally, the larger the scale of production the greater can be the diversification of the final products.

The main by-products of animal origin are discussed in FAC Agricultural Development Paper No. 70, "Processing and Utilisation of Animal By-Products".

Development of Indigenous Tannin Bearing Producte

10. Although as a general rule vegetable tannage is diminishing, it is well to investigate locally available tannin bearing materials, as one or more of these materials might be available in sufficient quantity and have desirable characteristics to enable the local industry to develop a trade in local leather, boots, sandals and belts, etc., and also for pre- or rough tannage processes for the export stook that will be sold on the export market to more developed countries to finish for fashion In the Sudan, for instance, it has been found that a granular substance leathers. containing over 50% tannine is recoverable from mechanically disintegrated and separated pode of the Acacia nilotica. This worker is the only recorded naturally occurring substance which contains a mixture of condensed and hydrolysable tannine. It is, therefore, not essential to blend with other vegetable tannin materials to obtain a tannage with good penetration while still producing a light coloured mellow The eugar content of the liquor is very low, it does not ferment readily leather. nor will the finished leather darken with oxydation to the extent found with other vegetable tanning materiale. Extract production is hardly warranted with a material of over 50% tanning.

III. RUBBER

1. If the group <u>Saps and Secretions</u>, comprising Rubber, Lac, Reeins, Waxes, etc., only Rubber will be dealt with here, it being the most important. World consumption of natural rubber is now more than 2,200,000 tons and almost the same amount is consumed of synthetic rubbers. Rubber is therefore experiencing closer competition from synthetics than is any other natural product.

Froduction of Natural Rubber

2. The following table shows world production, African production and most important producing countries, based on the 1962 figures, all in metric tons:

Production	Tone
World	2,140,000
Africa	145,000

Important producers in Africa:

Nigeria	60, 100
Liberia	44,100
Congo (Leopoldville)	37,7 00 (in 1961)

Important produce: a outeide Africa:

Indonesia	6 69,20 0
Former Fed. of Malaya	761,500
Thailand	195,400
Ceylon	104,000

Natural rubber is grown only in tropical countries, and more than nine-tenths of it in South East Asia where crude rubber exports are major contributors to the foreign exchange earnings of the leading rubber exporters, Nalaysia and Indonesia (43 and 45 per cent, respectively, in 1959-61). Compared with these major producers, the significance of Africa as a rubber producer is rather small, larger quantities being only produced in Nigeria, Liberia and the Congo. Minor amcunts of rubber, ranging from 4,000 tons down to 100 tons are produced in Cameroon, the Central African Hepublic, Congo (Brazsaville), Ghana, and Uganda.

South America, the native country of the rubber tree Hevea brasiliensis, is producing only about 25,000 tons of rubber, mainly in Brasil.

Proceesing

3. Liquid rubber latex is obtained from the stem of Heves brasilieneis by tapping or making excisions of the bark. Latex exudes clowly as a thin fluid, a usually white and milk-like colloid emulsion. Without the addition of preservatives this soon becomes putrid and partly colidifies, i.e., coagulates. For preservation, usually a 3 per cent solution of concentrated aqueous ammonia is used. The dry rubber content of latex is normally about 35 per cent.

Initial processing of rubber consists of coagulation of the later, milling of the coagulum to sheets, and smoking of these sheets for drying and preservation. Coagulation is done in flat dishes or partitioned troughs by adding an about 1 per cent solution of a coagulant (acetic acid, formio acid or sodium silicofluoride), after the later has first been diluted and cleaned by sleving, settling and skimming. The slabs of coagulated later are washed with water and milled through four or more pairs of rollers into sheets of about 4 ft. long, 18 inches wide and one-eighth inch thick, weighing about half a pound. The sheets are washed in water, cut in half and dried for 4 to 7 days in the smokehouse.

Besides in the form of smoked sheets, rubber is also propared as crepe which is milled very thin in creping machines and not smoked. For Pale Crepe, an aqueous solution of sodium bisulphite is added; Sole Crepe is made by lamination from sufficient layers of thin pale crepe.

Other forms in which natural rubber can be delivered are concentrated latex, eprayad rubber and rubber powders. Concentrated latex is made from latax either by creaming, centrifugation, evaluation or filtration. For the production of sprayed rubber and rubber powders, various processes are used, such as spray drying, precipitation from latex and mechanical disintegration.

Processing by Smallholdere

4. The relatively simple process of making rubber sheats by coagulation and milling lends itself to the application by smallholders. With a small hand-milling roller as the only piece of equipment, very good quality sheet can be prepared. In contrast to some other agricultural raw materials which require a large plant and considerable capital investment for processing, initial rubber processing requires therefore only little capital. This is the main reason why next to large modern rubber estates rubber produced by smallholders has gained such an importance. In 1963, for example, production by estates and smallholders in Malaysia and Indonesia was, in metric tons:

	<u>Malaysia</u>	Indonesia
Betates Smallholders	463,000 <u>335,000</u>	208,000 <u>375,000</u>
Total	798,000	583,000

In Thailand practically all the rubber is produced by smallholders.

Rubber Manufacturing

5. Kanufacture of products from the orude rubber shipped from the rubber producing countries to the industrialized countries requires rather complicated processes of which only the following are shortly mentioned:

<u>Mastification</u> is the process of softening or "breaking down" the rubber in special mills or mixing machines;

<u>Compounding</u> is the mixing of rubber with certain ingredients by further mechanical working; the formula of cospounding depends on the article to be manufactured; usual additives are: reclaimed rubber, vulcanising agents, accelerators of vulcanisation, accelerator activators and retarders, antioxydants, rubber eubstitutes, plasticisers and acfteners, stiffeners and antisoftaners, odorants, fillers and pigments;

Sheeting and extruding by "frictioning" in a calender or running through an "extruder";

Ispregnation and dipping to apply rubber to fabrics and forms;

Assembly of processed parts, as e.g. in the case of tyre manufacture;

<u>Vulcanisation</u> of the newly formed rubber article by the application of heat, time and, in most cases, pressure.

There are also many special processes, such as the production of foam rubber from latex, the manufacture of rubber thread from latex, the manufacture of hard rubber, sto.

Rubber Industries in Developing Countries

6. Rubber is grown in tropical countries, but is consumed almost exclusively elsewhere. In 1959-61, less than 5 per cent of the total cutput was consumed in countriss where rubber is grown, 73 per cent was exported to developed and 21 per cent to centrally planned countries.

However, a high percentage of the manufactures produced in industrialised countriss from imported rubber are re-exported to developing countriss, which, therefore, are buying back part of their exported rubber in processed form. The developing countries' net imports of rubber manufactures from dsveloped countries may be estimated at about \$ 300 million. This means that of some \$ 1,000 million foreign exchange earnings from crude rubber sxports to developed countries, developing countries spend about 30 per cent on importing goods made wholly or partly of the same product or its synthetic substitute. The largest single item, in most cases, is tyres and tubes which scmetimes account for as much as 80-90 per cent of total imports, both in major rubber producing countries like Ceylon, Indonesia and Fhailand, and in non-producing countries like Kadagascar and Ecuador.

This looks therefore like a prime facie case for large-scale import substitution, but unfortunately in the case of the major rubber product, tyres and tubes, the cost of rubber is only a relatively small part of the total cost as the following figures show:

BREAKDOWN OF RAW MATERIALS CONTENT AND COST OF TYPES PRODUCTION IN INDIA

	Percentages of	
	Vel sht	Value
Rubber (natural and/or synthetic) Fabric (rayon cord) Carbon black Bead-wire etc.	50 17 18 15	27.5 38.5 4.5 10.9
Total raw materials	100	81.4
Labour		1.6
Overheads, depreciation, bonus, etc.		17.0
Total		100.0

On this calculation, the largest cost item is fabric. Mabber accounts for a little over a quarter of total cost, and labour for a very small percentage. As for fabric the superior high tensoity rayon and aylon should be used, the import content of tyres produced even in rubber-growing countries appears to be high and the labour content low. But notwithstanding these drawbacks, as a long-term proposition the domestic production of tyres for the strongly expanding markets of developing countries does promise a saving of foreign exchange, especially if other ingredients are produced domestically. Market expansion is so vigorous, in fact, that is epite of the large minimum size of tyre factories many developing countries can, even now, provide sufficient outlets for at least one factory.

Another branch of rubber manufacture which holds out more immediate prospects of foreign exchange gains is the production of rubber footwear. The technology used in this case need not be complex, and natural rubber is the main component. Several developing countries already produce rubber footwear for their own consumption and, in some cases, even for export.

The Impact of Synthetics on Rubber Consumption

Production of synthetic rubber has increased throughout the post-war period and 7. is now elightly larger than that of natural rubber where growth has been very such slower. While in 1952 synthetic rubber was only 38 per cent of total world consumption of 2,353,000 long tons of rubber (natural and synthetic), the came percentage was in 1962 already 50 per cent. However, as world consumption of rubbers in the same time almost doubled to 4,358,000 tons, concumption of matural rubber, measured in tone instead of per cent, could increase, although not so vigorously as consumption of the synthetic product.

Synthetic rubber is by no means a homogeneous product, but over the years many different types have been developed having widely different characteristics and tailored to meet the epecific requirements of individual end-uses. This is one of the advantages of synthetics. Another is the stability of prices compared with the wide fluctuations experienced in natural rubber. Some types of synthetics, such as Polybutadiene, cannot be regarded as a complete replacement of matural subber, but are processed in mixtures with matural rubber.

Projections made by FAO indicate that world elastomer consumption in 1970 is likely to range between 7.2 million and 8.5 million metric tons, while production of natural rubber is projected to increase only to within a range of 2.7 million to about 3 million tome. The gap remaining to be filled by synthetic rubber would therefore be of the order of 4.5 - 5.5 million tome.

IV. TEGENICAL AND ESSENTIAL OILS

The distinction between technical and edible cils is not quite sharp. There are indeed some vegetable oils like tung oil or easter oil which are used szelusively for technical purposes, but most oile have significance for human mutrition as well as for technical applications. For all practical purposes, the technical eils can be divided into three main groups, vis. oils for scap, drying oils, and others, the last group comprising oils for cosmetic and medical purposes as well as oils used for lubricants, textils cile, stc.

Oils Used for Soap

Types of verstable soap oils

2.

Theoretically, each vegetable oil can be used for scapasking. After all, fats

and oils are chemically a combination ("ester") of fatty acids and glycerol, while scaps are the salts of the fatty acids. By splitting the ester into fatty acid and glycerol by simply boiling it with alkali the alkali combines with the fatty acids to scap. In practice, not every vegetable oil is suitable, some oils giving soft scaps that are easily oxidised (getting ranoid), or sticky scaps producing a "greasy" lather. The vegetable oils are usually used in mixtures with animal fate like tallow and hardened whale oil, and with other vegetable oils, the right mixture of the "fat charge" being the secret of a special type of scap.

While therefore the same oil may be used for food purposes as well as for soap, the quality will not be the same. It is obvious that for ecap not the same high quality of oil is required as for food. Taking palmoil, for example, only oil with low content of f.f.a. (free fatty acide) is used for food purposes, while "nard" oil with high f.f.a.-content, such as the oil produced by smallholders with primitive squipment, is only used for scap and other technical purposes. Also the "ecapetock" obtained by alkali refining of certain edible oils is a favoured raw material for scapmaking.

Of epecial eignificance for scap are the lauric-acid oile: coconut oil, palm kernel oil and babaseu oil, because they can easily be exponified (even cold), give hard scaps which are very white end extremely resistant to cridation and therefore especially suitable for toilet scepe. In the U.S.A., coconut oil is the main raw material for scap, next to inedible tallow and greases. In Great Britain, the vegetable oils consist chiefly of palm oil and palm kernel oil, but in other Suropean countries there is also a considerable consumption of eoft vegetable oil.

The significance of Africa as a producer of vegetable oils for ecap is mainly in the field of palmoil and palm kernel oil. Africa is producing more than threequarters of the world's palmoil, and practically all the "hard" palmoil with high f.f.a.-content, used mainly for scap. It is also producing about three-quarters of all the palm kernels in the huge "cilpalm belt" on the African West ccast. Of copra, the raw material of coconut oil, Africa produces only about 3.3 per cent.

Frocessing

3. Soapmaking is assentially a rather eimple process which can (and is) performed all over the world in plants of all eiges, from email cottage industries and medium sized rural industries, up to huge modern and more-or-less automatic factories. In its simplest form of a cottage industry, the only equipment required is a vessel for preparing the caustic code lys, a scap pan for stirring lys and oil together and boiling it, and a frame or box for cooling the coap. Additional equipment con be added as required, such as a scale for weighing oil and caustic sode, a device for cutting the scap into bars, and a stamping machine.

In modern plants, the boiling of scap is carried out in large cylindrical or square kettles with oone bettome, equipped with steam coile, provided with delivery pipes for fat, weter, lye, brine and niger (ecapstock). In the larger plants, scap kettles have a total water capacity of several hundreds of thousands of pounds. After boiling the charge, which is composed according to a special formula depending on the type of scap desired, the scap is "grained out" by the addition of salt or brine and washed. The neat coap from the kettle might then be blended with builders or other material in vessels, with agitatore called crutchers. The hot liquid scap is converted to a solid form suitable for forming into bare by "framing" in portable frames. If scap chipe are to be produced solidification of scap takes place on a slowly revolving chilling roll from which the chips are removed by a scraper blade. Scap in finely divided quickly diecolving form is manufactured by the spray-drying process in tall spray towers. For the manufacture of high-grade toilet scap bars, scap chips are dried, milled in a series of rolls, compressed into a continuous bar in a plodder, cut by a wire outter into blanks which are stamped into finished scap bars and automatically wrapped.

In huge modern plants, saponification might be done continuously on a very large scale making use of high-speed contrifugal separators for rapidly accomplishing the various steps of conventional scap making.

Soap Manufacture in Developing Countries

4. In developing countries, the scope for rapid increases in the consumption of both toilet scap and bar nousehold scap is considerable. For caput consumption in most of these countries is still very low and responds significantly to changes of income. The prospects for scapmaking in developing countries and for expanding existing scap manufacture are therefore quite good, the more so as also the processing of vegetable collseeds in developing countries is steadily expanding. Competition of synthetic detergents might be less in developing countries than in industrialised countries, but is also increasingly felt, especially in the field of household scap.

Impact of Synthetics

5. Since about 1930, when usable synthetic detergent materials first became available in Germany, a large number of materials have been developed which differ in chemical composition while possessing much the same detergent characteristics. Some of these are produced from natural vegetable or animal cils and fats, while others are derived from a petroleum base.

In most industrialized countries, the growth of synthetic detergents has been largely at the expense of scap. In the U.S.A., synthetic detergent production outpaced that of scap as early as 1953, and had almost trebled by 1960. In 1962 scap accounted for only 24 per cent of total detergent sales, as against 92 per cent in 1946. Per caput concumption of scap declined over the same period from 21 pounds to 6 pounds, while consumption of synthetic detergents increased from 2 pounds to 21 pounds. In other industrialized countries, the impact of synthetic detergente on scap consumption is less spectacular than in the U.S.A., but is also considerable. Looking to the future, it is to be expected that synthetics will further increase their share of the detergent market, especially in industrialized countries.

Drying Uils

Types of Drying Vils

6. Drying oils are vegetable oils which on exposure to air form hard films and which for this reason may be used as vehicles in paints and varniahes. The "drying" process is not caused by evaporation of water or volatile solvents, but by oxidation and polymerisation of the oils which are "unsaturated" in contrast to the (more or less) saturated non-drying oils. The degree of unsaturation is measured by the "iodine value".

One distinguishes between:

Drying oils, such as linesed, tung, oiticica, perilla, hemp and dehydrated castor oil, with iodine values between about 140 and 200 or more.

<u>Semi-drying oils</u>, such as soybean, sunflower, safflower, poppy seed, rubberseed, and walnut oil, with iodine values between about 110 and 140.

<u>Non-drying oils</u>, such as palm, palmkernel, coconut, olive and groundnut oils, etc., with still lower iodine values; cottonseed, cesame and rapeseed oil are with iodine values between about 100 and 110 just at the verge of semi-drying oils and have therefore some weak drying properties.

besides the vegetable drying oils, there are also some animal oile with drying properties, especially fish oils (menhaden, sardine, pilohard).

Production of drying oils

7. World production of the most important drying oils: linseed, oastor, tung and oitioica oils was 1.4 million tons in 1963 and during the past few years has remained fairly constant at this level. (<u>Castor oil</u> is not a drying oil in itself, but can be converted by oatalytic dehydration into dehydrated castor oil with excellent drying properties).

The most important drying oil is <u>linseed oil</u>. Of a world production of linseed of 3.5 million tons, about 2.5 million tons are produced in four countries, i.e., Argentina, U.S.A., India and Canada, while Africa is producing only 85,000 tons, mainly in Ethiopia, Morocco and U.A.R.

<u>Tung oil</u> is processed from Aleurites Fordii and Aleuritis montana while the Japanese tung oil is derived from the seede of Aleuritee cordata. Main producer used to be China which before the last war exported about 100,000 tons. Aleurites Fordii wae introduced in the U.S.A. (Florida) in 1905, it has been cultivated on a commercial scale since 1952, and expanded after the second world war. The U.S.A. are now producing about 20,000 tons which is almost sufficient for the internal market. aleurites has been introduced since the second world war, with more or less success, into many other countries, such as Argentina (Nieiones), Australia, New Zealand, Brazil, Ceylon, Thailand, West Indies, aleo into Ruesia (Trans-Caucasia) and Yugoslavia (Dalmatia). In Africa, Zanzibar and Algeria etarted with Aleurites plantation.

<u>Citicica oil</u> is extracted from the seeds of Licania rigida, in Brasil, from a high tree up to 20 m, while a similar oil (<u>Cacabuanache</u> oil, also called Kexican Citicica oil) is produced in Mexico and Central America from Licania arborea. World production is about 10-12,000 tons.

<u>Perilla oil</u> is derived from Perilla ocymoides, an annual of the Labiatae to which family also belong Lallemantia iberica yielding the <u>Lallemantia oil</u> and Salvia hispanica, the source of the <u>Chia oil</u>, both also excellent drying oils, but etill of little commercial importance. Perilla is a native of Manchuria, but is now cultivated in Japan, Korea, Northern India, and the U.S.A. The eeeds of the perilla plant shatter and hence it is less suited for combine harvesting. World production is about 6,000 tons.

There are other plants producing drying oile which are not yet commercially utilized, such as various species of the genus <u>Parinarium</u>. Some have got local eignificance. <u>Parinarium annamence</u>, for example, is a tree growing wild in Thailand, the seeds of which contain an excellent drying oil, similar to tung oil; this oil is now increasingly used in Thailand for local varnish and paint production. This example shows that research in this field might pay also for other developing countries.

The <u>semi-dryin</u>, oils are more eignificant as edible oils and need not be treated here in detail. Most important in mixtures with drying oils are coybean and sunflower oils while also small amounts of corn oil, repeaced oil and othere are used for this purpose. It will be noted that many drying cils are produced outside the tropics, or in mountainous districts. The drying properties of the oils grown in cooler climates, indicated by a higher iddine value, are usually better. This does not mean, nowever, that there are not excellent prospects for certain types of plants yielding drying oils to be grown in developing countries.

Processing

8. Initial processing of the seeds yielding drying oils is about the same as the processing of oilseeds for edible oils, therefore first cracking or shelling of the nuts as far as necessary. Fung nuts (or rather dry tung fruits), for example, are hulled in Horida with disc hullers, but are not shelled, being fed into expellers after hulling complete with shell. The pre-processed nuts or seeds, after oleaning, are extracted either mechanically by hydraulic presses or expellers, or "ohemically" by means of solvent extraction. Most common and very practical for smaller and medium plants are expellers; these can be obtained in all sizes.

For use in the paint industry, the extracted oil usually undergoes some pre-treatment (with the exception of tung and oiticica oil, which are chemically different and require special treatment), such as the heating with small amounts of lye or sulphuric acid to precipitate chlorophyll and phosphatides, further "prebodying" by heating alone or with "driers", or blowing with air. The cils are then either processed to varnishes by partially polymerizing them at high temperatures with resine and "uriers" (catalysts), afterwards thinning the resulting product to a usable consistency with a volatile solvent. Or they are used for the manufacture of paints which are mixtures of drying cils, resins, pigments, thinners or solvents, dryers and various other ingredients depending on the special use.

Next to all kinds of paints and varnishes, drying oils are also used for the manufacture of other products, such as linoleum, oiled fabrics, putty, rubber-like materials (factices and others), core oils (binding agents for the sand cores of hollow mstal castings) and tanning oils.

Impact of Synthetics

9. Just as other agricultural raw materials, also drying oils and oil products are encountering competition from synthetic substitutes. In the paint industry, technological changes have resulted in a shift from a drying-oil type of ingredient to synthetic resins, and the use of aqueous dispersions of polymerizates as binding agents. Instead of organic solvents which are inflammable and often detrimental to health, the latter contain water as the volatils substance. They can be easily used by the "handyman" and therefore under present circumstances find a large market, especially in the United States where this type now constitutes half of the house paint produced. In the lincleum industry, lincleum has been displaced to some extent by synthetic rubber and other types of floor coverings.

However, world production of drying oils shows no reduction, it even increased from the 1950-54 average of 1.2 million tons to 1.4 million tons in 1959 and has since remained rather stable at this level. Impact of synthetics has therefore been compensated by the growth of the overall market.

Some drying oils have even received a new importance by being combined with synthetics (co-polymerization), the resulting product having better properties than its components. The same scientific knowledge which lead to the development of synthetic products has also enabled important improvements of the natural products. There are now quite a number of special treatments in drying oils leading to special types of products, such as polymerization, segregation into fractions with special properties by differential solubility, fractional distillation of fatty acids and re-esterification of these, treatment with maleic anhydride (Diels-Adlar reaction) and others.

Significance for Industrialization of Developing Countries

10. Drying oil products, especially paints and varnishes, are now increasingly manufactured in developing countriss, especially in countries which produce the raw materials or anyhow part of the raw materials. With increasing prosperity the demand for paint will increase considerably in these countries. There is usually great need for a cheap house paint made mainly from local raw materials which can substitute the expensive sophisticated paints imported now at the expense of foreign exchange.

Other Technical Gils

11. There are many other technical applications of fatty cile, vegetable cils as well as animal and marine cile. The most important vegetable cile for technical purposes are castor and repeaced cil while also "hard" palm cil from West Africa with high f.f.a.-content plays a certain role.

Production

<u>Castor oil</u> is extracted from the seeds of Ricinus communic which is cultivated in many tropical and sub-tropical countries either as annual or as a tres-like perennial. Main producers are India and Brasil, but also in many other countries castor beans are increasingly cultivated, such as Europe (France and Italy), U.S.A. (California), Mexico, Fiailand, etc. In Africa, castor beans are grown in East Africa, but are also produced in many other parts of Africa. World production is about 200,000 tone (average 1953-1957), but still increasing. The U.S.A. alone needs some 110,000 tons per year, and the oil is considered to be in short supply.

<u>Represend oil</u> is derived from the seeds of Brassica epp. and is in the first instance an edible oil. This fact explains the rather high world production of 4,200,000 tons (1962/63). It is produced in many European countries (total Suropean production 1,110,000 tons), and in Asia where India is the main producer (1.3 million tons); other Asian producere are China (Mainland), Pakistan, and Japan. In Africa, the only producer is Ethiopia with a production (1960/61) of 23,000 tons.

Processing

Initial processing is the same as for other vagetable oile, therefore extraction by hydraulic presses or expellers or colvents (or by a combination of two of these units) after orushing and cooking.

For oastor beans, mechanical harvesting and hulling has been a certain problem, but in the last few years special castor bean harvesters and huller-oleaners were developed in the U.S.A.

Industrial Froducts

The various industrial products manufactured from technical cils are only mentioned shortly. <u>Lubricating cile</u> are now usually mineral cils, but fatty cile and sulphirised fatty cils, like castor cil, are still used for epecial purposes. "Blown" rapseed cil is used in blanded cils together with mineral cile. Also in the manufacture of <u>lubricating greases</u> (made from lubricating cil and scap), rapeseed oil Still plays a part, next to animal tallow and greases. <u>Cutting oils</u> for for the lubrication of tools for the outting of actals are prepared by compounding a sulfurized fatty oil with mineral oil. Fatty oils and sulfivonated fatty oils are also used in the textile incustry as <u>textile lubricants</u> and in <u>leather treatment</u>, although in the latter case animal oils are preferred.

As <u>burning cils</u> for illumination, fatt, cils have been replaced by jetroleum products, except for special applications, as for example, the cil for the lamps in churches, which is a specially refined repeaced cil. In candles, a certain amount of stearic acid (prepared from vegetable cils) or nighly hydrogenated cil is still used as a hardsning agent. Cils, fats and fatty acids are still important materials in the <u>cosmetics and pharmaceutical industry</u>, although here, too, patroleum fractions have taken over many of the traditional functions of fatty cils. Castor cil, cilve cil, almond cil, palm cil and others play a considerable role.

Considerable amounts of crude palm oil are used as <u>tinnink oils</u> in the manufacture of tin plats and cold-reduced sheat stash. Castor oil is extensively used as a base for fluids for hydraulic systems, therefore as a <u>hydraulic oil</u>. An interesting application of castor oil is for a certain type of <u>plastic material</u>. Also widely used for plastics and pany other technical purposes is the Cashew Nut Shell Liquid ("C.N.S.L."), which is a by-product of the production of cashew nuts. These few examples may suffice to show the wide application of vegetable bile and fatty oils in general for all kinds of inductrial purposes.

Essential Cils

12. Quite different in properties and chemical composition from the vegetable fatty oils are the essential oils, also called ethereal or volatils oile. One can describe them as volatile odoriferous bodies of an oily character obtained almost exclusively from vegetable sources.

Jources

Essential oils are present in the plants in very small amounte, often in special cells, in flowere, but also in leaves, bark, roots, or fruite. The number of essential oils is quite considerable, and only the most important once, originating from tropical countries, can be mentioned here.

Several essential oils are found in various parts of the plant body of <u>Citrus</u> <u>plants</u>, such as <u>lims oil</u> from the fruit of Citrus aurantifolia (West Indies, U.S.A., Central America, West coast of Africa, sto.), <u>Sweet Orange Oil</u> from the fruite of Citrus sinensis (various countries, also Republic of Guinea), <u>Bergmot</u> Oil from the fruits of Citrus aurantium (Italy, <u>not</u> in Africa), <u>Lemon Oil</u> from the peel of the fruit of Citrus limon and <u>Mercli Oil</u> from the flowers of bitter and sweet oranges (Southern Europe and Northern Africa).

<u>Geranium oil</u> is derived from Pelargonium epp. sultivated in Africa in Algeria, Neumion, Madagascar, Congo, Kenya and Tansania; <u>Gamphor</u> and <u>Gamphor Oil</u> is the general term for various ecsential cile containing camphor, obtained from different plants, such as Cinnamomum camphora, the camphor tree, in Japan and Formosa, and Coimum kilimandscharicum, a member of the Labiatae, in East Africa.

Special significance for Africa have <u>Ylang-Ylang</u> and <u>Gananga Uil</u> distilled from the flowers of Cananga odorata, a tree from southern Asia. This tree has been introduced to various parts of Africa, with the result that at present about 90 per cent of all Ylang-Ylang cil is produced on Nosei Bé and the Comores, small islands between Madagascar and the East African coast. The young shoots of Pogostemum cablen yield the famous <u>Patchoull oil</u>; the plants are grown in Malaysia and Indonesia, but have been introduced in the Seychelles, Madagascar and parts of Africa, also in Brazil.

ş: -

Also introduced to africa, viz. to Kenya and West Africa, from the West Indies and Central America is the small bay tree, Fimenta acris, from the leaves of Which Bay (1) can be distilled, Well-known for the use in the preparation of Bay Run.

<u>pasel (1)</u> is extracted from commun basilicum and various other species of colum; (, basilicum is cultivated in meunion and Morocco and is a common weed of the Judan Gezira. Other column sign are known as the fever plants of Weet mirica. <u>Alowan oil</u> is mainly produced in India from the meeds of prachyspermum copticum (Carum cepticum, which is also found in Fersia and Egypt.

Essential cils of some connercial importance are also produced from a number of grasses, all belonging to the genue Cymbopogon, vis. <u>Mest indian</u> and <u>Sast Indian</u> <u>Lemon Grass Cil</u> from C. citratus and C. flemosus, respectively, <u>Citronella Cil</u> from C. nardus, and <u>Palmarosa Cil</u> and <u>Cinvergrass Cil</u> from two varieties (Motia and Sofa) of C. martini. These grasses are cultivated in many tropical countries, mainly in Sast Asia and Coylon, but partly also in Africa in the Congo, in Madagascar and . anzania.

As last of this by no means complete list \sqrt{etiver} or <u>Khue-Khus (ii</u>) may be mentioned, a valuable oil distilled from the roote of the grass Vetiveria sisanioidee which is cultivated also in Reunion (besides in Java, Indoneeia, the West Indies and 0.0.4.), and which in Bast and West africa is commonly used as an anti-erosion plant on contours.

Frucessing Methods

1;. The various methods used for processing essential oils are:

- (1) steam distillation for the more stable oils, such as Citronella and other grass oils, Cananga oil, Fatchouli oil, sto;
- (2) expression, either by hand ("équelle" and "épongé") or by machinery, used almost entirely for the production of oile contained in the peels of fruit, like various oils from citrus plante;
- (3) extraction by some type of solvent, i.e.,
 - (a) by volatile suvents such as petroleum ether, alcohol, etc.;
 - (b) "enfleurage" b; cold neutral fats, used for the expensive essential oils of certain flowers;
 - (c) "maceration" by hot oils or fats.

of these extraction methods, the solvent extraction has become more and more popular.

Processing in Developing Countries

14. Much processing, especially the rather simple steam distillation, is done in developing countries. As the amounts of essential oils are relatively small, but have a considerable value, manufacture of such oils lends itself especially to introduction as an "intermediate industry". The equipment is small and simple and can easily be made locally, so no great capital investment is required; it is a rural industry suitable for farmers' co-operatives or small entrepreneurs and should be encouraged as such.

Essential oils are not always extracted in the producing country; the fruits of the bay tree, e.g., are exported as such to the large distilleries in the U.S.A., also the young leaves of Pogostemon are partly exported to Britain and the U.S.A. for the distillation of the best quality patchculi oil.

Industrial use of essential oile is in the first instance for perfumes, toilet preparations, scaps, etc. In developing countries, there is usually a large demand for such products, a demand which will further increase with the rising etandard of living. There is already a flourishing industry for perfumes and toilet preparations in many developing countries making cheaper preparations adapted to the taste and to the buying power of the local customere. It may be expected that this industry will further expand and that local production will be increased and improved in quantity and quality.

Other eccential cils are used in the food industry, for flavouring aerated beverages, etc., and for these uses will also find a quickly expanding market in developing countries.

Impact of Synthetics

15. Also in the field of eccential cile, modern chemical ecience and industry have found quite a number of synthetic substitutes. They can roughly be grouped into two classes, vis. the <u>isolates</u> or artificial cils, and the <u>synthetic cils</u>, synthetised either from the isolates or from other chemical raw materials, such as coal-tar derivatives.

The isolates are not in themeelves a threat to the natural product, but have often even stimulated the production of these products which are used as a raw material. For example, safrole which is a fraction of camphor cil is used for the production of helictropin; menthol is isolated by freezing from peppermint cil, and cineol in the same way from eucalyptus cil; enormous quantities of eaceafras and lemongrass are now cultivated colely for the recovery of the isolates eafrole and citral. So notwithstanding the fact that certain perfumes are now manufactured synthetically, and partly as a result of this scientific development, the cultivation of plants for essential cil production has become a large inductry and further expansion may be expected.

V. STIMULANTS AND CONDINENTS

Tea

1. Tea is prepared from the leaves of Camellia sinensis which are rolled, fermented and dried, and is used for one of the most popular non-alcoholic beverages which is perhaps consumed by half the world's population, especially in Europe, Asia and the Far East. The word "tea" comes from the Chinese (Amoy dialect) "tay" while the Cantonese word is "chah". Hence the word chah or chai for tea in many countries like Russia, Japan, India, Persia and even East Africa (Kiswaheli).

Production

2. Tea is almost entirely produced in the developing countries which contribute more than 90 per cent to world exports. The total annual value of tea exports from developing countries in 1959-61 averaged \$578 million, making tea one of the largest earners of export income.

World production in 1963 was more than one million metric tons compared with only 640,000 metric tons in 1948-52, it has therefore risen quite considerably. Main production countries are in Asia, sepecially India, with 344,800 metric tons, Ceylon with 219,800 metric tons, Mainland China with 154,200 metric tons, Japan with 81,000 metric tons, Indonesia with 36,100 metric tons, and Russia with 42,800 metric tons. Froduction in Africa is much smaller, only about 55,000 tons in total, but it is remarkable that almost a dozen African countries for producing tea. The main African producer is Kenya with 18,100 metric tons, followed by Malawi with 11,900 metric tons, Mosambique with 8,600 metric tons, Uganda with 6,100 metric tons and Tanzania with 5,000 metric tons. There is certainly scope for further expansion, especially in the highlande, although "lowland" tea, too, can be grown at lower altitudes of 800 - 1,000 feet. Highland tea yields higher prices, having better taste and flavour, but less "strength" and colour, while production per acre in the lowlands is much higher and tes can be produced more obseptly there.

Frocessing

3. The tea ; lant, which would develop into a medium-sized tree if left alone, is cut down to a bush of just the right height to be easily plucked. Huoking is restricted to the young choots, viz. the tip with the first or the first two leaves. The tip (bud) gives the best quality tea and quality is getting lower and lower the farther the leaves are away from the bud. The third leaf (counted from the tip), which in plucking is often kept separate, gives only a second quality tea, and the fourth leaf, which, however, is not always plucked, yielde only an inferior tea.

The plucked leaves and shoots are brought to the tea factory and left there about a day to wither. For this purpose, small manufacturers spread the leaves on bandoo trays in the sun while bigger factories spread them on wire or bamboo netting, or hessian, placed in racks or frames in shelves (called "tats") one above the other in the withering "lefts". Usually air is blown or sucked through these withering lofts; in the case of quick withering in about 8 hours, this air is heated to about 30°Centigrade. Other quick withering methods which sometimes reduce withering time to as low as 5 hours make use of revolving drums, tunnels or troughs. Of these later methods, trough withering is of growing importance, especially for new producers.

The next stage is rolling the leaf, either in a rather primitive way by hand in small-scale processing, or by mechanically driven "rollere" in modern factories. The object of rolling is to break the leaf cells, and liberate the juices and enzymes mealed within. Rolling is also responsible for the typical form of processed tea, viz. the small balls of leaf celled "souchong" (from Chinese, meaning raisin) or the long thin sausages called "pekce" (from Chinese, meaning hair). After rolling, or also during intervale of rolling (depending on the rolling echane) the rolled leaf is "broken" and "eifted", usually on a special type of shaking ecreen; the rollsd wet tes sight also be separated on such ecreens with various mesh into fractions.

The next stage of proceesing is fermentation from one to about four houre, by just leaving the rolled mass to itself on glass shalves, in baskets or on coment in the coolest rose of the factory, often in a cellar. During fermentation colour as well as aroma of the tea are developed: the graenish rolled tea becomes dark redbrown while the typical tea aroma is developing. Therefore for the preparation of "green" tea, fermentation has to be prevented, killing the ferments by steaming.

After fermentation the tea is dried or "fired" in special tea driers blowing hot air through the tea at about 112°Centigrade. The "factory tea" comes off the driers black and brittle with only about three per cent moisture.

The dry factory tea is then out in a cutting machine and grade-sifted by a rather complicated system of shaking screens and screens making a rotary horisontal sotion. Grading is done according to a scheme varying from factory to factory, but usually the following types are prepared:

Fekce, the long, sausage-like rolled pieces; Souchong, the thick, round, raisin-like pieces; Fekce-Souchong, a mixture of both, various types of "Brokens", containing smaller pieces, like

Broken Fekos (B.P.), (Broken Orange Pekoe (B.O.P.)) and "Broken tea",

various types of "Fannings", very small pisces, often obtained by separation in a fan in an air-stream,

Dust, the finset product.

The valuable bud of the leaf, the "tip" during processing often gets a light colour by dried tas juice and these small pieces of very high quality (called "orange" or "golden" or "white") determine partly the value of the grade. Hence epecial grades called e.g. "orange pekce", or "broken orange pekce" or "golden fanninge", etc.

Next to the orthodox way of tea proceesing, as described here, there are also various unorthodox methods of tea manufacture, which are of growing importance in North East India and East Africa. To these unorthodox teas belong the Legg-out teas and the C.T.C. teas. Legg-out tea is made from unwithered leaf, out with a blunt knife similar to the cutting of tobacco, followed by a light roll and relatively short fermentation. The cutput consists of about 70% fannings and 30% dust. World production of Legg-cut teas was estimated in 1963 at more than 30,000 tons.

More important is the C.T.C. process (Crushing, Tearing, Curling) with a special type of metal rollers; world production of C.T.C. teas was estimated at 140,000 tons (1963). Over two-thirds of the tea output of Assam consists of C.T.C. Besides about 50% Fannings, and 20% Dust, C.T.C. includes also some 30% B.P. Another unorthodox procedure is based on the Rotorwane, which can be used in combination with Legg-cut or C.T.C. for continuous processing without conventional rollers.

Besides the common "black tea" which is the most popular type in Europe and many other countries, other special types of tea are the "green" tea, processed without fermentation and consumed mainly in China and Japan, and the semi-fermented "oolong" tea, manufactured in Formosa and Foochow in China. Equipment used for tem processing has been described in an FAO Development Paper (No. 12 of November 1951); however this is now outdated and it is hoped to publish a new paper on tem processing taking into account recent developments.

Blending

4. After the tea manufacturer has taken much trouble to separate the various fractions of tea, the blender mixes fractions (and also products from various sources) again according to some formula of his own, to special "blende". Blending is usually done in Europe, Australia or other main consumer countries, and the blenders are reexporting part of their products. However for consumption in developing countries, blending is also done more and more in these countries.

Industrial Products from Tea

5. Although tes is used for the manufacture of tes seed oil in China and for a dye in the USSR, the only proceesing of interest in the Western World is that for <u>instant</u> <u>tes</u>. There is a great deal of secrecy about the techniques and scale of production, but two methods are reported - one from manufactured black leaf and another from the freeh leaf. Manufacturing from green leaf has been developed in producing countries -Uganda and Ceylon and more recently in India; Brooke Bond in conjunction with the USA firm of Tenco have also set up a research centre in Kenya. The process is not labourintensive; it is a technical process and does not require insistance on fine plucking in the field. The Indian Budget Enquiry Committee of 1964 pointed out its possibilities in utilizing waste tes.

The advantage to an exporting country lies in the additional markets that may be opened up, though these are largely supplied by the demestic industry manufacturing from imported black teas. In the United Kingdom instant tea got off to a bad start in the retail market as a result of the poor product originally marketed. The retail market is still small but the automatic vending industry believes that with the domestic development of acceptable brands in recent years there is likely to be an expansion in the catering trade. Instant tea sales, however, are estimated to account for little more than 2 per cent of the UK tea market. In the United States per exput consumption of tea is still small and consumers are not so firmly wedded to orthodox tea; the increase in consumption in the last few years is stiributable to the growing use of instant tea, especially for iced tea. Instant tea consumption rose froe 5.6 per cent of the total in 1960 to 18.7 per cent in 1964. There are a number of firms in the United States producing instant tea from imported black tea - indeed one of the reasons advanced for the firmness of the market for plain tea in 1964 was the demand from this industry in the USA.

The domestic industry is a sophisticated one doing research into the chemical propertise of the missing tea aroma and pre-packing lemon flavouring. If tea producing countries in Africa wish to develop markets for instant tea in these two countries, they will have to produce a product that can compete with the domestic product. In European countries the emphasis on tea promotion is being given to marketing of quality teas as an attractive competitor to coffee; where soluble tea would fit in requires market research. Tea consumption has risen rapidly in some of the developing countries (including producers such as India and Pakistan). The possibility of marketing instant tea as a "convenience" drink here would depend on the comparative cost of production.

References to the production and consumption of instant tes were included in the documentation of the Ad Hoc Meeting on Tes held at Nuwara Eliya (Ceylon) in May 1965. The statistics are meagre, however, and FAO was requested by the meeting to collect data on instant tes.

Curree

b. The word coffee is probably derived treat the original Arabic gahwah, but come connect it with the town of Kaffa in Ethicita, rejutedly the birthplace of coffee. In any case, the word coffee sounds similar in most languages of the world. Quite generally, the discovery of coffee is accredited to Africa where it has grown in a wild state until fairly modern times. According to others it was first cultivated in Southern Arabia and the habit of coffee drinking has spread from Arabian Nohanmedane to other people. The plant from the media of which about 80 per cent of the coffee of commerce is derived is called Coffee arabica while other commercially known species are C. liberica, C. stenophylla and C. robusta.

iroduction and elemificance

7. World production of coffee is 4.03 sillion metric tons (1963/64), four times as much as world temproduction. More than half of this amount is produced in South America, viz 2.18 million metric tons, especially in Brasil (1.56 million metric tons) and Colombia, (468,000 metric tons). Africa occupies the second place with 1 million metric tone produced in 23 African countries. The most important producers in Africa are:

Ivory Coast	254,500	Setric	tons
Angola	168,000		
Uganda	150,400		M
Ethiopia	91,500	H	H
Congo (Leopoldville)	66,000		
Madagascar	52,500		•
Cameroon	51,000		
Konya	44,600	H	••
Tanzania	35,000		•
Ruanda-Urundi (former)	30,000	н	" (approx.)
Togo	15,100		н
Contral African Republic	13,000		•
Guinea	10,500	**	91
Sierra Leone	3,900	H	*1
(i)iana	2,700	11	
Dubomey	2,400	**	" (aiproi.)
heria (1961/62)	1,000	H	" (approx.) " (approx.)

Since 1950 the world coffse economy has passed through two phases. The first, from 1950-1955 was obaracterised by rapidly increasing demand and high and stable prices. The second period, from 1955, saw a sharp increase in world supplies far above demand, with the result of declining prices and serious adverse economic effects on the producing countries. Efforts to halt the decline in coffse prices into back to 1957, leading eventually in 1962 to a five-year <u>International Coffse</u> <u>Agreement</u> with participation by consumn, as well as producing countries.

Early FAO projections for the UN Development Decade indicated further growth in world output, and also in world consumption, the latter at $3 - 3 \cdot 5$ per cent $1 \cdot a$. compared with 2 per cent in the past. Attempts are being made by I.C.A. to reduce production and encourage consumption. In the coffee producing countries, especially in Latin America, domestic consumption is likely to rise very considerably by 1970, as a result of the rapid population growth. Considerable scope for raising domestic consumption exists, especially in African producing countries.

Primary Processing

1

8. Processing of green coffee has to be done in the country of production, and the steps involved in the cultivation and processing differ comewhat from country to country.

One can distinguish between a "dry" processing method and a "wet" or "wash" process. With the dry method (also called "unwashed" or "natural" processing method), the ripe cherry is dried first. Drying can be done in the sun, on a floor of beaten earth, on cement, on traye, or on exposed drying platforms, as in Brazil. Artificial or "machine drying" is done either with simple static driers, consisting essentially of a perforated galvanised sheet-iron flooring above a bank of fire tubes, or with various types of rotary drier.

The main feature of the wet method is that the observice are pulped and either fermented, mechanically hulled or treated with chemicals, then washed and graded. They are then dried in the same way as described for the dry method.

The dry cherry of the dry method, or the "parohment" offee of the wet method, has to be shelled and hulled, which can be done by the planters themeelves, or by the buyers who have the necessary equipment. One can distinguish between hulling for the dry cherries prepared by the dry method, and shelling and peeling for the wet processed parchment coffee. There are various machines available for this purpose.

Eventually the coffee has to be graded into standard sizes by meane of either rotary cylinder graders, oscillating ecreens, peakerry separators with inclined travelling band, and large, long and ehort bean separators with indents or pockets on the inside surface of the cylinder. Bulk sorting is usually followed by pneumatic grading to remove any remaining duet or pieces of shell, as well as light, defected or insect-damaged beans. Top grade coffee will also be handpicked, or separated with an electronic separator, which only recently has been adapted to coffee.

This initial processing can also be done by small farmers with relatively simple and cheap equipment. The only piece of equipment which might be out of reach of the smallholders is the pulper, but pulping plants can be established at central points by farmer cooperatives, or government. Coffee processing, not requiring big capital investment, is therefore an important rural industry, and belongs to the group of "intermediate" industries, so important to the development of rural districte and developing countries in general.

Further processing and utilisation

9. Whilst initial processing is always done in producing countries, the following processing operations are often carried out in the country of consumption. The first operation is - similarly to the case of tea - the <u>blending</u>, after carefully tasting the various types. Coffees grown in the various countries differ by types and by kinds as well as by grades. One distinguishes between "mild" and "brazil" ooffees among Latin American coffee. African coffee belongs to the mild type. ("Mild" in Africa refers to wet pulped as distinct from dry nulled). Further distinctions are made as to "hardness", "eoftness", "high-grown", and "washed", etc.

The typical flavour of coffee developes only after <u>reasting</u>, which is done in special machinery. After reasting, the coffee is either sold as such, or in ground form.

For the details of coffee processing, reference is made to Informal Working Bulletin No. 20 on "Coffee Processing", published by the Agricultural Engineering Branch of Fau, as an unpriced document, available to interested parties, in English, Frence and Spanish.

industrial Products made from Coffee

ic. Apart from the production of an essence, the only industrial processing of the polited from of significance is the preparation of instant (soluble) coffee. This

was developed in North America and Suropo, largely using robusta coffees from africa. Subsequent developments included the wider use of arabica coffees (partly to improve the blend, but also because Latin American coffees were at times competitive in price), and the development of instant coffee production in arabica-growing countries - Mexico, Guatemala, Nicaragua and Brazil itself (where the industry is being expanded). Processing in African coffee producing countries is more recent - a factory has been set up at Abicjan in the Ivory Coast and Fanzania is building a factory to absorb 2,000 tons of beans annually.

Production of instant coffee offers to African countries, faced with the problem of restricting exports, a means of using surplus coffee and saving a certain amount of warehousing space; "soluble coffee" is however included in the definition of coffee in the International Coffee Agreement, and counts against export quotae. Experts of instant coffees from Africa have to compete not only with extorts of a similar (and possibly better-flavoured) product from arabica-growing countries, but also with the domestic product of importing countries.

Statistics of instant coffee production and consumption are incomplete, but it is estimated that in the United States instant coffee represents about 20 per cent of all coffee consumed (in bean equivalent). Imports represent only about 4 per cent of total availability of instant coffee, and the country ie, in fact, a net exporter of the product; instant coffee has shared in the general decline in coffee consumption since 1962. In Canada instants account for about two-fifths of total ooffee consumption, but also appear to have shared in the fall in coffee consumption in 1964; only about one-eighth of the instant coffee available is imported.

The great increase in coffee consumption in the United Kingdom over the last decade has been largely in the form of instants which now account for over threequarters of total coffee consumption. Consumption of instants is believed to have increased in 1964, despite the fall in coffee consumption as a whole. Imported supplies, however, still account for only about one-ninth of available supplies of instant coffee.

Cocoa

1

A CONTRACTOR OF A CONTRACTOR A

11. Cocoa is derived from the seeds or beans of a small tree, Theobroma cacao, and some related spp., originating in the tropical rain forests on the east side of the South American Andes. Cocoa (or oacao) was not introduced into Europe until the sixteenth century, and its cultivation in other parts of the tropics started only two centuries later. Today, West Africa supplies about two-thirds of the world demand.

l roduction

12. World production (1963/4) is 1,220,000 metric tone, of which almost threejuarters, vis. 900,000 metric tons are produced in Africa. The second largest producer is Latin America, with 290,000 metric tons. Compared with these two rugions, the production in other regions is insignificant, viz. 22,000 metric tons in oceania, and 7,000 metric tons in Asia (Ceylon, Philippines, Indonesia). In the last decade, the production in South America has been at about the same level, while the production of Central America has risen about 30,000 tons, mainly in Mexico. In the same period, the production of africa has risen from 500,000 to 900,000 metric tons.

Outside Africa, the main producers are Brazil, Ecuador, the Dominican Republic, Mexico, Colombia and Venezuela. The most important African producers are as follows:

Ghana	427,700	metric	tons
Nigeria	220, 300	H	**
Ivery Coast	97,200		**
Came roon	85,000	11	11
Togo	13,000	17	+1
Sad Tomé and Principe	8,700	n	H
Congo (Leopoldville)	5,600	91	18
Gabon	4,000	11	H
Sierra Leone	3,200	91	Ħ
Congo (Braszaville)	1,000	H	H

Whilst cocoa is grown exclusively in development regione, over 90 per cent is exported to industrialized countries, mainly as beans, but also in the primary proceesed form (cocca butter, powder or pasts). Cocca beans cannot be stored easily and cheaply under tropical conditions, and domestic consumption of cocca products in the producing countries is small.

The long-term outlook for cocca is not without promise. Future growth will depend mainly on consumption in new areas, particularly in low-income countries. Much will depend also on measures taken by the low-income countries to develop local chocolate industries for domestic consumption. The greatest possibilities for expanding consumption exist in the U.S.S.H. and in the Eastern European centrally planned economies.

Primary Processing

13. The initial proceesing has to take place in the country of production near the farm, where the pods are grown. Nost of the world's cocca is produced by smallholders with only a few acres. Not more than about 10 per cent of the african production is from larger plantations, often operated co-operatively by farmers. The relatively simple way of proceesing is certainly a factor in the favour of the small farmer.

l rocessing comprises the following stages: <u>Pod breaking</u> of the ripe pods either by means of a cutlass or machete, or with a wooden billet. Recently, pod oreaking machines have been constructed in South America, but are up to now still without practical significance. After the breaking of the pod, the placenta is usually removed, although on some Ghana farms the beans are fermented together with the placenta.

The next processing stage is <u>fermentation</u>. There are essentially four methods used today for the fermenting of raw cocoa:

- 1. Curing on the drying platform
- 2. Fermenting in baskets
- 3. Fermenting in heaps on the ground, and
- 4. Fermenting in systems of boxes

Fermentation takes 3 to 12 days, during which the germ in the eeed is killed by the developed neat ("sweating"), which can reach temperatures up to $115^{\circ}F$ ($46^{\circ}C$). The character and flavour of the bean are changed by fermentation. To obtain an even fermentation, the beans have to be mixed and stirred, while the exuded juices or "sweatings" have to be drained.

After fermentation, when the moisture content of the whole bean is about 60 per cent, the beans are dried to reduce moisture to less than 8 per cent. Drying can be natural in the sun, or artificial. Sometimes the beans are washed before drying, but unwashed, sun-dried beans seem to be preferred. A common method of natural drying is to spread the beans on mats or split barboo canes, which are raised from the ground; this system has been refined in numerous cocca-growing areas by the introduction of either a fixed-roof with sliding trays, or a moving roof with a fixed drying floor, in order to be able to protect the beans during sudden showers, or at night.

The fermented and dried beans are placed in open-weave jute sacks and stored thus in warehouses for periods of up to 9 to 12 months in the tropics. Eventually the beans are sorted and graded. Recommendations in quality standards and grading practice for cocce beans were made by the Working Party on Cocce Grading of the Food and Agriculture Organization (See Report of the Second Session, Faris, 2-6 July 1963).

For the details of cocos processing, reference is made to FAU Agricultural Study No. 60 "Processing of Raw Cocos for the Market".

Manufacture of Intermediate Products and Chocolate

14. For the manufacture of intermediate products such as occoa butter and cocca powder, and chocolate, the cocca beans are first cleaned to remove stones, dirt and other foreign matter, and then roasted. During roasting the kernel or nib loosens from the shell, whilst flavour and colour are developed. Shelling after roasting is therefore easier, but there are also processes known which shell the unroasted nuts. In any case, the shell has to be removed completely before further processing of the beans.

Shelling is done by first breaking the beans, either between fluted rollers or in disc mills, or by means of specially designed centrifugal orackers. After breaking, nibs and shells are separated. This separation is done by a system of shaking screens and by "aspiration", a kind of winnowing process, removing the lighter shells from the nibs.

Cocoa nibs contain about 40% of cocoa butter, a valuable fat with typical malting properties. Cocoa butter can be extracted by means of expellers in the same Way as oil seeds are extracted. The press caks is than processed to cocoa powder by milling and sifting, the finer fractions being separated in a cyclone.

For the manufacture of chocolate, the roasted nibs, after separation from snells, are ground by special roller mills, similar to the Anglo-American crushing rolls used for the orushing of oil meeds. By the heat of friction during this grinding process, the cocoa butter within the kernels is melted, with the result that the ground product becomes liquid, and is therefore called "chocolate liquor".

The chocolate liquor is mixed with sugar and other additives, depending on the end-product desired in the "melangeur", a roller-mill/mixer of the old "edge-runner" type or in a modern kneading and mixing machine. The ready mixture has to undergo a second grinding process in special crushing rolls, such as five-high crushing rolls. The last refining of the chocolate mass takes place by a long rubbing process in a special machine, called conge.

Processing Industries in Developing Countries

15. Although there has been a sharp increase, in recent years, in the quantity of occas beans processed industrially in the country of origin, in Africa this amounted to only 5 per cent of the total production in 1964, and almost all of this was then exported to developed countries in the form of intermediate products - cocoa butter, paste or powder.

Of the total exports of cocca products from cocca producing countries, is yet the African countries account for no more than a fifth, although their processing industries are expanding rapidly. Grindings in Ghana have more than doubled over the past three years, to 31,000 metric tons in 1964 and among the producing countries the industry is second in size only to Brazil; the Cameroun also has an industry of long standing. Ivory Coast's first processing factory, with an annual capacity of 10,000 metric tons went into production early in 1965, and construction has begun on a plant of 30,000 metric tons annual capacity in Ikeja, Nigeria, which is scheduled to start production in 1967.

Howsver, as an increase in the primary processing of cocca beans into intermediate products could make only a very small contribution to foreign exchange earnings per so it is of limited economic value. One advantage lies in that it enables the utilization of cocca beans which would be unfit for suport otherwise.

The establishment of complete chocolate industries is of greater economic significance, as this would greatly stimulate the demand for cocca and chocolats. At present, home consumption in African producing countries is very low, owing to the high price and a lack of tradition of cocca sating, which is linked with the climatic conditions. In the immediate future, establishment of a complete chocolate industry would be hampered by the lack of the other primary materials required, as well as of ancillary industries and skilled labour; but sugar will be available from the industries being developed in Ghana and Nigeria. If the domestic market is to erpand, there will be a need to develop types of products suited to consumption under tropical conditions, e.g. chocolate with a lower proportion of cocca-butter (or with elightly hydrogenated cocca butter), and which will sell at a price within the reach of the local population. In any event government subsidies or other forms of aid would be necessary at the outset.

Tobacco

Production

16. World production of tobacco (1963/64) is 4.18 million metric tons. Main production is in North and South America, producing t gether 1.65 million metric tons, and Asia with 1.19 million metric tons. Largest producer is the U.S.A. (more than a million tons), then India, Brasil, Japan, Turkey, Greece, Pakistan and Bulgaria. Greece produced in 1963/64 125,600 metric tons from the 600,000 metric tons produced in the whole of Europe, and Bulgaria 105,200 metric tons. The production of other countries does not reach the 100,000 ton mark.

Compared with these figures, production in Africa is rather modest, with in 1963/64 230,000 metric tons in total, distributed over many African countriss. Malawi produced 14,100 metric tons in 1963/64, and Nigeria 13,200 metric tons. Production in other countries is less than the 4,600 metric tons produced by Madagascar.

Trade in tobacco and its products involves almost avery country, and its total value is estimated at about \$1,000 million. Before the war, there was a distinct geographical specialisation in the production of the different kinds of tobacco, but after the war this traditional pattern has changed. There has been a shift from dark and strong tobacco towards cigarettes, aspecially in developing countries. On present indications, tobacco consumption is expected to grow both in developed and developing countries, and the suphaeis of future requirements of raw tobacco might be on light cigarette leaf. But in the long run, the relation between tobacco consumption and the incidence of diseases, aspecially cancer, will be a very important factor.

Processing

17. Initial processing of tobacco has to take place on the farm or plantation, therefore in the country of production. After harvesting, the leaves are cured by subjecting them to varying temperatures and degrees of humidity for some time. The three common methods of curing are by air, fire and flue. The four essential steps of curing are: wilting, yellowing, colouring and drying, during which processes certain physical and chemical changes take place.

Air-ouring takes place in buildings equipped with Ventilators, and often heated artificially, and lasts one to two months. The fire-ouring process is similar, but makes use of wood fires, allowing the smoke to come in contact with the leaf. Flueouring makes use of small and tightly constructed barns, provided with suitable ventilators and metal pipes, or flues, extending from furnaces around the floor of the barn.

After curing, the leaf can only be handled without breakage in epecial moistening cellars, or during humid periods. Leaf is graded according to colour, size and other recognizable element properties, tied into "hands" or bundles, and is then ready for the market.

Manufacture of Tobacco Products

18. Unly a few short remarks on the manufacture of tobacco products can be made here.

After ouring, the tobacco leaves are fermented between 4 and 6 weeks, depending on the end-use. A kind of fermentation takes place also during the "ageing" period, which might be from one to three years. In most cases the stems, or midribe, are first removed from the leaf.

After agoing and "processing", manufacture usually starts with blending of grades of different years, and from different sections and type of leaf. Nost types and grades have rather specific uses, such as using the upper leaves for chewing and the lower leaves for smoking. Some types of tobacco are used principally for cigaretter, others for cigare, or for pipe tobaccos. Pipe tobacco mixtures contain, usually, some flavouring constituents and some glycerine as a conditioner. The details of certain processes of manufacture are trade secrets.

Cigarette manufacture has been widely mechanized, with machinery turning out oigarettes in astronomical figures, while packing is also done automatically. Cigare were made by hand, and the more expensive types are still hand-made, but for the oheaper types machinery is also used.

Pobacco Nanufacturing Industries in Africa

19. In the following paragraphs, establishing or expanding the tobacco manufacturing industry in Africa and in Arab States will be briefly discussed. The two main factors to be considered are production and marketing.

As to <u>production</u>, Africa produced in 1963 about seven per cent of the world output of tobacco leaf, contributed 13 per cent of world exports of tobacco leaf, and produced 3 per cent of the world total cigarette manufacture.

Most of the export tobacco produced is flue-oured leaf, and dark air-oured tobacco, used mostly for local traditional consumption, comes next.

However, in a particular country, when the decision to establish a cigarette industry is taken, it is after balancing the possibilities of producing tobaccolsaf of a certain type at a reasonable cost, against the potentialities of the domestic and forsign market at the going price at the time of starting the enterprise. Again this will be to a great evtent a question of the side of the plant. On the assumption that a factory will work six days a week, and that one pound of tobacco makes 400 cigarettes, a factory with a capacity of one million of garettes per day will need only about 400 metric tons a year.

At present in Africa, among the tobacco-producing countries, only a few, like Haunion, Niger, Swaeiland and Guinea, p.oduce less than 400 metric tons a year. Other tobacco-producing countries are not all producing cigarette tobacco. Nevertheless, eost of these countries are manufacturing cigarettes. Africa's output of oigarettes has increased from 56,663 million pieces in 1955/59 to 72,529 million pieces in 1963/64. Noticeable producers in 1964 were U.A.R., Canary Islands, Algeria, Hnodesia, Zambia and Malawi, Norocco and Mosambique, in a descending order.

The international trade of Africa in cigarettes, which amounted to imports of about 10,516 million pieces and exports of about 5,330 million pieces in 1951/55, declined to almost one half by 1960 with the development of oigarette manufacture.

With regard to marketing, the issues involved in demeetic marketing of cigarettes in Africa involve changing consumption patterns. In most of the African oburthes, people do consume tobacco, but is is mostly in the traditional form of shuff and water pipe, etc. The habit of smoking cigarettes has spread with increasing urbanization involving contacts with residents in towns. Thus the sise of the domestic market depende on the rate of substitution of digarettes for other forms of tobacco products, which is a function of the relative prices of digarettes and other tobacco products, and social changes such as the rate of growth and distribution of population over towns and villages, the level of income, and the rate of increase in income levels. The age and sex structure of a population is also significant, as a higher ratio of male population employed on non-agricultural jobs in urban centres of a country leads to increased consumption of cigarettes.

3pices

20. Few agricultural products have a more faccinating history than spices. The search for spices led to the discovery of the New World, and of the eca-route round the Cape to India; ware were waged for the possession of spice-growing islands, and overgrown marsor palaces in the jungles of islands in the Molucoas (Indonesia) still tell the tale of the riches of spice growers.

It is not possible to mention here all the spices, the number of which is quite considerable, and therefore only selected spices grown in Africa will be dealt with. As the processing of spices differs for each product, processing will be discussed for every spice separately. The spices are arranged alphabetically.

Allppice

21. Allapice consists of the dried unripe fruits of Pimenta officinalis; it is also called Jamaica pepper or pimento, and the main producer is Jamaica. The tree is a relative of the clove tree, and is now also cultivated in Bast Africa, where the hot and fairly dry climate is suitable for it. Processing is very simple: the fruits are picked in the green state before they are fully ripe, and dried for some days, until the seeds rattle incide them. The finished product is then a small, wrinkled, purplish-black little berry.

:etel

22. There are two spices (or maybe they should be called druge) known as betel, the betel must and the betel wins. Both are chewed, usually together, by mixing pieces

of betel nuts with some tobacco and slaked lime, rolling the whole mixture in a fresh leaf of the betel vine to make a pellet. The chewed mixture seems to have a stimulating and mildly narcotic effect, but it spoils the teeth and results in spitting out e red juice. Betel chewing has been a habit for two thousand years or more in many tropical countries, but is somewhat losing ground in modern times.

The betel nut is the seed of the Areca palm, Areca cateohu, whilst the betel vine leaves are plucked from Piper betel, closely related to the pepper plant, Piper nigrum.

Cardamone

23. Cardamons are the dried fruits of Elettaria cardamonum, a perennial herb and a relative of ginger, to which the plant bears a recemblance. It is a popular spice in Acian countries, being used especially for ourry powders, also for mixing with coffee in some markets. The world supply (being mainly concumed within the country of production) comes from India and Ceylon, but the plant has been introduced into other countries. It is less important for Africa, except for some production in Algeria.

The fully-grown fruits are harveeved when the green colour is changing into yellow, and when they are not yet fully ripe; it requires considerable experience to know which fruits should be cut off, and which not. Harveeting is done with a pair of epecial solssore. The fruite are then dried elowly in the sun, e.g. only three hours in the sorning and two hours in the afternoon. Sometimes artificial drying is applied, but this procees has also to be carried out rather slowly. The dried product should be light yellow, with a minimum of split fruits. To improve the colour further, the product is bleached with sulphurous vapour. The finished product is corted and graded according to eise and colour.

Chillies.

24. Chillies are the most popular epices in all tropical countries, but are also widely used in Southern Europe, and are slowly gaining more and more ground in colder regions. Main producers in Africa are Nigeria, Morocco, Tunisia, Kenya, Uganda, Tanzania, Zaneibar and the Sudan. They are the fruite of the annual plant Capsicum annum, and the perennial Capsicum frutescene. Both exist in a multitude of varieties and forms, and are known and grown in hot countries all over the world. C. annum yields the less pungent fruite, paprika and evest peppere, whilst the fruite of C. frutescens are very sharp ("hot") and are known in powdered form as Cayenne pepper.

Chillies are usually consumed fresh, either as such or ground to a kind of pasts under the addition of some ingredients such as oil, vinegar, salt, sugar, according to tasts and habit. They are also dried and ground to a powder, or pickled or canned (known in cockery as pimiento).

Cinnamon

25. True cinnamon is prepared from the bark of Cinnamonum seylanicum, a tree native to Ceylon, which is still the main producer of cinnamon. In Africa, it is produced in the Seychelles. There are other Cinnamon epp. from which a type of cinnamon is prepared, e.g. Cinnamon Cassia, the Chinese cinnamon, and C. Burmani, from which cinnamon is prepared in Indonesia. A near relative is Cinnamonum Camphore, the camphor tree, while also the avocado pear belongs to the same family.

In order to prepare cinnamon, the outer, corky layer of the bark of the tree is scraped off, and the bark is then carefully removed by cutting into two long strips, of about 1 meter long and 10 centimeters broad. These strips are slowly dried, during which procees they become rolled into "quille".

Cloves

26. Cloves are the unexpanded flower buds of Eugenia aromatica (or Eugenia caryophylla), a small evergreen symmetrically shaped tree. They belong to the oldest spices known, already recorded in China in the third century B.C., and wellknown to the Romane. In the Middle Ages, cloves were the high-priced and much coveted product of the Molucces (Indonesia), and they are still today one of the most isportant of the commercial spices. In Africa, cloves are produced in Zanzibar and the Malagaey Republic, where environmental conditions are favourable for the rather execting growth requirements of the tree.

Processing consists in hand-picking and drying the flower buds, which are hervested when they are still dull green in colour, or are just becoming a dull red. The trees are therefore not allowed to flower, except, of course, for seed production. During drying, the flower bude shrivel up to the dark brown cloves of commerce, which are either used as such or after grinding to a powder. By distilling the flower bude or the steme and fruits of the clove tree, the essential clove oil is obtained from which synthetic vanilline is made.

Fenugreek

27. Fenugreek, the "Greek hay", is the seed of Trigonella foenum-graecum, an annual that has been grown for centuries in India and North Africa, e.g. U.A.R., Sudan, Morocoo. Considerable quantities are exported from India and also from Norocco, but local consumption is probably much larger. The plant itself is also used as a fodder plant.

The seeds are greenish-brown, with deep grooves across one corner, giving the seeds a booked eppearance. They are contained in very long marrow pode. The seeds are highly aromatic, their flavour being due to the presence of an essential oil containing coumarin. They are used for various purposes, even as a source of yellow dys, and as local drugs, but mainly as a spice. They are a constituent of ourry powders.

Ginger

28. Ginger is processed from the rhisomes of Zingiber officinale, a reed-like plant which is successfully cultivated in parts of West Africa, especially in Nigeria and Sierra Leons. An important producer is India, and also Ceylon, Malaya, China, Fhailand and the West Indies, sepecially Jamaica. Ginger is marketed in various forms, the two most important of which are the black and the white ginger.

<u>Black</u> or grey <u>kinker</u> is unpealed ginger, consisting of the dried rhisomee without special treatment; it is the form which is usually produced in Africa. The rhisomee are cleaned and washed, then immersed for 10 - 15 minutes in boiling weter, and dried in the sun. <u>White</u>, uncoated or scraped <u>ginger</u> is made by ekinning or pealing the rhisomee first with a special knife, followed immediately by thorough washing and careful drying in the sun. This is the most popular form of ginger for culinary purposes. Fo preserve ginger, tender and succulent roote are washed, scraped and sliced, the slices being treated in a special way with ayrup.

<u>Kola</u>

29. Kola-nuts are the eeeds of Cole acuminata, a 30-40 ft. high tree of Weetern Propical Africa. It bears stout, warty green pode, 5-7 in. long, containing 6-10 large white or pink eeede, which become dark brown on drying. Kola nuts contain about 2 per cent caffein, and have become popular as a stimulating agent. The infortance for West Africa ranks next to that of the oil palm. The production is estimated at about 50,000 tons per year, of which about 7,000 tons are exported from Ghana to neighbouring countries, whilst the Nigerian production is estimated at 5,000 tons.

Nutmeg and Mace

30. These spices are derived from Myristica fragrans, a big tree originating in the Moluccas, but introduced into many other tropical countries, including East Africa, where there is now production on a smaller scale. The fruits of this tree are light yellow, resembling an apricot, splitting up when ripe and disclosing the glossy, dark-brown nut, which is surrounded by a scarlet aril or wrapper in the form of a net. This aril is the important spice mace, valued on the brightness of its colour and one of the most delicately flavoured of all spices. The nut, which the mace surrounds, consists of a rather brittle shell and a hard, brown ovoid kernel, about an inch in length, representing the <u>nutmer</u> of commerce.

Processing is very simple. The fruits are either picked or allowed to drop on the ground, where they are collected. The mace is carefully removed from the nut, flattened either by hand or by pressure between boards, and then allowed to dry. Also the seeds are dried in the sun, usually after removing the shell.

Pepper

31. Pepper, one of the oldest and most common spices, is obtained from the fruite and seeds of Piper nigrum, a creeping perennial vine native to South West India, but introduced in many other tropical countries. Main producers in Africa are Malagany, Ethiopia and Nigeria. "Black" and "white" peppers of commerce are derived from the same plant, the difference being merely one of proceesing.

For the production of <u>black pepper</u>, the berries ("pepper corne") are harvested when they etart yellowing, therefore not yet fully ripe. They are put in heaps for some days for fermentation, during which process they turn black. Fermenting is sometimes replaced by plunging the fruits into hot water. After fermenting and drying in the sun, the pepper corns are threshed by treading, then winnowed and screened.

In order to produce white pepper, the berries are only harvested when they are fully ripe and red. They are put in bags in streaming water for one or two weeks. After this treatment, the skin of the fruits can easily be peeled by hand or feet rubbing. The white kernels are thereafter washed carefully, and dried as scon as possible. The correct dryness is marked by the fact that white pepper when properly dried do not split in two, but into many small pieces. Of 100 lbs. of fresh fruits, 36 lbs. of black pepper and only 24 lbs. of white pepper are obtained. The price of white pepper should therefore be at least 50 per cent more than that of black pepper for profit of extra work done.

<u>Furmerio</u>

32. Turmerio is eimilar to ginger, being obtained from the underground rhisomes of Curcuma longs, related to the ginger plant Zingiber. As a spice, it is used for ourry powders, and also as an adulterant for other spices, like mustard, because of its observes. It is also used as a dyestuff, notwithstanding that it is neither colour-fast nor fade-proof. Further applications are for locally made medicines, for commetics and also for religious purposes in the Far East. However, the types used for spices and for technical purposes are not exactly the same. The roots of the technical turmeric are bigger and harder, and contain more colouring matter.

For processing, the rhisomes are first sorted according to size, washed and

oleaned carefully, then boiled 2-3 hours in water, the big pieces being boiled longer than the small pieces. The roots are then dried in the sun, turning them round two or three times a day. Every day in the svening, the roots are rubbed by hand to make them clean and smooth.

Vanilla

33. Vanilla is obtained from a climbing orchid, Vanilla Planifolia, a perennial wine-like plant, growing in tropical rain forests. Up to about 60 per cent of the world export of vanilla is supplied by Madagascar; another important African producer is the Comoro Islands.

The fruits are collected from the vines before they are ripe, i.e., when they are just beginning to change from green to yellow. The capsules, or vanilla beans, as they are termed, after collection have none of the arona and flavour of the finished product, which only develops during the curing process. Various methods are used in different countries to process the fruits, all involving a partial drying of the fruits in the eun, followed by a sweating process, during which the characteristic flavour and smell develop. Treatment of the fruits with nearly boiling water before sweating (in air-tight boxes) might help to accelerate the process, which is repeated until the fruits become coffee-coloured, and the arona of vanilla develops.

Importance for Africa

34. The following figures show the suports (including re-exports) of important spices in metric tons from African countries in comparison with world totals, while some other important suporters outside Africa are also mentioned. It appears that Africa is the main suporter (and producer) of cloves (mainly Zansibar and Madagascar) and of vanilla (mainly Madagascar). The share of Africa in the trade of other spices is relatively small, although some countries have developed quite a promising trade in some spices, such as Madagascar for pepper, Morocco and East Africa for chillies, Nigeria for ginger, and the Seychelles for cinnamon.

Information on production is scanty, but in most countries production is for export.

TRADE IN SPICES (metric tons)

	Pepper	Cloves	Capsicum Chilliee	Ginger	Cinnamon Caccia	Vanille
forld Total	94.844	15.185	40,111	15.307	17.441	1.079
of which:						
Algeria	-	50	50	-	10	-
Cameroon	5	-	-	-	-	-
Central African Republic	-	-	85	-	-	-
Comoro Islande	-	51	-	-	-	107
Ethiopia	418	-	843	-	-	-
Ghana	8	-	-	-	-	-
Kenya	-	-	506	-	+	-
Malagasy Republic	902	2,056	22	-	72	628
Norogoo	-	-	2,422	-	-	-
Nigeria	50	-	306	2,616	-	-
Reunion	-	-	-	•	-	34
Seychelles	-	-	-	-	1,016	1
Sierra Leone	-	-	-	594	-	-
Sudan	-	-	64	-	-	-
Tanganyika	-	-	56	-	-	-
Togo	-	-	34	-	-	-
Tunisia	-	-	406	-	-	-
Uganda	-	-	433	-	-	2
Zansiber	2	11.541	140			-
Total Africa	1, 385	13,698	5,944	3, 210	1,098	772
Other important exporters:	(1963)	•				
Brasil	2,377	-	-	-	-	-
Ceylon	94	-	-	-	2,857	-
India	18,942	-	-	5,020	-	-
Janaica	-	-	-	581	-	-
Nalaysia (re-exporte)	31,058	1,349	-	531	-	-
Serevek	11,637	-,	-		-	-

Exports (including re-exporte) 1963

One of the advantages of spices, similar to essential oils, is that they can be produced by small farmers, so to say in their backyards, because the amounts are small compared with other agricultural products, and the prices are relatively high. Primary processing is usually rather simple, although it needs experience, and required capital investment is very small. There is little secondary processing.

Spices are less threatened by competition from synthetice than many other monfood products.

VI. VARIOUS PRODUCTS

Technical Starch Froducts

Some roots or tubers have, as well as their significant for food purposes, importance as the raw material for technical starch production. An important source of such technical starch products is cassava (Nanihot utilissima). Cassava starch is known in the trade as taploca flour, and is used for many technical purposes, such as the manufacture of Destrine, glucose, for the sizing of textiles, in the paper industry, etc. The main purchaser of tapioca starch is the U.S.A. Tajioca flour can be processed on a small scale, with very simple, and even hand-made equipment, by grating the washed and peeled roots, diluting the pulp obtained with water, and screening it through a cloth supported by a bamboo basket. The fibres remain within the cloth, whilst the starch forms a "milk" with the water, and can be separated and purified by settling in tanks. Small and medium-sized tapicca plants follow essentially the same method, but mechanised. The grating is done in this case by means of rotating raspers, and the ecreening on rotating screens or shaking screene. Large modern tapioca factories make use of centrifugal separatore, artificial driers, and other modern equipment. Details of the processing of cassava are given in the FAC Development Paper No. 54.

Main producers of taploca flour are Indonesia and Phailand, but there is no reason why taploca flour could not be prepared in Africa too, where cassava, after all, is very common.

In a rather simple process casesave roots can also be transformed into dry chips and "meal" which can be used for animal feed, and can as such be exported. There is a demand for these products in Europe, sepecially in West Germany.

Insecticides

2. Various plante are poisonous to insects and can therefore be used as insecticides, like the leaves of tobacco or of the "wild" tobacco Lobelia nicotianasfolia, the "Juba-roots" of Derrie elliptica and the Calamus-root of Acorus Calamus, the "Bitterwood" (Quassia-chips) of Picraena excelsa, and the flower heads of Pyrethrum roseum.

Because of the great number of modern chemi(al insecticides, these natural insecticides have greatly lost significance, but some are still used, partly in combination with DDT or Lindane, such as the Pyrethrum powder prepared from the dried and finely ground flower-heads of Pyrethrum roseum (Chrysanthsmum cinerarisefolium) and other Pyrethrum spp. The Pyrethrum industry originates from Persia, Dalmatia and Southern Russia (hence the names Persian-powder or Dalmatian-powder), but also plays a role in Africa, especially in Kenya and the Congo at higher altitudes (above about 1,800 meters altitude).

Another natural insectioide consists of the dried and powdered roots of Derris filtica, D. malacoensis and similar plants, which contain mainly rotenon, and have been used for centuries in the Far East (Malaysia, Indonesia, Philippines) as fishpoisons. Derris has also been introduced in Africa, especially in the Congo (Leopoldville) and Tansania.

Medicaments

3. A very great number of plants belong to the group "Medicinal Plante" because of their use as medicine. Many of them have nowadays only local significance, because their active agent is produced synthetically, or because the chemical industry has isveloped more effective synthetic substitutes. But some of these medicinal plants still play a part on modern medicine, either as such, or as raw materials for synthetic products. Still well-known as laxatives are castor oil (from Hicinus communis), croton oil (from Croton Tiglium), senna leaves (from Cassia spp.), aloës (from Aloë spp. and others. Opium, prepared from the unripe fruit capsules of Papaver somniferum, is an important raw material for valuable alkaloids, such as morphine and codeine, and numerous derivatives. Quinine, derived from the bark of Cinchona spp., was for centuries the only medicament against malaria, but has in modern times found effective synthetic medicaments as competitors. Also well-known are the numerous modern medicaments derived from plants, such as digitalis-preparations for heart diseases, rsuvolfia preparations against high blood pressure, medicaments containing etrychnine, brucine and derivatives for the treatment of nervous diseases and many others.

Production and processing of medicinal plants, similar to that of essential oils and spices, lends itself to small enterprises at the farmere and rural level.

Dyee

4. Vegetable dyes were once very important, with as a famoue example indigo, and almost entirely lost their significance after the invention of synthetic dye-stuffs from coal-tar. However, some have recently regained their importance for the food industry, because of the cancerogene properties of some coal-tar dyes. To this group belongs <u>Anatto Seed</u>, derived from Bixa Orellans, which is, or can be, oultivated in numerous tropical countries (including the Congo), and which can be exported as such, or as an extracted rough dye-powder.

VII. CUNCLUDING REMARKS

It is clear from the above review that there is ample scope in the developing countries for the establishment of industries proceesing agricultural raw materials other than food. The same proposition is, of course, also valid for food too, including the establishment of industries based on fisheries and animal husbandry. (See therefore: Paper No. III: "Food and Food Products Industries" and Paper No. VI: "Fisheries Industries". For producte derived from forests reference is made to Paper No. V: "Development of Forest Industries".

These products processing industries, if launched and operated efficiently, make a substantial contribution to the economic development and prosperity, etimulate demand for local agricultural producte, and can, in many instances be suitably located, without necessarily becoming less economic near the source of raw material, thus providing work for the increasing numbers of the rural population.

In many developing countries there is the problem of rural unemployment and poverty, leading to undesirable urbanisation, and products proceesing industries can therefore be very beneficial for the development of rural area. (See in this respect also Paper No. I "The Economic Significance and Contribution of Industries Based on Renewable Natural Resources, and the Policies and Institutions Required for Their Development").

Of further importance is the fact that many such industries are sufficiently flexible from a technological point of view as to permit of a gradual initiation of rural workers into the processes of industry as the scale and scope of a successful pilot plant are expanded. (In this connection see Paper No. II "Some B: sential Requisites for Industrial Developing of Renewable Natural Resources". A more detailed examination of the economic problems arising from the erection of such products processing industries is, however, required for each particular case.


The domestic market may often be restricted, especially in many of the new African states, with a relatively small population, and even more modest purchasing power. Inter-regional arrangements are therefore indicated, in order to avoid the proliferation of uneconomic plants in the same branch in a number of neighbouring Viewed in a wider perspective, the problem is complicated by the countries. barriers often erected against such products by developed countries, and by the threat of competition from synthetics, especially in the case of certain fibres and of rubber. In developing countries the trend towards the rapid increase in the consumption of the corresponding natural products has not so far been at all so marked, but it may well be that this trend will set in after a period of time. The switch to the consumption of synthetic products will presumably be scnewhat slower in these developing countries which themselves produce the natural products, but even there it is doubtful if the tendency for synthetic articles to gain predominance for certain uses can be resisted indefinitely to any great degree. However, the main difficulty, with particular reference to large scale operations, will be the basio one of finding the necessary skills and possibly also capital to get such industries going on an efficient and competitive basis.

FAO has constantly attached the greatest importance to the establishment of these industries. It has, at the analytical level, produced projections for a number of non-food agricultural products, and is now engaged in the World Indicative Plan for Agricultural Development, which will provide a comprehensive frame of reference for developing countries, by working out projections and targets in respect of the production, consumption and trade in agricultural products in 1985, with intermediate figures for 1975. These projections and targets should be of great assistance to developing countries in gauging certain basic aspects relevant to decisions to set up new industries of the type in question. At technical, technological and operational stages, FAO has also given, and is increasingly giving, assistance designed to improve, modernise and extend these industries. It is convinced that it is thereby assisting developing countries in Africa and elsewhere to develop their sconomy and attain the standard of living to which they are entitled. APPENDIX


APPAREL FIBER CONSUMPTION IN AFRICA

1961 to 1963

Extracted from: World Apparel Fiber Consumption 1961 to 1963 - FAO August 1965.



R






Image: Control of the second	ALEICY		ALOTE IA			C + === -	
		196 -					<u> </u>
							1963
				Contraction Terminal (· · · · · · · · · · · · · · · · · · ·
		0.2	0.2	0.3	-	-	
	Existes Yarn		-	•	-	-	-
International state Data Data </td <td>Tienane</td> <td>-</td> <td>-0.1</td> <td>••.1</td> <td>:</td> <td>:</td> <td>-</td>	Tienane	-	-0.1	••.1	:	:	-
	")tel		<u>9-3</u>	لمگ		÷	<u> </u>
	Танилов	5.3	4.7	4.5	2.4	2.9	0.1 3.1
	their merufactures	•2.5	4.2	-2.0 <u>7.8</u>	0	•1.0	•1.0 4.2
							+ 4.2
	4 - Sec. 1 - Sec C C C C C C C	-			-		4.2
		•2.1	0]_A	•1.6	-	-	-
	ne geologia				-	-	-
	r (n) Toto Notice (1) waste	-	:	:	:	-	-
	۲ אדר		-	:	-	-	-
	ther man fortures	•••			•	-	-
Source of larger Source of larger<		•	-	•	<u> </u>	-	- <u>-</u> -
0.33 0.33 0.31 <th< td=""><td>Viim ++f winte</td><td>0.1 =0.4</td><td>-0.2</td><td>•••</td><td>-</td><td>-</td><td>-</td></th<>	Viim ++f winte	0.1 =0.4	-0.2	•••	-	-	-
111 212 213 214 <td>1 88.00 1947 → CofArtur00</td> <td>0.5</td> <td>••.3</td> <td>•••</td> <td></td> <td></td> <td>-</td>	1 88.00 1947 → CofArtu r00	0.5	••.3	•••			-
1.3 2.4 8.2 0.1 0.1 1.3 2.4 8.2 0.1 0.1 1.3 2.4 8.2 0.1 0.1 1.4 1 1 1 1 1 1.5 1.6 1 1 1 1 1 1.6 1 1 1 1 1 1 1 1.6 1 <th1< th=""> 1 <th1< th=""> <th1< th=""></th1<></th1<></th1<>	· · · · · · · · · · · · · · · · · · ·	<u>)</u>	Set.	J.L	<u>fal</u>	<u>Qal</u>	4.4
Image: State State Image:							+ 0.1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	·	3.3	2.6	8.2	0.1	0.1	0.1
			_				
the state fight is a state i	lenntinunue	-	-	-	-	-	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	st	-	-	-	:	-	-
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		- <u></u>	<u> </u>	-	-	÷	<u> </u>
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	די יו אויז אוין אוין אוין אויז אויז אויז אויז אויז אויז אוין אויז אויז אויז אויז אויז אויז אויז אויז	-	-	:	-	-	-
	la≪ku≉∎ tora renofictu res	-	-	•	-	-	-
Term notinuous -0.5 0.6 1.0 iter iter <td< td=""><td>"0*al</td><td>÷</td><td><u>.</u></td><td><u>.</u></td><td>• •</td><td>-</td><td>-</td></td<>	"0*al	÷	<u>.</u>	<u>.</u>	• •	-	-
1 term 3.8 0.6 1.0 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term 1 term <td>Yern intinuous and iiscontinuous</td> <td>+0.5</td> <td></td> <td></td> <td>:</td> <td>-</td> <td>-</td>	Yern intinuous and iiscontinuous	+0.5			:	-	-
Total Alia Alia <t< td=""><td>lineuro ther manufactures</td><td>5.8 *0.4</td><td>•••</td><td>•••</td><td>-</td><td>-</td><td>0.8</td></t<>	lineuro ther manufactures	5.8 *0.4	•••	•••	-	-	0.8
8.5 8.3 6.0 0.4 1.0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Total				—		<u>فية</u>
Image: State - Tord () = States Image: Tord () = States </td <td></td> <td></td> <td>-</td> <td></td> <td></td> <td></td> <td>+ 0.8</td>			-				+ 0.8
•••••••••••••••••••••••••••••	Strater (date 100	8.5	8.3	6.0	0.6	1.0	0.8
Jernitanuse - <td< td=""><td>21 NF 1 1- 1 11 11 1 1 1 1 1 N 1 1 1 1 1 1 1</td><td></td><td></td><td></td><td></td><td></td><td></td></td<>	21 NF 1 1- 1 11 11 1 1 1 1 1 N 1 1 1 1 1 1 1						
	.econtinuoye	-	-	-		-	
Yr res 11er risinghue filter Yr res 11er risinghue filter Tiesae - 'sere in facture - Tiesae - <t< td=""><td>etununum. Palament</td><td>•</td><td>-</td><td>-</td><td>-</td><td>•</td><td>-</td></t<>	etununum. Palament	•	-	-	-	•	-
Yr (rei) lie minimus int discontinuous) - - - Yr (rei) intinuous int discontinuous) - - - 'lar * mifactures 0.65 - - 'lar * mifactures 0.72 0.72 0.64 0.09 0.09 Advise of Fore.en Trude - 0.72 0.72 0.464 0.09 0.09 Advise of Fore.en Trude - - - - - - 'lar ***** Availability for Rome flam - - - - - 'lar ****** - - -	te ar inde	<u> </u>	- <u>-</u>	÷	÷	÷	-
Transme - </td <td>Process Cierontinuoue Piter</td> <td>-</td> <td>•</td> <td>•</td> <td>-</td> <td>-</td> <td>-</td>	Process Cierontinuoue Piter	-	•	•	-	-	-
Total - <td>Tiseyee Ther monufactures</td> <td>-</td> <td>•</td> <td>-</td> <td>:</td> <td>-</td> <td>:</td>	Tiseyee Ther monufactures	-	•	-	:	-	:
Tarr (ontinuous ind discontinuous) e0.68 0.45 0.68 0.69 e0.03 0.69 0.69 0.69 0.03 0.69 </td <td>Tot ()</td> <td></td> <td>-</td> <td>÷</td> <td>÷.</td> <td>÷</td> <td>-</td>	Tot ()		-	÷	÷.	÷	-
Theorem 0.65 1.1 0.66 =0.06 ther windectures 0.22 0.72 0.66 0.09 0.09 Astack of Fore.en Trude + 0.72 + 0.72 + 0.66 + 0.09 + 0.09 Astack of Fore.en Trude - 0.72 0.72 0.66 0.09 0.09 Astack of Fore.en Trude - 0.72 0.72 0.66 0.09 0.09 Astack of Fore.en Trude - 0.72 0.72 0.66 0.09 0.09 Astack of Fore.en Trude - 0.72 0.72 0.66 0.09 0.09 Astack of Fore.en Trude - 0.72 0.72 0.66 0.09 0.09 Astack of Fore.en Trude - 0.72 0.72 0.66 0.09 0.09 Astack of Fore.en Trude - 0.72 0.72 0.66 0.09 0.09 Astack of Fore.en Trude - 0.72 - 0.72 0.66 0.09 0.09 Astack of Fore.en Trude - 0.72 - 0.72 0.66 0.09 0.09 Astack of Fore.en Trude - 0.75 - 0.75 0.66 - 0.09 0.09<	Tarr (ontinuous and discontinuous)		-	•	-	•	:
Total 0.72 0.72 0.44 0.66 0.69 Neisre of Foreign Trade + 0.72 + 0.72 + 0.46 + 0.69 + 0.09 Adviser of r Home Dee 0.72 0.72 0.44 0.09 0.09 Adviser of r Home Dee 0.72 0.72 0.44 0.09 0.09 Adviser of r Home Dee 0.72 0.72 0.44 0.09 0.09 Intervention 21.1 19.3 16.3 4.3 5.2 Intervention 11.80 11.30 911.60 94.15 4.33 Adviser of r none flag 11.80 11.30 911.60 91.60 1.1 Adviser of r none flag 11.80 11.30 91.60 91.60 1.3 Adviser of r none flag 11.30 91.60 91.60 1.3 1.3 Adviser of r none flag 0.3 0.2 0.2 1.3 1.3	Tiesuns Ther ther tures	0.45				-0.08	•0.08
A /ALL + N.P. T.T. HOMP Use	Totel					2.03	0.09
1		+ 0.72	+ 0.72	+ 0.66	+ 0. 09	• 0 .09	+ 0.09
11.20 11.20 91.40 94.15 4.33 AUANTART TO SECTA OF 1640 1.20 11.20 91.40 94.15 4.33 AUANTART TO SECTA OF 1640 1.00 1.12 1.00 1.13 Total Cohere 1.00 1.17 1.00 1.13 Total Cohere 0.8 0.8 0.8 0.8	A241449.0 Cr. Home Use	0.72	0.72	0.66	0.09	0.09	0.09
11.20 11.20 91.60 94.15 4.33 A/A (AA) 1.20 11.20 91.60 94.15 4.33 A/A (AA) 1.00 1.12 1.00 1.13 (11.20) 1.12 1.00 1.13 1.00 (11.20) 1.01 1.00 1.13 (11.20) 1.01 1.00 1.13 (11.20) 1.01 1.00 1.13 (11.20) 1.01 1.00 1.13 (11.20) 1.01 1.01 1.01 (11.20) 1.01 1.01 1.01 (11.20) 1.01 1.01 1.01 (11.20) 1.01 1.01 1.01 (11.20) 1.01 1.01 1.01 (11.20) 1.01 1.01 1.01 (11.20) 1.01 1.01 1.01 (11.20) 1.01 1.01 1.01 (11.20) 1.01 1.01 1.01 (11.20) 1.01 1.01 1.01 (11.20) 1.01 1.01 1.01 (11.20) 1.01 1.01 1.01 (11.20) 1.01 1.01 1.01 (11.20) 1.01 1.01		21.1	19.3	16.3	4.۱	5.2	5.2
Alain Abil The rest of Alam Sker Trite Commence Alam Sker Trite Comm							·····
Cota Cota <th< td=""><td></td><td>11.80</td><td>11.30</td><td>•11.60</td><td>*4+15</td><td>4.33</td><td>4.56</td></th<>		11.80	11.30	•11.60	*4+15	4.33	4.56
°<11 m							
Mool]].	}+	<u>Baé</u>	<u> 444</u>	1-1 0-9
	¥on]	0.3	0.2	0.2	-	•	-
Artificiel cellulesc fibere				-			0.02

AFRICA (Continued)

- 2 -

CULARENT OF REPION	CAR							CTAD	
17130 ·	1961	1962	1963		AL APRICAS				
77.5N				1961	1962	1963 1000	1961	<u>} 948</u>	1963
		•••••••••		Thouse	mi metrie		••••		
Aid opeaumition	-	-	-	0.4	0.6	0.8	-	-	-
Teler. Trade									
Exporte: Yerr	:	:	-	•	-	-	-	-	-
then maryfarturse	-	-	-	-	-	-	-	-	-
	÷	-	-	-	-	÷	-	-	-
стяк: Yars. Панцев	0.1	0.1	0.2	0.7	0.8	-	-	-	-
ther manufactures	-		-	0.3	0.2	0.8 0.2	0.9	0.7 0.3	e.(0.)
Buine of Scenary Trate	<u>0.1</u>	<u>0-1</u>	0.2	716	7.0	776	775	1.0	3.4
	+ 0.1	+ 0.1	+ 0.2	+ 1.0	+ 1.0	+ 1.0	+ 1.2	+ 1.0	+ 1.0
Nyi,Catien og Homent∎en ingen skilder i strender i s	0.1	0,1	0.2	1.4	1.6	1.8	1.2	1.0	1.0
Set - repertion of virgin wool - Clean basis									
This is the	-	-	-	-	-	-	-	-	-
ar ter Tore	-	_							
Noile ind waate Yarn	-	-	-	-	-	-	:	:	-
	-	-	-	-	-	•	-	•	-
ther manufuctures Totel	-	-	-	•	-	-	-	-	-
Interter Tope	-	 -	-	-	-	-	-	-	
NOLE 171 WARTE	-	-	-	-	-	-	-	-	-
10577	-	-	•	•	-	-	-	-	-
ther minufactures	-	-	-	-	-	-	-	-	-
	÷	÷-	<u>-</u>	-	<u> </u>	-	÷.	-	
Balance of Foreign Trate	-	-	-	-	-	-	-	-	
Lisble for Home Tem	-	-	-	-	-	-	-	-	_
C.C. 141 - TOTT ADD - Open 2				·····					
11 17 1 NU 18	_								
	-	:	-	-	-	-	-	-	-
Total	-	-	÷	-	-		-	-	-
en i pore E lo fini la entre anna Pàlher anna anna anna anna anna anna anna an	_								—
farn intimuoue int "lecontimuoue"	-	-	-	-	-	:	-	-	-
Der mar för tures	-	-	-	-	•	-	-	-	-
~ * * 1	<u>-</u>		<u>-</u>	÷	<u> </u>	<u>.</u>	-	-	:
ter the sector and fiber	-	-	-	-	-	•		-	
166188	-	-	-	0.3	0.2	0.1	-	-	-
ther minufactures	-	:	-	•	-	•	0.2	0.1	-
Bally a f. F. paler Cristel		_	<u> </u>	<u>9.1</u>	0.2	617	Set	6-7	-
savet e 1 z dove l'em	-	-	-	+ 0.3	+ 0.2	+ 0.1	+ 0.2	+ 0.1	-
	•	-	-	0.3	0.2	0.1	0.2	0.1	-
n Hall I Al Market State (1997)									
Contraction and Contraction an									
ten tenuova tenuova tenanten tennova	-	-	-	-	-	_			
Tetal	-	-	-	•	-	•	-	-	-
e an Shate				-	-	-	-	•	
<pre>'** '**: `iecontinuous fiver</pre>	-	-	-	-	-	_			
T B + 1 + B	-	-	:	-	-	-	-	-	-
ther manufactures	-	-	•	-	-	-	-	•	-
	-	-	-	-	-	-	÷.	<u>.</u>	-
 the line optimuous (ther	-	:	-	-	-	-	-	-	
Timeure	-	-	-	0.05	0.05	0.04	0.06	-	-
Totel	<u>.</u>	÷		0.04		•	-	0.62	0.02
Talata B. C. Spelen Trade	-	-		<u>9,05</u>	9.05	9.94	2.01	<u>Late</u>	2.2
κα μ. Τας Νοπμ. Παθ			-	+ 0.05	+ 0 .05	+ 0.04	+ 0.06	+ 0.08	+ 0.02
	-	-	-	0.05	0.05	0-04	0.06	0.08	0.08
o o us oc Availaboloty for Rome Dealers	0.1	0.1	0.2	1.8	1.9	1.9	1.5	1.1	1.0
1 [−] • • • • • • •	0 .81	0.21	*0.21	1.23	1.35	1.30	2.68	2.75	2.80
3 M - C - C								-	
•• •• ••	0.5 0.5	0-5 0-5	1.0 1.0]+1	}:]	};	9.6	0.4	0.4
the second se		,	1	1.1	1.1	TT			
• • • • • • • • • • • • • • • • • • •	-	-	-	0.3	1.J 0.8	1.4 0.1	8.5 0.1	8-4 0-1	8.4

APTICA Compositional Composition			•) •				-			_
e		•		•	00000) (NRABBATI)	(کن	CCIIII ()	NOCRATIC N	DUNLIC)
	· ·	1961	1968	· 90 3	1961	1962	1963	1961	1962	1963
N	,					d antrie te	•			
۰	÷.	-		~	-	-	-	7.8	8.7	7.4
oran ostan. Ang ostan n										
مەنىتە يەن ئەمەر ئەرمەر ئەرمەر ئەرمە			-	-	-	-	-	-	-	-
1 .		-	-	-	÷	<u> </u>	<u> </u>		-	-
n na sanan na mana na mana na sana na mana			0,1	-	0.1 0.8 0.9	•0.1 1.0 •0.7	•0.1 0.8 0.9	1,6	•0.1 4.5 •0.6	•4.5 0.5
••	4	and a	<u>9</u>	<u>9-1</u>	فلند	فنذ	الأملا	200	5.2	لمعد
Ng rin ing provide	•	• 1.1	+ 0,1	+ 0,1	+ 1.8	+ 1.8	+ 1.8	+ 1,6	+ 5.2	+ 5.1
a a v , y v , a alomo ga	· · · · · · · · · · · · · · · · · · ·	6 . 1	0.1	0.1	1.8	1.8	1.8	9.4	13.9	12.5
raka kata ang ang ang ang ang ang ang ang ang an			-	-	-	-	-	-	-	-
ne provins se										

+ 1.1

1.1

+ 1.7

1.7

1.6 • • • • • • • • • • • • 1933 F 188 Raismon of Straight Traise ------0.5

· · · · ·									
firense fijgewart i station i s Tation i station i statio		-	-	-	-	-	-	-	-
		-	-	•	-	-	-	-	-
	<u> </u>			<u> </u>		_ _	<u> </u>	-	
- pr. 2 • 1 •									
2 TTO ARCTICLE MANUAL CLOOP CLOUD	-	-	-	-					
fare ontinuous and discontinuous		-	-		-	-	-	-	-
10000	-	-	-	-	-	-	-	-	-
ther exactly are seen as a construction of a	-	-	•	-	-	-	-	-	-
otal	÷	<u> </u>	-	-	-	-	-	-	-
					<u> </u>			<u> </u>	-
The term is an ortensacial famor and a second second	-	-	-	-	-	-	; -	0.5	-
Term on "interio and libronlineous	-	-	-	•	-	-	* -	0,1	0.1
1000 a second contraction of the	•	-	-	.0.2	0.3	0,2	*0.4		0.3
ther manufactures a conservation of	-	•	-	0,2	•0, z	0.2	-	•0.1	
○te	-	<u> </u>	-	<u>9-4</u>	9-5	9.4	9.4	2.0	0.5
Reverse of A rever Areste				• •					
	-	-	-	+ 0.4	+ 0.5	+ 0.4	+ 0.4	+ 2.0	+ 0.5
Averate Con Bone de la companya de la compan	-	-	-	0.4		• •		• •	
		-	-	0.4	0.5	0.4	0.4	2.0	0.5
YMMHAT NAME LITE DI PONMAS									
 A particular sector sect									
[™] l@ninhimuqua ; ntrnunua transmiti	-	-	-	-	-	-	-	-	-
NEZMANAR DE AMERICA DE LA COMPANYA D	•	•	-	-	-	-	-	-	-
0484 A A A A A A A A A A A A A A A A A A		-		<u></u>			<u> </u>	<u> </u>	-
a trutt									
Fr sta liberaturunu fiher soots sootsesseere	_	_	_						
Tirn ontinuous and discontinuous	-		•	-	-	-	-	-	-
1 10 101	-	-	-		-	-	-	-	-
ther manufactures			-	-	-	-	•	-	-
••••	-	-		-	-	-		-	-
				-			<u> </u>	-	<u> </u>
*perta: Ciscontinuous foter continuous.	-	-	•	-	-	-	-	-	-
Tere ontinuous and discontinuous	-	-	•	•	•	-	-	-	-
TINGLES CONTRACTORS OF CONTRACTORS OF CONTRACTORS	0.04	0,04	-	-	-	-	0.01	0.02	• • •
ther namufer tures	-	•	-	-	-	-	0.01	0.03	•••
Total	<u></u>			-	_ T	*	0.08	0.05	0.03
				_					
Balanco of Foreign Trade	+ 0,04	+ 0.04	-	-	-	-	+ 0,02	+ 0.05	+ 0.03
Ava. ish.e. for None Nas	. . .								
	0 . 04	0.04	-	-	-	•	0.02	0,05	0.03
		5-100 - 10 - 10 - 10 - 10 - 10 - 10 - 10					·····		
The Arbitra Availability for None Dae	0.1	0,1	0.1	2.2	2.3	2.2			
	v. .		V. 1	£.£	*.3	e. e	10.3	17.7	14.1
									·
-7114719# Setijines	0,19	°0, 19		0, 81	0.82	0.84	14.46	14.80	15.01
									•) . • •
A CALL AND AND COMPANY AND CANADA									
Totaj fictora	8.9	8.5	8.4	}.	21	3.4	8.1 8.1	$\frac{1.2}{0.9}$	<u>0.9</u> 0.8
	0, 9	0, 3	0, 3	1.1	1.7	2.1	0.1		
Artificial callupate' fibre concerned	•	-	-	-	-	-	-	0.1	0.1
Synthetic (non-cellulesic fibers			-	0.5	0.5	0.5	-	0.1	-
discumpto conservitibule library for the	0.09	0 . 02	-	-	-	-	-	0.01	0 .01

1

ł

PRICA (Continued)

|--|--|

COUPER OF SERVICE							73.00	ST SCHALTLA	ano.
178	1961		10()		INTOPIA	144.3			
		1962	1963	1961	1962	1963	1961	1962	1963
un an	(••••••••••	· · · · · · · · · · · · · · · · · · ·				• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • •	
¥i,} coneumption	-	-	-	5.4	6.0	7.1	-	-	-
seign Trada Exporte: Yarn	-	-	-	-	-	-	-	-	-
Tieense ther menufacturee	-	-	-	-	:	-	-	-	-
"otel	÷	.			-	-	-		<u> </u>
fangeritet Yern Tiesues	0.8	, ` ^	0.1	1.1	0.6	1.1	-	<u>,</u>	<u>,</u>
ther menufacturee	0.1	1.0	1.7 0.1	8.7 0.2	7.1 0.2	9.1 0.2	0.4	0.4	0,3
Bilince of Foreign Tride	<u>0.9</u>	776	1.2	10.0	<u>La</u>	6.4	9.4	<u>Q.4</u>	<u>9.3</u>
Rveilable for Home Tee		+ 1.0	+ 1.9	+ 10.0	+ 7.9	+ 6.4	+ 0.4	+ 0.4	+ 0,3
	0.9	1.0	1.9	15.4	13.9	13.5	0.4	0.4	0.3
· :									
(ill consumption of vingin wool (Clean basis)	-	-	-	•1.1	°0.6	•0.5	-	-	-
oreser Inite									
Extorter Tope	-	-	-	-	•	-	-	-	:
Ύαρη	-	-	-	-	-	-	:	:	:
ther manufactures Total		-	-	-	-	2	-	-	•
Importe: Tope	-		-		-	-			<u> </u>
Noile end wasts ,	-	-	-	•0.1	•0,1	•0.1	-	-	-
Tiseues	-	-	•	_0.9	.0.9	.0.9	-	-	-
ther minufactures				•0.i	0,2 1.2	-0.2 1.2	-	-	:
Balance of Foreign Trade	-	-	-	+ 1.1	+ 1.2	+ 1.2		-	_
vilable for Home fae	-	-	-	2.2	1.8	1.7	-	-	-
The rate of the state of the st									
Clerintinunue	-	-	-	-	-	-	-	-	•
otal	<u>.</u>	<u>.</u>	<u>.</u>	-			-	-	:
er un en de							_		
xorder liecontinuous fiber	-	:	:	:	•	:	-	-	:
TIRBUES	-	-	-	-	•	-	-	-	-
Total	<u>.</u>	÷.	÷	÷	÷	<u> </u>	÷.	÷	
Imposter Discontinuous fiber	-	•	•	-	-	•	-	-	
Tern (Continuoue and discontinuous) Tiesues	:	-	-	1.6 1.0	3.8 1.0	1.6	•	-	-
ther manufactures	-	-	-	2.6	4.8	2.2	:	:	:
Haltnes of F raign trais		_		+ 2.6	+ 4.8	+ 2.9			
ziiiahie for Bome Tee	_	-	-				-	•	-
				2,6	4.8	2.9		•	-
NALIHER I COOR N → LICOLO I PIERES									
r turtion: i∎continuou0	_		_	_					
ontinuous Filament	-	-	-	-		-	-	-	-
7otel	<u></u>	-	<u></u>	<u> </u>	-	-	-	-	
reien fride Fx. star Discontinuous fiber	-		-	•	-	-	-	-	-
Yirn "Continuoue and discontinuous) Tiesues	-	:	•	:	•	:	•	-	:
^ther menufactures	-	•	•	-	•	-	•	-	-
-porte: Discontinuous fiber	-	-	÷	-	-	<i></i>	÷	<u> </u>	-
Tern (Continuous and discontinuous)	•	:	-	:	:	:	•	:	-
Tieeuee Ther manufacturee	-	:	•	-	:	-	•	-	
Totel	÷	-	<u> </u>	<u> </u>	-	-	÷	<u> </u>	-
Haiance of Foreign Trade	-	-	•	-	-	-	-	-	۰.
(1945. e for Home Mem	-	-	•	-	-	-	-	•	-
Corrector Availability for Home Use	0.9	1.0	1.9	20.1	20.5	18,1	0.4	0.4	0. :
11-1. • ma .asem	2.05	2.20	2.25	*20,42	20, 84	21.40	0.07	•0.07	0.0
	-		•						
n to take the transformer to the	0.4	۵.۹	0_ 🗎	1.6	1.0				
и до тупат да чи с уд 14. грание 14. грание 14. г.	8.1	8-3 8-3	8.	1.0 0.8 0.1	1.0 0.7 9.1	0.8 8.6 9.1	},	**	ŧ

APRICA (continued)		- \$	•						
COMPARY OR REPLY		CANCE			6460 1A				
FK	1961	1962	1963	1961	1962	1953	1961	1962	1963
<pre>common M</pre>	(••••••••••	•••••	Thrus	nd motrie t	••••	••••		••••••
Mill consumption	-	-	_		_	_	_		
oreign Trade						-	-	-	-
Exports Yard	-	:	-	-	-	-	-	-	-
Cther manufactures	-	-	-	-	-	-	-	-	-
Importan Tarn	-	-	-		-		0.5	0.7	<u> </u>
Tiacues	0.2	0.2 0.1	0.5 0.1	1.3	0.8 •0.1	0.7 *0.1	12.3	12.1	9.7 1.3
"otal	<u>0.3</u>	0.3	0.6	1.4	0.9	0.8	15.0	فيذب	12.5
Busie of Foreign Grude	+ 0.3	+ 0.3	+ 0.6	+ 1.4	+ 0.9	+ 0.8	+ 15.0	+ 13.9	+ 12.5
Avilable for Home Pae	0.3	0.3	0.6	1.4	0.9	0.8	15.0	13.9	12.5
• • •									
"ill consumption of virgin wool (Clean basis),	-	-	-	-	-	-	-	-	-
Soreign Trite Ratorte: Tore									
Noils and waste	-	-	-	-	-	-	-	:	-
Yarn Tameuee	-	-	-	-	-	-	-		-
ther menufactures Totel		-	÷	-	-	-	-	-	:
Importe: Tope	-	-	•	-	-	-		-	-
Noile and waete	-	-	-	:	:	:	-	-	-
Tiseune Other minufactures	:	-	:	0.1	•0.1	-	0.3	0.1	0.2
Totel	-	<u> </u>	÷	242	2.1	0.1	9.4	0.4	2.6
Balance of Foreign Trade	-	-	-	+ 0.1	+ 0,1	+ 0.1	+ 0.4	+ 0.4	+ 0.6
Avelable for Home Use	-	-	-	0.1	0.1	0.1	0.4	0.4	0.6
A CONTRAL (OPTIMUSIC) SIBORS							···		
refuntion: [iecontinuoue]	-	-	-	-	-	-	-	-	_
"pr"inuoum (Filament)	<u>.</u>	-		-	:	-	-	:	-
						-			-
Execute: Discontinuous fiber	-	-	:	-	-	-	:	-	-
Timburs ther manufactures	-	:	:	-	:	:	-	-	-
Total		÷	-	-	-	-		-	÷.
Interts: Discontinuous fiber	-	-	-	:	:	:	0.1		-
ther manufactures	0.1	0.1	0.1	-	-	-	2.5	0.1 1.7 1.0	0.2
Totel	<u>9.1</u>	<u>Quà</u>	<u>9.1</u>	÷		-	<u>7.</u> £	2.8	0.2 2.0
Balince of Foreign Tride	+ 0.1	+ 0.1	+ 0.1	-	-	-	+ 3.7	+ 2.8	+ 2.0
Available for Bome Use	0.1	0.1	0.1	-	-	-	3.7	2.8	2.0
נאשוואיז ורי איי אארידבו ULCOICO איז איז איינער אייאאיז דער איי איינער איי							<u></u>		
rrintinnr Discontinuous	-	-	-	_	_	_			
Continuous (Filament)	-		-	-	-	-	-	-	-
isreiam ≣ride			<u>مدیک</u>	_	-		-		-
Egrorte: Discontinuous fiber Yirn ("ontinuous and discontinuous)	:	-	-	-	-	-	-	-	-
Tiseues	-	-	-	-	-	-	-	-	-
Total	<u> </u>	÷.	÷		-	÷	÷	<u>:</u>	-
Terr (Continuous fiber	-	-	-	-	-	-	-	-	-
Timeues	0.02	0.02	-	0.40	0.33	0.35	-	-	:
Ather menufactures	0.02	0.98	0.08	-0.02 <u>9.42</u>	0.02	•0.02 0.17	0.20	0.20	0.50 0.50
Balance of Foreign Trade	+ 0.02	+ 0.02	+ 0.02	+ 0.42	+ 0.35	+ 0.37	+ 0.20	+ 0.20	+ 0.50
Avallable for Home Use	0.02	0 .02	0.02	0.42	0.35	0.37	0.20	0.20	0.50
TAL MIRTHS: Availability for Home Use	0.4	0.4	0.7	1.9	1.4	1.3	19.3	17.3	15.6
- MALATION (eillione)	0.45	0.45	0.46	0.27	0.27	0.26	6.96	7.15	7.34
AVAILABILITY FED CAFFE (Kg)									
Total fibers	8:7	8.9 8.7	1.5	7:1	<u>5.0</u> 3.3	<u>4.6</u>	2,8	2.5	2.1
Cotton Wool Artificiel (cellulogio) fiberg	-	-	-	5.1 0.4	3.3	4.4 2.9 0.4	2.8 2.2 0.1	$\frac{2.5}{2.0}$ 0.1	2.1 1.7 0.1
ATTITICIEL (COLLUIODIO) Fibero	0.2	0.2	0.2	-	-	_	0.5	0.4	0.3

Į.

APRICA Continued

•	6	•	

		- •	•						
a a state a st					-	n .			
1710 P	196.	1960	3943	1961	1967	3 76 3	1961	1962	1963
• • • • • • • • • • • • • • • • • • •	1	 Infinite Contraction Contract 		Reve	d astris to	tonesco outinate	••••		
4	-			1.2	1.2	1.7			
Sec				-					
the second states and	-	-	-			-	· . 2		
•••	-	-	÷	<u> </u>			Bad	-	-
	0 •.1	0.1	1.2	0.3 6.2	4.4	···)	C	0.2 1.2	0.4 }.♥
time in the transformed sector and the sector and t	0.8 6.0	د. ه المع	0.3 44	0.2	0. e 3. e	014 5-6	2.3 1.4	4.0	3.9
and the second	• •.0	• 5.1	• 1.5	• 4.7	• 5.4	• 5.6	• 6.6	کم ا ه. ۸. م	دمگ ۱۹۰۱ -
and the second sec	6.0	9.1	1.5	9.9	8.6	8.8	4.6	5.4	• ~
	~ ~			10 - 10- 10 - 11 - 11 - 11 - 11 - 11 -		· · · · · · · · · · · · · · · · · · ·	•••	· · · · ·	
e no for survin e consein besis concernant	-	•	-	•	-	·	-	-	
	-	-		-		-		_	
Nu e vnd waate in	-	-	:	•	:	-	-	-	-
LAR PROJECT CONTRACTOR CONTRACTOR CONTRACTOR	-	•	-	-	-	-	•	:	-
ther mainfortures ,	÷.	÷	<u>.</u>			•		-	-
1-+ +*st →p€	-	•	•	-		-	<u>~</u>		
Noile 4-1 vaste	-	-	•	-	•	•	-	-	-
100 940	-	-	-		-	-	9.2	0.1 9.1	•0.1
ther minufactures	-	-	<u> </u>	0.] <u>9</u> .)	0.1 8.1	•0.1 <u>0.1</u>	0.) <u>9.9</u>	0.3	•0.3 <u>9.5</u>
Balan e. f. Boreler "tale	-		-	+ 0.1	+ 0.1	+ 0.1	• 0.5		
	-	-	_	0.1	-		-	+ 0.9	• 0.9
					0.1	0.1	0.9	0.9	0.5
all a state of the second s									
4. ***** A.	-	:	:	-	-	-	•	•	-
·····	<u></u>		-	÷.				-	-
ростория 1970 — Паралан Салан, архионалар 1970 — Паралан Салан Салан (1975)									
305 Claracie in 118000110000	-	-	-	-	•	•	-	-	-
Maler Cards tures	-	-	-	-	-	-	-	-	-
	÷.	÷.		-	-	-	-	-	-
The sector of th	-	-	-	0.3	0.3	+0.3	0.8	1.0	
Yarr continuous and tiscontinuous	-	-	•	0.5	-	-	0.7	0.7	1.4 0.9
the: Tarufacture	-	-	-	-	0.8	0.9	2.9	2.0	3.4
ave # file ##r pade	<u> </u>		.	9	لحمق	<u>گمڈ</u>	4.4	745	لمذ
	-	-	-	+ 0.8	+ 1.1	♦ 1+2	+ 4.4	+ 3.7	+ 5.7
• • • • • • • • • • • • • • • • • • •	•		-	0.8	1.1	1.2	4.4	3.7	5.1
the state of the states						· · · · · · · · · · · · · · · · · · ·			
servin, s	-	-	-	-	-	-	-	-	-
······································	-	<u>.</u>	-	÷	-	÷	-	-	-
un 1. m					معتالية: ا		<u> </u>	<u> </u>	-
T the "imperiances fiber	-	-	-	-	-	-	-	-	-
ther manufacturer	-	-	-	-	-	-	-	:	:
Tetil		-	-		-	-	-	•	-
conter lecontinuous fiter	-	-		-	_		<u> </u>	<u> </u>	
Yerr (ontinucus (nd discontinuous)	:	-	-	0.02	0.02	-	-	-	-
ther manufactures	-	-	-	0.01	0.03	:	-	:	-
	-	<u> </u>	-	0-03	0.05		-	-	ف ال
Salare≉ f sore gn Trade	-	-	-	+ 0.03	+ 0 .05	-	-	-	· -
67.0 / 0 B 970 100	-	-	-	0.03	0.05	-	-	-	-
New Availability for Home Was	6.0	5.1		10.0			- -		
			1.5	10.8	9.9	10.1	11.5	12.6	14-3
e son a construction and the second	3-17	3.26	3 . 36	3.30	3.30	3.67	7.29	8.68	8.85
				-		•:= I	1.67	0.00	0.07
1 1 1 N 1 1 N 1 1 N 1 N 1 N 1 N 1 N 1 N									
•••	<u> -</u>	1.6	0.5 0.5	};;	3-2	<u>}.</u>	1.6	فيذ	1.6
A	-	-	-	-	-	ភ		1.0	1+6 0-9 0-1
Antic St	-	-	-	0.3 0.01	0.3	0.3	0.6	0.4	0.1 0.6
			-	0.01	0.02	-	-	-	-

l

87917 é		- 1	-						
	a a construction of the second se	······							}
		LI NUR LA						MALI	
•	1961	1962	190 1	1961	1969	1963	1961	1962	1461
•	(· · · ·	d aptri e te				
₩	-	,	-	-	-		-		
e care to to									
₩₩10 1₩ 1₩10 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	•	:	:	:	-	-	-	-
ther set for time	-	-	•	•	-	-	-	-	
• • • • • • • • • • • • • • • • • • •			<u> </u>	- <u>-</u> -	<u> </u>	4,1	<u> </u>	<u> </u>	÷
the -	0.1 0.6		•••	0.9	2.0	11.6	0.5	2.3	0.7
	9.1		فنغ	0,6 <u>گمڈ</u>	0. 1	0.9 26.5	0, 3 4.1	0. 3 اهمال	2
By some respective	• < 7	+ 0,9	+ 0,8	+ 3.9	+ 8,3	+ 16,6	+ 4.1	+ 3.1	• 2.6
ter a transmission de la companya de	u. 7	0,9	0.8	3.9	8.3	14.6	4.3	3.8	2.6
								- der V. Ber die Gamme von sondhame von eine	
• ANTINE THERE IN A REPORT OF									
	-	-	•	-	-	*	•	-	•
●	•	-	-	-		-			
Minister of energy and a second se	-	:	:	:	-	•	:	-	-
ther set fortures in the second s	:	-	-	•	•	-	:	-	-
*to)	<u> </u>	حيبتنيه	-	-	<u>_</u>	-		.	÷
2⇒ β/08 - 19p0	•	-	-	•	-	•	-	•	•
Yern 1100un0	-	•	-	-		-	-	•	
ther minufactures	-	•	-	0.1	0,1 0,1		•	-	-
Balance of Portuge Trate	*	-	-	<u><u> </u></u>	64		2	<u>.</u>	
	•	-	-	• 9,1	+ 0,2	+ 0,1	-	•	•
		•	-	0.1	0,2	0.1	-	-	-
1 χ] - γα - ται - φ									
tone Tomer etgewave op statute op statute op statute.	-	-	-		-	•	-	-	-
Comunum Filement - La	•	-	-	-	:	-	:	:	:
· #•								-	
s te lasortarus a faber	-	:	:	-	-	•	-	•	-
148.00 1807 Har (1418400	:	-	-	-	-	-	-	-	-
"otal	-	÷.	.	<u> </u>	÷	<u> </u>	<u> </u>	<u> </u>	
ing tel ligeontinuous finer	-	•	-	-	-	•	-	-	-
	•0.1	•	•	0,9	1.4	2.7	-	0. 5	. .1
ther manufactures	<u>.</u>	ية	Sed	<u>.</u>	<u>.</u>	ū	•	<u></u>	Vad
Heinere of Freezer Trate	+ 1.0	+ 1.0	+ 1.0	+ 0,9	+ 1.4	+ :.1	-	+ 0.3	• 0 1
AV	0.1	0.1	0.1	c .9	1.4	5.7		0.9	0.1
≥λiwuuni uit. ki ki≁⊢uit.iut it kilkiuniP									
rof, toncinuoue	-	-		-	-		-	_	٠
or invous Filement	-	÷	-	•	-	-	-	-	-
relan Tride	مشہ	<u> </u>	-		-		.	-	<u> </u>
Parerta: Discontinuous fiber	-	:	-	•	-	-	-	-	-
Tissues	-	-	-	•	-	:	•	-	-
Total	-		÷			-	-	-	-
mporte: Discontinuous fiber	-	-	•	•	-	-	-	-	-
Tern (Continuoue and discontinuoue) Tiesues	-	:	:	0. 01 0. 41	0, 08 0, 48	0, 00 0, 43	0,02 0,96	0,21	6 . 04
<pre>^ther menufactures</pre>			÷	0.00 9.14	0, 68	0, 02 <u>0,41</u>	0.98	0.21	<u></u>
Releace of Foreign Trude	-	-	-	+ 0,44	+ 0, 52	• 0.47	+ 0.98	+ 0,21	+ (,04)
Aveileble for Home Dee	-	-	-	0.44	0, 58	0.47	0, 96	0,21	0.04
TOT L STRENG, Availability for Rose Use	0, 8	1.0	1.0	5.3	10.4	20,0	-		-
(T) (T) (eillione)		•1.0	•1.33				5.1	4.5	2.7
	1,30	1.31	در ی ا	5.54	5.73	5.94	4,21	4.31	4.39
AZALLABILITY HE CANT (kg)									
Totel fibers	8.9	8.4	0.7 0.6	8.9];]	**	1-2 1-8].]	8.8
Weol Artificial (cellulosic) fibers	0,1	0.1	0.1	•	-	•	-	0.1	-
Synthetic (non-cellulogic) fibere			•	0. 2 0. 08	0.3 0.09	0.5 0.08	0,23	0.05	0. 01

ł

APDICA Continued

	and the second se			· · · · · · · · · · · · · · · · · · ·]
				•			56 T 1999	BOBOCC0	
	1961	1962	1963	1961	1968	1953	1961	1967	196 ;
•	the second		1997 - 1997 - 19		d contrio te				
E Marine A ∎agent to the		~	-	-			2, 8	3. 7	4.7
					-	-		J. 1	•
Каролиан Уули 1990-жы	<u> </u>	-	•	•	-	-	0.1	-	
The montfortune	4 -	-	-	:		-	0.1	0.1 0.1	0.1
_	0.1	- 0.1	<u> </u>	-	÷	<u> </u>	<u>9.2</u>	<u>Q.2</u>	<u>د.</u>
BE AB		0.1	•••	1.2	1.1	1.1	1.1	1.7	1.9 9.5 0.6
ther wet of an toran	0.1 9.2	0.1 0.1	ننف	0.1	0.1	0,1 1.2	0.8	0.7 <u>10.4</u>	12.0
As mean this proper Trate	+ 0.2	+ 0,3	+ 0.3	+ 1.3	+ 1.8	+ 1.2	+ 9.9	+ 10.2	+ 11.9
Av Lat H St Home De	0.2	0.3	د	1.3	1.2	1.2	12.7	13.9	16.6
1. Construction of warman winds (2000) basis (1999).	- 1	-	-	-	•	-	4.3	5.7	6.0
neveriteite Fansste Tote									
Nelle and weate	-	-	-	-	-	-	0.3	0,2	L.2
ties.en ther mar firtures] [-	-	-	-	-	-	•	-
The line and the l	-	-			-	<u>-</u>	0.) <u>C. 6</u>	0.3 <u>0.5</u>	0.3 9 .5
1=: : *** ***	-	-	•	-		-	0.2	0.3	0,6
Nolle vit veste	1 :	:	-	-	-	-	0.1	0.1	-
"188un0" ther minufactures	-	-	-	0.1	0.1	:	0.5	0.6	0,8
**t s }	-	<u> </u>	-	9.A	يتو	÷.	1.1	لأسلا	0.3 Jul
Avanne of Poreign Trade	-	-	-	+ 0.1	+ 0,1	-	+ 0,5	+ 0,8	+ 1.2
	-	-	-	0.1	0.1	-	4.8	6.5	7.2
				·					
1. sp s									
1:00-04300000	-	-	-	-	-	-	-	-	-
Total	-	÷	<u> </u>	- -		÷	-	<u> </u>	-
Provide and the second states									-
<pre># die lekart.map.e fiber</pre>	-	-	:	-	-	:	-	-	-
The of the sure of	-	-	:	:	-	-	-	:	-
"otel	<u>.</u>		÷	÷		÷	-	÷	<u> </u>
<pre>** '* `iecontinuoue fiber fern ortinuoue (nd discortinuoue)</pre>	-	:	-	:	-	-	7.6 2.6	4.2	4.7 4.1
ther manufactures	-	:	-	0.4	0.3	0.3	8.3 0.1	7.7	8.7 •0.1
Totel	<u>.</u>	-	<u> </u>	9.4	ديو	يتو	11.6	15.2	فعتد
General Content Content of the second se	-	-	-	+ 0.4	+ 0,3	+ 0.3	+ 13.6	15.2	+ 17.6
av o en entre Bome de constructions constructions	-	-	-	0.4	0.3	0.3	13.6	15.2	17.6
мин <u>х х то то разъя</u>		<u>.</u>							
senstiphuoge Stenstiphuoge Stunstude Sisement	-	-	-	-	-	-	-	-	-
fetsi		<u>.</u>	÷	-	÷	-	<u> </u>	-	-
1. 11		-				—			_
Fr (#) (incontinuous film) firm (ontinuous and discontinuous)	:	2	-	-	:	-	0.01	0.01	-
Tissues		· -	-	-	-	-	0, 01	0.01	- <u>-</u> -
Totii	÷	-	÷	<u> </u>	<u> </u>	÷	0.02	0.53	0.01
Terr Frontinuous (ther	:	:	-	-	-	-	0.01	0.04	0.05
Tissies	-	-	-	-	-	-	0,08 0,46	0.17	0.25 1.00 0.20
Totel	÷	÷	÷	0.01 <u>0.01</u>	0.01	0.07 <u>0.03</u>	0.15 <u>0.70</u>	ر منبلا	0,20 , <u>1.50</u>
E	-	-	-	+ 0.01	+ 0.01	+ 0.01	+ 0,68	+ 1.07	+ 1.49
and at ell a Bone fee and a construction an	-	-	-	0.01	0.01	0.01	0,68	1.07	1.49
	. -								
, 1	0,2	0.3	0.3	1.8	1,6	1.5	31.8	36.7	42.9
3 1 • # #1. 1 mm	1.00	1,00	1.00	0, 66	0.68	0.70	11.93	12.22	12,70
a ale management and the									ļ
······	<u>0.</u> 2	<u>0.</u>)	9. 1	2.7	2.4	2.1	2.1	10	3.4
· · · · · · · · · · · · · · · · · · ·	8.2	8.3	8.3	2.7 2.0	11	2.)	$\frac{2 \cdot 7}{1 \cdot 1}$	$\frac{1.0}{1.1}$]:1
Artitulel e liosic' fibere	-	-	-	0,6	0.5	0.4	1.1	0.5	0.6 1.4
	-	-	-	0.01	0. 01	0.01	0,06	0 .09	0.17

APRICA (Continued)

.

- 9 -

APRICA (Continued)			• •	•						
ent	CORPORT ON RED TOP					n 🚥		•		
IT D	•	1961	1961	1963	1961	1962	194.1	2 MM 3	se.	
117-assaganatementa a.v 18	• ••••				Pb	-	••			
·····	1									
死雲 , (-) (* @) - 「 (-) (* (* * * * * *)) - (-) (* * * * * * * * * * * * * * * * * * *	. 4	-	•							
thar van fan turnaat . Tani	1			`		***				
میں دور هم مو	- 1	0.2 3.7	0.1 1.6	а. т. 1. 5	÷		· •	•		
ும்புகள் சிற்கும் நாதும் தீதுமிர்புதாக்கு இருப்பிடம் பிட		0.2	0.3	0. i Jaž	6, 1 Řež	 8 8	1	ية الع العمانية	4	للملا
я, "ново с стварт 1 де		+ 2.1	• • • •	• 1.9	•	• . •	•	+ 33 4	• •	
Av slatski tor Rome Be		8.1	2.7	1.9	. 2	. 9	•••	44	s.c., #	4. i
· · · · · · · · · · · · · · · · · · ·										
 Tulp watten of very river, - Deer Most	1	40.)	-0.1	•0.1		-	_			
iste statistics since and a second since and a second since and a second since	• • • • • • •									
Rativita Tola		•	:	-	-	-	-		Ξ.	
Хэлэг Тү нө чөө айсай айсай айсай айсай айсай.		-	•	-	-	-	-			
tክቀ፣ ማልኮራግሪተህድቀቅ ↓↓↓↓ ግለተጨት ↓↓↓↓↓		- -	-	-	<u>.</u>	<u> </u>	-		÷	
Intertal Specification		-	-	-	-	-				
Nos.# ++ #484# Ygre 7188.#8		0.1 0.1	9.1 0.1	0.1 0.1	-	-			•,	• . 1 • 1
ther eligible tures		9.4	9.2	9.2	0,1 0.1	<u></u>	.	o, c Ann	ي.	المسر
Balance of Foreign Trais		+ 0.2	+ 0.2	+ 0.2	+ (,1	• • • •	J. 1	• 1	• • •	• .
avelable for Home "se		0.3	0.3	0.3	6.1	~ 1	1	1.2	1.1	. •
								a anna ann an t-stain a		
i conta nativita nativ El constanta nativita nativita El constanta nativita										
Theory is a second should be a second se		-	:	-	-	•	÷		•	
		-	<u> </u>	-	÷	<u> </u>	<u> </u>		<u> </u>	
- Speign Tride Tronts: Lincontinueum Tiber		-	-	-	-	-	-	-		
1970 - Primuose (51-3180) 1158468		-	-	-		-	-	-		
tmer marufa tures accase Motal accase	· · · · · · · · · · · · · · · · · · ·	-	÷	<u> </u>	. .			-	-	
Imports: Discontinuous fiber Yern Continuous and tise		0.1	0.2	0.8	-	-	-	0		
1850/68,	• • • • • • • • • • • • • •	0.9	1.0	1.0	0,1	∵•J	0.1	10.8	•••	4. a
		عبد	7	کملا	0.1	0,1	0.1	11.2	2.2	3.6
Palston of Foreign State			+ 1.2	+ 1.2	• .1	• • • 1	+ 0.1	+ 11.2	• 5.¥ 5.9	•
Avilience for Home fee		1.0	1.2	1.2	J.1	6,1	·	11.2	. 1	
SYNTHER IS (N.N. MITTELL) PINTES										
Trefortion:			-	-	-	-		-	*	-
Continuoue Filament		4 -	-	-	- -	-	-	-	-	-
nreien it-fe										
Presses incontinuous fiber Yirn fontinuous ond disc	ontinuous)	-	:	-	-	-	-	-		
Timeyen		- 1	-	-	-	-		-		
	•••••				<u>-</u> -	<u> </u>	<u> </u>	<u> </u>		
Tiscontinuous Ciber Yarn (Continuous and disc	ontinuous!	- 1	Ξ	-	- 0.01	-	-	-		-
TibBurg,		4 -	-	-	0.01	0.01	0.01	-	÷	-
Balance of Foreign Trade					+ 0.01	+ 0,01	+ 0.01	-	-	-
Available for Home Uss			-	-	0, 0 1	0,01	0.01			-
		<u> </u>								-
TOT I FIRTHS: Availability for Home Use .	•••••	3.4	3.7	3.4	2.4	3.1	2.7	52.8	41,u	44, . E
MTLATION (millions)	•••••	1.21	1.84	1.87	2.91	3.00	3.1?	58.90	54,00	55.42
Total fibere]:	2+1 1.5	<u>0.8</u>].8	<u>0.1</u> 0.6	246	•4	ليعنا
Cotton	· · · · · · · · · · · · · · · · · · ·	1.7	0.2	0.2	5. U	1.0	0.6	0.F	•	-
Artificial (cellulosic) (Synthetic (non-cellulosic			1.0	1.0	-	-	-	•	. 1	

APRICA (Continued)		- 1								
COUNTRY OR REDION	KEUPI OF BUDAT					AAĞ TONE AND PRINCIPS				
1710	1961	1962	1963	1961	1962	1963	1961	1962	1963	
	(Thousant	etrie ten	•••••••	•••••		· · · · · · · · · · · · · · · · · · ·	
V1.1 5 mmum fion	_	_	-	2.3	4.5	6.0	_	-	-	
singer Tricter										
Кацотта: Үчлг.,	-	-	-	-	-	-	-	-	-	
ther menufactures	<u>:</u>	-	<u>.</u>	-	÷	<u> </u>	- -	-	-	
Тиролован — Халенциин — Солониин — С	0.5	-	0.5	0.3 19.6	0.5	0.7	0.1	0.1	<u>_</u>	
ther versions	0.1 0.1	0.5 0.1 0.6	0.1	1.4	2.0	1.4	0.1 0.2	<u></u>	<u>.</u>	
Reserve to product them as a construction of the	+ 0,6	• 0.6	+ 0.6			+ 19.4	+ 0.2	+ 0,1	+ 0,1	
Aver (1910) - Connection and the contract of t	0.6	0.6	0.6	23.6	26.4	25.4	0,2	0, 1	0.1	
- :				#/ #/			<u> </u>			
алана 1911: Променентария (бологиски черо), накольката состаторого и		_	-	-	-	-	-	-	-	
Sopeum Trute										
Едо отво — Т. М.,,	-	-	-	-	:	-	-	-	-	
У	-	-	-	-	-	-	-	-	-	
ther manufactures	-	_		- -	<u> </u>	-	-	-	÷	
Imported - Tole	-	-	-	:	- 0.1	0.1	-	-	-	
Yarn 180	-	-	-	0.1	0.1	0.1	-	-	-	
1987	-	<u>.</u>	-	0.1	0.2 <u>0.4</u>	0.1 <u>0.3</u>	-	-	<u>.</u>	
Balance of Poreign Trate	-	-	-	+ 0.2	+ 0.4	+ 0.3	-	-	-	
Av simble for Home fee	-	-	-	0.2	0.4	0.3	-	-	-	
A sector (A) contraction (B)	-					18 . 1 . 4 . The second				
roturtier a										
[]866#1380048	:	-	-	-	:	-	-	-	-	
Tet (1	÷	-	÷	-	÷	-	÷	-	÷	
troper pite ⊈ricteo (ja chicoa) a lonepo, inclusioni en en tare chicoa e en entroperentarianae inclusi		-	-	-	:	:	-	-	-	
n station in the state of the	-	-	-	-	-	-	-	-	-	
· · · · · · · · · · · · · · · · · · ·	<u> </u>	<u>-</u>	<u>-</u>	<u>-</u>	÷	<u> </u>	-	<u> </u>	-	
1997 - Клисс — Ганконски Клански, Колински, Калански, Калански, Калански, Калански, Калански, Калански, Каланс Персон — Колонски, Калански Калански, Калански, Калански, Калански, Калански, Калански, Калански, Калански, Кал	-	-	-	:	-	-	-	-	-	
10	(, 2 	0 . 1	0.2	4.4	4.1	4.1	-	-	-	
· · · · · · · · · · · · · · · · · · ·	• 0.2	0.1		4.4	ل ده	<u>4.1</u> + 4.1		-	-	
Haline # 200 Hours of Heritage Annual Ann		0.1	+ 0.2 0.2	+ 4.4	+ 4.1 4.1	4.1	-	-	-	
Averation of the second of the second										
ne to tales Sa⊕ ttans a⊕ o concorrectore concorrectore	-	-	-	-	-	-	-	-	-	
retimura (δ. αποτηγική) στο στο στο του του του του του του του του του τ	-	-	-	-	÷	-	-	-		
negen Trobe. Ferores of 1960 of 1960 and 1970 of 19	-	_	_	-	-	-	_	-	-	
norr otin, (A otiniburga). Transen i internetingen internetingen internetingen internetingen internetingen internetingen internetingen inte	-	-	-	:	-	-	-	-	-	
тала на селото на се Селото на селото на с	-	-	-		<u> </u>	<u> </u>	-	-	-	
en tea l'am tama en la cara accaración de la	-	-	-	-	-		-	-	-	
Yara onataryo,na kana bana bana bana bana bana bana ba		-	-	-	-	0.15	-	-	-	
лана селото на селот Селото на селото на с	-	- -	<u> </u>	<u> </u>	÷	0.25	<u> </u>	-	- -	
 An end of the answer of the second sec	-	-	-	-	-	+ 0.15	-	-	-	
<pre>int p t t = Set the construction of the c</pre>	-	-	-	-	-	0.15	-	-	-	
WE AVAILAND MY TO MO A THAT	0 , 8	0.7	0.8	28.2	30.9	30.0	0.2	0.1	0,1	
11.11.K	0. 35	0.36	0. 37	12.11	12.47	12.83	0,06	0,06	0.07	
a ko anto so con a menja										
· · · · · · · · · · · · · · · · · · ·	2.3	2.0	2.2	<u>2.1</u> 1.9	2.5	2-3	3.3	1.7	1.4	
47.5	1.7	1.7	1.6	-	0.1	0.1	5.5	1.1	1.4	
Aption in the space of the structure of the second str	0,6	0.3	0.6	04	0.3	0.2	-	-	-	

APHICA (Continued)	- 11 -									
COUNTRY OR RED TOP	S INTEGAL			SHTCHIRLLINS			DRHPA BINE			
17 🖬	1961	1962	1963	1961	1968	1963	1961			
N	(Thous		1 am s				
	1.1	1.5	1.5	_	_	_	_			
Mill	1.1	,	••)	-	-	-	-	-		
Stelden Trada Rationtal Yarn	-	-	-	-	-	-	-	-	-	
ther menufectures	-	-	-	-	-	-	-	-	-	
To ta l	-	-		-	<u> </u>	-	<u> </u>	-		
Importa: Yarn Tisauna	0.1 6.6	0.1 7.1	0.1 6.4	0.1	0.1	+0.1	0.1 4.4	C.1 3-4		
ther menufactyres	<u>6.</u> 2	1.2	6.5	<u>9.1</u>	2.1	<u></u>	0.4 <u>4.9</u>	1.0 <u>4.5</u>	، اهم ا	
Balance of Poreign Tride	+ 6.7	+ 7.2	+ 6.5	+ 0.1	+ 0.1	• 0.1	+ 4.9	• 4.*	• •	
Avillable for Home Cam	7.8	8.7	8.0	0.1	0.1	0.1	4.9	4."	۰	
• 1										
<pre>"ill consumption of virgin wool cliesh basis'</pre>	-	-	-	-	-	-	-	-	•	
Surorte: Tope	-	-	-	•	-	-	-	-	-	
Yarm	-	-	-	-	-	-	-	-	-	
Tiesurs ther manufictures	-	-	-	-	-	-	-	-	-	
Totel	-	-	<u> </u>	-	.	-	-	<u> </u>		
Importe: Tope	-	-	-	-	-	-	-	-	-	
Yarn	-	-	-	-	-	-	-	0.1	-	
ther minufactures	-	•	-	-	-	-	-	-	-	
	<u> </u>			-	-	<u> </u>	÷	<u>0.1</u>	—	
Balance of Foreign Trais	-	-	-	-	-	-	-	+ 0.1	-	
								0.1		
A LINICIAL (CETTALINE) ATBL 8										
potuntien: Discontinuous	-	-	-	-	-	-	-	-	-	
"on"iruous " ^F ilsment"	<u>.</u>	-	:	-	-	-	-	-	-	
······································				_						
	-	-	-	-	-	-	-	-	-	
"isaufs	-	-	-	-	-	-	-	-	-	
ther manufic tures	÷	<u> </u>	<u> </u>	-	<u> </u>	÷	<u> </u>		-	
Importe: Discontinuous fiber	-	-	-	-	-	-	-	-	-	
Yern (Continuoue and discontinuoue) Tissuae	1.1	1.1	1.1	-	-	-	0.8	0.*	•6.3	
Total	1.1	<u></u>	1.1	-	-	-	0.8	2.5	2.1	
Belince of Fireign Tride	+ 1.1	+ 1.1	+ 1.1	-	-	-	+ 0.8	میت ۰ ۵,۰	معنت • 0.3	
Avelishie for Home Tse	1.1	1.1	1.1	-	_	_	0.8	0.5	0.3	
SYNMHETIC (K.N-THING THE FIRMES										
Erntuction: Discontinuous	-	-	-	-	-	-	-	-	-	
°ontinuous [™] iliment *otal	÷	<u> </u>	-	- -	÷	-		-	-	
oneign Tride										
Ertoris: Discontinuous fiber	-	-	-	:	-	-	-	-	-	
Tiseurs	-	:	:	-	-	-	-	-	-	
Tot1	-	<u> </u>	<u> </u>	<u> </u>	-		÷.	-	-	
Importe: Diecontinuoue fiber	-	-	-	-	-	-	-	-	-	
Yarn (Continuoue and discontinuoue) Tissues	0.17	0.16	1.51	-	-	-	-	-	-	
Ther sanufactures	0.17	0.16	1.51	-	-	-	-	-	-	
Balance of Foreign Tride	+ 0.17	+ 0.16	+ 1.51	-		-	-			
Available for Hose Use	0.17	0.16	1.51	-	-	-	-	-	-	
						_				
mrm.E.STRFHS: Aveilebility for Home Use	9.1	10.0	10.6	0.1	0.1	0.1	5.7	5.1	3.4	
:"[4"]ON (millione'	2.98	3.00	3.36	0.04	0.04	0.05	2.45	2.50	+2.55	
AVAILABILITY IN CANT (kg)										
Totel fibers].) 2.6	}.4 2.9	<u>}.</u> 2	2.5	2.5	2.0	2.0	2.0	1	
<pre>Cotton</pre>	2.6	2.9	2.4	2.5	2.5	2.0	-	-	-	
Artificiel (cellulosic) fihere Synthetic (non-cellulosic) fihere	0.06	0.05	0.45	-	-	-	0.3	0. <i>2</i> -	· · 1 -	

- 11 -

APRICA (Continued)

ł

l

· • • · · · · · · · · · · · · · · · · ·		۴.							
								TANGANYIKA	
	1 · 1	1962		110.		: -53	1-61	1962	1943
· •	* • • · · · • • • • •	• • •			nd metric	50 45	•• •• •		
¥. свителов	-	-	-	122.9	127.*	13•.4	-	-	-
የሚያ የት	-	-	-	14.9	.ºo.¶	·			
	-	-	-	10.3	15.7	16.1	· · · ·	-	-
•st		<u> </u>	-	elel	22.00	11.3	لمعد	-	<u> </u>
	- 4	2.5		-	-	-	5.8	C.4 6.2	4.7
	· · 1 2+5	0.1	0.1	0.2	•0.2 <u>9.2</u>	0.2	1.0 6.9	4.2	 8.4
Relance of Popular Proto	+ 2.5	+ 2.7	+ 2.1	- 27.5	- 34.8	- 49.1		+ 10.8	+ 8.4
Available for Home fame	2.5	2.7	2.1	95.4	92.7	M. 3	6.8	10.8	8.4
• (1	·		····· .						<u> </u>
"ill consumption of virgin wool (Clean basis)	-	-	-	-2.4	-2.0	•1.6	_	_	_
Poreign Trats									
Egrorte: Tope	-	-	-	-	:	-	-	:	-
Yarn Tiesuse	-	-	-	:	:	:	-	-	-
ther manufactures	-	-	-	0.1 9.1		9.1	•	-	-
Importe: Tope	÷		- -	2.7			<u> </u>	<u>-</u>	
Noile and wasts	:	-	:	0.1		-	-	-	-
Tissuas	-	-	-	-	-	-	0.2	0.1	-
Total	-	÷.	<u> </u>	2.4	2.2	يتد	9.2	0.1	-
Balance of Foreign Trade	-	-	-	+ 2.7	+ 2.8	+ 3.0	+ 0.2	+ 0.1	-
Avelable for Rome fee	-	-	-	5.1	4.8	4.6	0.2	0.1	•
γ μικ],i≹T (paitidisele siβuks									
rotue lani									
Cimcontinuoum Continuoum.Filmment Total	-	- -	-	4.4 6.8 <u>31.4</u>	4.7 7.2 1107	4.9 7.2 12.1	-	-	-
າງຕະອກ ີກະປະ ສາຍກາຍ ໂພຍດການກາດພອ ກັນອອກ	-	-	-	-0.1	•1.6	*1.8	-	_	_
Yarn ("Intimuous and discontinuous) Tissuse	-	-	-	0.4	=0.2 =0.7	•1.8	0.1	-	-
ther semifactures	-	-	-	قبر	2.5		-		
imronte: lecontinuous fiber			<u> </u>	0.3	-	<u>لمه</u>	<u>01</u>	<u>0.1</u> 0.2	<u>9.1</u>
Yern Continuous and discontinuous) lasues	90.5	0.5	•••	0.1	0.1	0.1	0.3	0.6	
ber minufactures Total	-	-		-	- -	-	-	•	1.0
Palsere of Foreign Traie	<u>945</u> + 0.5	9.5 + 0.5	<u>848</u>	9.4 - 1.1	<u>عمل</u> - 2.4	<u>941</u> - 4.2	2.6	2.2	225
Aviantie for Home Tem	0.5	0.5	+ 0.5 0.5	- 1.1	- 2.4 9.5	- 4.2	+ 2.5 2.5	+ 2.8	+ 1.4
	_								
פאיאנא ג'יניאיסט א ריאיניאיסט איזאראיז איז איז איז איז איז איז איז איז איז									
Tiernhtinuoue	-	-	-	0.14	0.18 0.14	0.14 0.18	-	-	-
Total	<u> </u>	<u> </u>	<u> </u>	0.23	0.12	0.38	<u> </u>	<u> </u>	
Theign Tride Farthar Discontinuous fiber	-	-	-	-	-		_	-	_
Yim Continuous (nt discontinuous) Tissues	-	-	÷	-	-	-	-	-	-
Ther manufactures	-	-	-	-	-	-	-	-	-
Tot:]		-	-	-	—	÷	<u> </u>	-	
Trontal Signofinuous Siber	-	-	-	-	-	-	-	-	:
⁷ 186048	-	-	-	-	-	-	:	-	-
Totel	-	-	<u> </u>			0.05	-	-	
Balance of Foreign Trade	-	-	-	-	-	+ 0.05	-	-	-
Αγιονική στη Βοπα Ν εο	-	-	•	0.23	0.32	0.37	-	-	-
Aveilability for Home "se	3.0	3.2	2.6	111.1	107.3	99.2	9.5	13.7	9.8
11,570 ¥ -πρthme	2.03	2.00	•2.30	26.56	87.24	27.96	9-40	9.56	* 9.80
ur ur a la mar an an an KK									
Tota - 155458	1.2]:7	};}	4.2	<u>3.9</u> 3.4].4	$\frac{1.0}{0.7}$	$\frac{1+4}{1+1}$	<u>1.0</u> 0.9
inter			¥.7	3.4		348	0.7		
	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.1

ŧ

A≓ "	: 1	C in Linue	1
------	-----	------------	---

--------- ----

ŧ

;

Afr::A Cintinued		- 1) -						·····
n norman friske kano i sa	T 000		TUEISIA				···. NDA		
17 🖬	1961	1962	1463	1961	1962	196 :	i #1	116,	1763
N				Thousa	md metris to	44			
Vi - Humitz -	-	-	-	-	-	-	4.0	4. 3	4.3
and the same									
Ран (1966) - на страната страната страната на селото на селото на селото на селото на селото на селото на селот 1970 - Прината на селото на село	-	-	-	-	-	-	0 . 1	-	-
ትምም ምሳሳ ያቸው የኒምክክ (-	-	-	- -	- 	-	0.1	-	-
	1.0	1.1	1.7	1.2	1.6	1.7	0.1	·.1 2.4	• • •
10, եր ընդան։ Գիրեւ բացենց՝ ընդերանակություն, ու	1.0 - 1_0	ي. م	1.1 1.1	0,5 5.6	0.5 5.8	0. 3 5. 1	1. 1 <u>2.9</u>	3.2 5.7	<u>5.0</u>
Ал алти об 6 риску 15 риск.	+ 1.0	+ 1.1	+ 1.7	+ 5,6	+ 5.8	+ 5.1	+ 3,8	+ 5.7	+ 5.0
Averlighte for Home we	1.0	1.1	1.7	5.6	5.8	5.1	7.8	10.0	9.3
							<u> </u>	<u></u>	
• :									
<pre>"L1 commution of virgin wing: "loan heals"</pre>	-	-	-	1.3	1.0	0.8	-	-	-
средин Графи Граница — Сонологияна, сонологияна Маластер марте	-	-	-	-	-	-	-	-	-
ter en	-	-	-	-	-	-	-	-	-
the man for types	-	-	-	0,1 0,1	0.1 0.1	0.2 0.2	-	-	-
The rise of the second se	-	- -	-i -	<u>×14</u> -	-	- -	-		-
5	-	-	-	0.2	0.3	0.4	-	-	-
14 - 44	-	-	-	0.4	0.5	0.5	0,2	0.4	-
"""""	-	÷		فيو	فيد	للمل	<u>0.2</u>	<u>Q.4</u>	<u>•</u>
Relander (Ε. Ε. αργού) στο το ματά το ματά το	-	-	-	• 0.8	+ 0 .9	+ 0.9	+ 0,2	+ 0.4	+ 6,3
- ст., ishle сол Ноле не		-	-	2.1	1.9	1.7	0.2	0.4	C. 3
a trititat (second tri									
l (sturtjar) Dierotianysie	-	-	-	-	-	-	-	-	-
<pre>enset = enset = ense enset = enset = ense enset = enset = ens enset = enset enset = enset enset = enset e</pre>	<u>-</u>	-		-	÷.	-	-	<u> </u>	-
γγραγιατική του πραγολογιατική του θαριατική του σταγγολογια. Στο σταγγολογιατικό του πραγολογιατικό του θαριατικό του παραγολογιατικό που πραγολογιατική που προγραφική του π	_	-	-	-	-	-	-	-	-
tyre – etiri oʻri timovotinuovoti ili soortinuovoti ili suuri. Soorti suurista suuri	-	-	-	-	:	:	-	-	-
	-	· 	-	-	-	<u>.</u>	0.2	<u>ve</u> ë	0.2
Jer itea l'an intanging faber coursessessesses	-	-	•	-	0.1		-	-	
Y	-	-	-	0.6 1.9	0.8	1.2	3.2	3.5	
near on afaiturrat aasaanna aanaanna aana Cetal	-		-	2.5	2.9	لحية	3.2	فبد	<u>مد</u>
	-	-	-	+ 2 .5	+ 2,9	+ 4.3	3.0	٤ . ٤ +	+ 2.8
Avis, 41.0 1 0 40.000 00	-	•	-	2.5	2.9	4.3	3.0	3. 3	2.8
- Yera - C. V., C									
i en									
	-	-	-	-	-	-	-	-	-
· · · · · · · · · · · · · · · · · · ·	<u> </u>	-	<u> </u>	-		- -			
Figure 2. S. Same after 2. S. Caber 2. S. Same and S. Same after 2. S. Same and S. Same and Sa Same and Same and Sa Same and Same and S	-	-	-	-	-	-	-	-	-
the second s	-	-	-	-	-	-	-	-	-
Tot:1	<u> </u>	<u> </u>	-	<u> </u>		<u> </u>	-	-	<i>-</i>
G Stephensteinungen Giber	-	:	-	0.05	0.05	0.07	-	-	-
ст. ст. ст. ст. ст. ст. ст. ст. ст. ст. ст. ст. 	-	:	Ξ	0.10	0.14	0.16 0.01	-	-	-
Total	-	<u>-</u>	-	0.22	<u>0.22</u>	0.24	<u> </u>	-	-
Balling and the Some spin for an	-	-	-	+ 0.22	+ 0.22	+ 0.24	-	-	-
in a second a Boome fue		•	-	0.22	0,22	0.24	-		•
- Aveilability for Home Tee	1.0	1.1	1.7	10,4	10.8	11.3	11.0	14.7	1.4
Г N () Поли ()	1,48	1.52	1.56	4.22	4. 30	4.49	6,85	7.02	7, 19
	<u>0.7</u> 0.7	<u>0.7</u> 0.7	<u>].]</u>],]	2.5 1.3	2.5 1.3	205	1.6 1.2	ta"	1.1
	-	-	-	0.5	0.4	1.1 0.4	-	1.4	۱. -
Arton, cal (callulomic) (therm	-	-	-	0.6 0.05	0.7 0.05	1.0 0,05	U.4 -	U.'ı -	- 4

······································									
APRILA "pan.ud ed									
OCCUPTET OF REDICUT	UPPER VOLGA SAFEIDAR AND PREMA						• •	A	
IT DO	1961	1962	1963	1941	1962	196	* 34 I		
•	· · · · · · · · · · · · · · · · · · ·		- · ·	Thousa	nd wetrie t	•••			
<pre>* If * T is a second seco</pre>	-	-	-		+	!	189.8	204 , 8	220.9
And	-	-	-	-	-		17.7	21.3	32.8
1. - такана калана кал - такана калана кала	-	-	-	-	-		11.2	14.5	17.3
۰ te ,	ـهـ	<u> </u>	<u> </u>		_ _		76*6	36.8	30.3
	0.2 1.3	0.4	0.6 1.9	0.4	0.5	-	14.8 178.9	18.1 167.8	20.8 166.0
tter var start steel	0.5	1.5 0.2 2.1	0.1	0.4	0.5	0.5	27.6	33.7	30.3
n an an an an that an the second s	+ 2.0	+ 2.1	+ 2.6	+ 0,4	• 0.5	• 0.5		+ 183.0	66.8
· · · · · · · · · · · · · · · · · · ·	2.0	2.1	2.6	0,4	0, 5		381.1	386.8	381.7
					0.)				
•									
The second s	-	-	-	-	-	-	20.8	21.2	21.4
	-	-	-	_	_	-			
9 . n - 1 daēta	-	-	-	-	-	-	3.9	4.1	•4.5
*## ##	-	-	-	-	-	-	0.1	0.1	-
1	. <u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	-	1.0 <u>6.</u> 3	0.9	0.9 <u>6.7</u>
t=	-	-	-	-	-	-	3.1	(3.3)	(3.8)
194 m	-	-	-	-	-	-	0.6	1.4 2.1	1.8
fren = .f% tre∎	-	-	-	-	-	-	6.5 4.3	7.1 5.4	7.1
4.5.50 × 1.5.00 × 1.5.18	÷-		-	<u>-</u>	<u> </u>		26.4	19-3	19.8
	-	-	-	-	-	-	+ 10.1	+ 13.0	+ 13.1
		-	-	*	-		30.9	34.2	34.5
····									
the transferred to the transferr						İ			
Timeontinerym ontinerymy Stignent	-	-	:	-	-	-	4-4	4.7	4.9
**• ••••••••••••••••••••	÷	<u>.</u>	÷	<u>-</u>		-	11.2	فيند	12.2
an gote I stan of e statu e faregraves sources sources	-	-	-	-	-	-	•0.1	•1.6	•1.8
1875 - 11520 8 441 118000110000 198.000	-	-	-	:	-	-	1.4	1.0	2.6
12005 1945 2 ⁶ 51 1.6200 μ	-	-	-	:	:	- 1	-	-	-
The state of the statement father concerns the second	-	-	-			÷	2.0	<u>مىد</u>	فعذ
Tern sciruos and tiecontinuos	-	0,1	0.1	0,4	с. з	- (21.9 14.5	26.5 17.6	31.5
1867 Minu≦w 1424€	-	0.1	-	-	-	-	67.0 3.4	62.9 3.6	57.1
Marker # 1615 #144 States	<u> </u>	+ 0.1	• 0.1	Q.4	لمع	<u>Qe 1</u>	196.5	110.6	107.5
	-		• -	+ 0 .4	• 0.3	+ 0, 3	104.0	107.0	102.1
		0.1	0.1	0.4	u.)	0.3	115.2	118.9	114.2
Analysis of American Stranges						ļ			
	-	-	-	-	-	-	0.14 0.09	0.18 0.14	0.14 0.18
	<u>-</u>	-	÷	<u> </u>	<u>-</u>	<u> </u>	0.23	Q. 12	<u>0.12</u>
The reaction of the state of the second state	-	-	-	-	-		-	0.01	-
1:57 - 9110 col≢ of timeortinuou∰ (()). 1:08108 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 -	:	-	-	-	-	-	0.01 0.01	0.01	0.01
1846	÷	-	-	-	-	-]	0.02	9.92	0.01
ter - 140 terration to the succession of the	-			-	-	÷.	0.01	0.04	0.05
Tere onfregrum end lime ortingoum seese	1.03	-	-	-	-	-	1.85	3.28	4.70
nter statistic statistics in the statistics in the statistic in the statistics in the statistic in the statisti	1.03	1.00	1.00	-	-	-	6.11 1.02	6.37 1.01	7.16
a a second an	+ 1.03	+ 1,00	+ 1.00	- <u></u> -	<u> </u>	-	<u>899.8</u>	10.70	13.25
а —	1,03	1,00	1,00	-	-		+ 8.97	+ 10.68	13.24
	••••		a, ou	-		-	9.20	11.00	13.56
9 – Ava, an to στο θοπο San ,	3. 0	3.2	3.7	0.8	0.8	0,8	536.5	552.9	550.0
、 . <u>.</u>					• · · · ·				
· ····	4.40	4.55	4.65	0. 32	•0, 32	0.32	273.95	283.98	292.23
.,									
······	9.7 5.5	<u>0.7</u> 0.5	0.8 0.6	2.6	2.6	2.6	2.0		
•	5.5	0.5	<u>ै.</u> -	2.6	2 <u>.4</u>	2.6	1.4	2.0	1.9
· · · · · · · · · · · · · · · · · · ·	0.23	0.22	0.22	1.3	1.0	1.0	0.4	0.1	0.1 0.4
					-	-	0.03	0.04	0.09

