



OCCASION

This publication has been made available to the public on the occasion of the 50th anniversary of the United Nations Industrial Development Organisation.



DISCLAIMER

This document has been produced without formal United Nations editing. The designations employed and the presentation of the material in this document do not imply the expression of any opinion whatsoever on the part of the Secretariat of the United Nations Industrial Development Organization (UNIDO) concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries, or its economic system or degree of development. Designations such as "developed", "industrialized" and "developing" are intended for statistical convenience and do not necessarily express a judgment about the stage reached by a particular country or area in the development process. Mention of firm names or commercial products does not constitute an endorsement by UNIDO.

FAIR USE POLICY

Any part of this publication may be quoted and referenced for educational and research purposes without additional permission from UNIDO. However, those who make use of quoting and referencing this publication are requested to follow the Fair Use Policy of giving due credit to UNIDO.

CONTACT

Please contact <u>publications@unido.org</u> for further information concerning UNIDO publications.

For more information about UNIDO, please visit us at www.unido.org



GUIDELINES FOR PCBs WASTE IDENTIFICATION, TRACKING AND RECORD KEEPING



Dielectric Materials Division Central Power Research Institute Bangalore 560080

Table of contents

1.	F	orewords				
2.	Ir	nterna	tional Conventions on POPs and Hazardous Waste	3		
	2.1.	Sto	ckholm Convention	3		
	2.2.	Bas	sel Convention	4		
	2.3.	Glo	bally Harmonized System of Classification and Labelling of Chemicals (GHS)	6		
3.	Ir	ndian I	Legislation on POPs and Hazardous Waste	6		
4.	G	uidan	ce on Identification of PCBs Containing Equipment and Waste	7		
	4.1.	The	e first PCBs Inventory in India	7		
	4.2.	Per	forming a PCBs Questionnaire Survey	10		
	4	.2.1.	General Description of the Questionnaire Forms	10		
	4	.2.2.	Form "A". Information concerning the Site and the PCB owner	12		
	4	.2.3.	Form "B". Information Concerning the Equipment	13		
	4	.2.4.	Form "C". Information concerning Waste and Contaminated Sites	14		
	4	.2.5.	Steps in Performing the Questionnaire Survey.	15		
	4.3.	PCI	Bs uses to be Considered During Identification and Inventory of PCBs	17		
	4	.3.1.	Closed Applications	17		
	4	.3.2.	Partially Closed Applications	18		
	4	.3.3.	Open Applications	18		
	4.4.	Bra	and Name and Production Year of PCB Contaminated Transformers	18		
	4.5.	Tra	de Names of PCBs	21		
	4.6.	Bra	and name and Production Year of PCB Contaminated Capacitors	22		
	4.7.	Ind	ustrial Sectors where PCBs Containing Capacitors Are Used	24		
5.	S	amplii	ngand Analysis of Electrical Equipment	24		
	5.1.	Sar	npling Dielectric oil from PCB Transformers	24		

	5.2.	Sam	npling Dielectric Oil from PCB Capacitors	25
	5.3.	Lab	eling and Storing Samples	25
	5.4.	Per	sonal Protective Equipment to be used During Sampling	26
	5.5.	Pre	liminary Analysis by Fast Kits and Portable Equipment	26
	5.6.	Lab	oratory Analysis of PCBs	27
6.	Lal	beling	g, Tracking and Record Keeping of PCBs containing Equipment and Waste	27
	6.1.	Bas	ics of Labelling	27
	6.2.	Lab	elling of PCB Containing Equipment	29
	6.2	2.1.	Identification of the target	29
	6.2	2.2.	Clear Assignment of Responsibilities.	29
	6.2	2.3.	Regulatory Implication of Labeling	30
	6.2	2.4.	Information to be Printed on the Label	31
	6.2	2.5.	Printing, Distributing and Placing Labels.	33
	6.2	2.6.	Building and Maintaining the Database	33
	6.2	2.7.	Enforcement	33
	6.3.	Lab	elling of PCB contaminated areas (signaling)	34
7.	AN	INEX	1. NIC-2008 classification of industries	35

1. FOREWORDS

The main purpose of this document is to provide practical indications for identifying and labeling electrical equipment containing PCBs in India. This activity is a part of the UNIDO/GEF project "Environmentally Sound Management and Final Disposal of PCBs in India"

The results and lessons learned during the first round of PCBs inventory in India, carried out under the project "Development of National Implementation Plan in India as a First Step to Implement the Stockholm Convention on Persistent Organic Pollutants (POPs)", have been taken into consideration.

The purpose of this document is:

- To provide practical guidance to the relevant Indian stakeholders and authorities to extend the PCBs inventory by conducting further questionnaire survey and to adopt a more formalized approach,
- To propose a simple and effective system for labeling, tracking and record keeping of PCB contaminated equipment,
- To upgrade the inventory with the equipment and industrial sectors that was not taken into account in the first PCBs inventory.

2. INTERNATIONAL CONVENTIONS ON POPS AND HAZARDOUS WASTE

2.1. STOCKHOLM CONVENTION

India is a party to the Stockholm Convention on Persistent Organic Pollutants (POPs).

Part IV in Annex C (Unintentional Production) of the Stockholm Convention defines Poly Chlorinated Biphenyls (PCBs) as "aromatic compounds formed in such a manner that the hydrogen atoms on the biphenyl molecule (two benzene rings bonded together by a single carbon-carbon bond) may be replaced by up to ten chlorine atoms". Part II in Annex A (Elimination) of the Stockholm Convention specifies the measures to be taken to eliminate the use of PCBs in equipment (namely, transformers, capacitors or other receptacles containing liquid stock) by 2025 and to reduce the exposure and risk to control the use of PCBs.

2.2. BASEL CONVENTION

India is a Party to the Basel Convention on Transboundary Movement of Hazardous wastes.

The primary objective of this Convention is to protect human health and the environment against the adverse effects of hazardous wastes. Its scope of application covers a wide range of wastes defined as "hazardous wastes" based on their origin and/or composition and their characteristics

(Article 1 and Annexures I, III, VIII and IX), as well as two types of wastes defined under "other wastes" (household waste and incinerator ash; Article 1 and Annexure II).

The provisions of the Convention centers around the following principal: (i) the reduction of hazardous waste generation and the promotion of environmentally sound management of hazardous wastes, wherever the place of disposal; (ii) the restriction of trans boundary movements of hazardous wastes except where it is perceived to be in accordance with the principles of environmentally sound management; and (iii) a regulatory system applying to cases where trans boundary movements are permissible.

Annex I of the Convention summarizes the Categories of Waste to be Controlled in Waste Stream and Y10 describes PCBs containing waste.

List A1 and A3 in the Annex VIII of the Convention lists the Metal and Metal-Bearing Wastes and the Wastes Containing Principally Organic Constituents which may contain Metals and Inorganic Materials respectively, and A1180 and A3180 describes the one applicable to PCBs, PCTs or PBBs.

2.3. GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS)

The Globally Harmonized System of Classification and Labeling of Chemicals (GHS) includes harmonized criteria for classifying substances and mixtures according to their health, environmental and physical hazards; and harmonized hazard communication elements, including requirements for labeling and safety datasheets. It also describes the classification criteria and the hazard communication elements by type of hazard.

The Ministry of Environment and Forests, Government of India has published the Hazardous Substance (Classification, Packaging and Labeling) Rules, 2011 (draft) to keep in-line with the GHS rule.

3. INDIAN LEGISLATION ON POPS AND HAZARDOUS WASTE

The Indian Legislation on POPs and Hazardous Waste is drafted by the Government of India by Ministry of Environment and Forest in the Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008. Conditions for the Handling of Hazardous Waste are covered in Chapter II while the Import and Export of Hazardous Wastes are established under Chapter IV and that for the Packaging, Labeling and Transport of Hazardous Waste are established under Chapter VI of the said Gazette.

The Hazardous Waste Rules, 2008 requires that "the hazardous waste are packaged and labeled, based on the composition in a manner suitable for safe handling, storage and transport as per the guidelines issued by the Central Pollution Control Board from time to time" (Chapter VI, Article 19).

For the movement within the country, the hazardous waste is subjected to the Manifest System (Chapter VI, Article 21).

Under Schedule VI, rule 13(4) of the Hazardous Waste Rules, 2008, for Hazardous Wastes Prohibited for Import and Export, "the import and export of Waste, Substances and articles containing, consisting of or contaminated with polychlorinated biphenyls (PCB) and/or polychlorinated terphenyls (PCT) and/or polychlorinated naphthalenes (PCN) and/or polybrominated biphenyls (PBB) or any other polybrominated analogues of these compounds is prohibited".

4. GUIDANCE ON IDENTIFICATION OF PCBS CONTAINING EQUIPMENT AND WASTE

The following have been considered as fundamental literature reference documents for the guidelines on identification of PCBs:

- UNEP, Guidelines for the identification of PCBs and materials containing PCBs, 1999
- UNEP, Inventory of PCB-Containing Equipment, 2002
- James Willis, PCB Inventories: Approaches to Compiling Inventories of PCBs, PCB-Containing Equipment. Proceedings of the Subregional Workshop on Identification and Management of PCBs and Dioxins/Furans, La Habana, Cuba, April 23-26, 2001

4.1. THE FIRST PCBS INVENTORY IN INDIA

This summarizes the results achieved by the first PCBs inventory conducted in India.

For planning the extension and updation of the inventory, the geographic area of country was divided into five regions: North, West, East, Central and South.

A list of addresses of various utilities and energy intensive industries covering different sectors like steel, cement, fertilizer, paper etc., was compiled and a total of 1800 letters and inventory were dispatched to them throughout the country. And around 1500 responses were received.

Based on the states covered under each region, industries where PCB transformers were found are reported in Table 1

Table 1: Based on Inventory Areas, Industries were PCBs were found		
Inventory areas	Industries where PCBs were found	
North: Jammu and Kashmir, Punjab, Haryana,	Assam: Nagaon Paper Mill; Cachar Paper mill Uttar Pradesh: Panki Thermal Power Station; Paricha Thermal; Harduaganji Power station; Hindalco Inc. Ltd;	
Ittar Pradesh, Jharkhand	Haryana: Heidelberg Cement Power House -01	
	Uttarakhand: Power transmission corporation.	
West: Rajasthan, Gujarat, Maharashtra	Gujarat: Digvijay Cement ltd; IFFCO Kalol unit; Ultratech Cement	

Table 1: Based on Inventory Areas, Industries were PCBs were found		
Inventory areas	Industries where PCBs were found	
	Maharashtra: Nashik Thermal Power Station; Nuclear Power Corporation of India; Mahatransco; Pdumjee paper mills	
Central: Andhra Pradesh, Madhya Pradesh, Chhattisgarh	Andhra Pradesh: Andhra Paper Mills, Rajahmundry; Kesoran Cements, Basantnaga; Hindustan Petroleum Corporation; Apgenco Bhilai SAIL steel plant.	
East: Orissa, Bihar, West Bengal and North Eastern States	None found.	
South: Karnataka, Tamil Nadu, Andhra Pradesh and Kerala.	Tamil Nadu: Ennore Thermal power station; NLC Tamil Nadu; Southern Railways; Tamilnadu electricity board; Indian Institute of Technology Madras, Chennai. Kerala: Kerala State Electricity Board;	

Based on the Industrial sector, the industries where PCBs were found are listed in Table 2.

Table 2: Based on Industrial Sector, Industries where PCBs were found.				
Industrial sector	Industries where PCBs were found			
Electric Power Industry:	Assam: Panki Thermal Power Station; Paricha Thermal; Harduaganji Power station; Uttarakhand: Power transmission corporation. Maharashtra: Nashik Thermal Power Station; Nuclear Power Corporation of India; Mahatransco;			
	Andhra Pradesh: APGENCO: Tamil Nadu: Ennore Thermal power station; Tamilnadu electricity board; Kerala: Kerala State Electricity Board.			
Paper Mills	Andhra Pradesh: Andhra Paper Mills, Rajahmundry. Assam: Nagaon Paper Mill; Cachar Paper mill Maharashtra: Pdumjee paper mills			
Cement Industry	Andhra Pradesh: Kesoran Cements; Gujarat: Digvijay Cement ltd; Ultratech Cement; Haryana: Heidelberg Cement Power House -01			
Iron and steel	Bhilai SAIL steel plant.			
Non Ferrous	Uttar Pradesh : Hindalco inc. Ltd;			
Chemical Industry	Basantnaga; Hindustan Petroleum Corporation; IFFCO Kalol unit;			

Based on the Industrial sector, the number of questionnaire sent to the industries where PCBs were found are listed in Table 3.

Table 3: Questionnaire sent to industries where PCBs were found.			
Sector Inventory forms sent Industries with PCBs			
Defense	44		

Fertilizers	72	2
Pulp and Paper	68	5
Petrochemicals	12	1
Pharmaceuticals	46	
Railways	34	
Ship Breaking / Recycling	151	
Electric power generation and distribution	250	11
Cement manufacturers	88	4
Iron and steel and Non-ferrous	146	3
Nuclear Power plants	14	
TOTAL	925	26

The information obtained as response to the letters was analysed and the following procedure was adopted for the estimation of PCBs:

- In case the nameplatedeclares that the transformers were filled with PCBs, the quantity of PCB was estimated from the data available on the nameplate.
- In case of transformers installed before 1985, oil samples were collected and tested for PCBs contamination, and contaminated quantity of oil was estimated.
- Transformers are tested whenever 1) not declared as pure PCB transformers, or the density test is negative; 2) transformers originate from a foreign country known for having produced PCBs.
- Only transformers installed before 1990 have been tested. Cross contamination in transformers installed after 1990, or in mineral oil transformers were not checked.

Main outcomes of the first inventory were as follows:

- PCBs have never been produced in India. However, some Indian transformer companies were licensed by foreign companies for the production of PCBs containing transformers.
- The inventory data showed that around 9837 tons of PCBs exist in the country. Large
 number of transformer oil samples were drawn from power utilities, major industries and
 private sector industries for inspection and analyzed for PCBs concentration in the oil. Most
 of the transformers were found to be containing PCBs in high concentrations.
- Totally, 1618 PCBs transformers were found, of which 1150 were pure PCB (identified by nameplate but not tested), 243 had a PCB concentration of greater than 500 ppm, and 225 had a PCB concentration between 50 to 500 ppm. Totally, 1500 PCBs analysis were performed under the project.
- The shipbreaking activity could represent another source of PCBs, where theocean liners imported for ship-breaking contain PCBs material.

However, the following aspects still need a more thorough approach:

- 1. The PCBs inventory only covered PCBs transformers. Of these, the majority were online transformers, while offline or stored transformers were identified only in a few cases.
- 2. The relative number of industries covered by the inventory is low, compared to the number of industries existing in India. Several states were not covered by the PCB inventory.
- 3. Capacitors and other PCBs electrical equipmentwere not considered in the inventory.
- 4. The identification of PCBs equipment obtained by the inventory do not ensure traceability of inventoried equipment, as labeling of the PCBs containing equipment was either not performed or performed only in a limited way.

The present guidance document is aimedat providing general methodology for the extension and updating of the PCBs inventory in India, starting from the information provided by the first inventory, and addressing its limitations.

4.2. PERFORMING A PCBS QUESTIONNAIRE SURVEY

4.2.1. GENERAL DESCRIPTION OF THE QUESTIONNAIRE FORMS

The PCB Inventory form (UNEP 2002has been adopted as reference formfor the inventory of PCBs waste and PCBs contaminated sites. Section A and B of the form have been slightly modified, while Section C remains as standard form. These formshave been translated toan electronic worksheet for the purpose of record keeping, post elaboration and also for a more standardized use of terms, as most of the term would be selected from a standard dropdown list. The hardcopy can be used for data recording during field survey. All the forms contain a site univocal code which is the same for all the forms pertaining to the same site.

Clarifications pertaining to some of the fields of the proposed formsare:

Section A

- Record Number: Aunivocal numeric code for identifying the site.
- Geographical coordinates: In addition to the address
- Type of company, industry type at the specific site: Industry is classified according to the
 Indian National Industry Classification 2008 (Central Statistical Organization –
 Government of India). The NIC-2008 list of industrial classification adopted is reported in
 Annex 1.
- Location: Industrial zone, Urban area, Rural area, Park, or Natural Land, Others.

Section B

Record Number: The same as in Section A

- **Type of equipment:**Step Up transformer, Power Transformer, Distribution Transformer, Capacitor, Switch, Other.
- In addition to power rating, minimum and maximum voltages for transformers are added
- **Size (length, width and height):**Not considered a mandatory requirement. It may be roughly estimated from the power rating and the weight.
- PCB concentration in dielectric oil: In ppm
- Operational status of the equipment: In use, Stand-by, Under maintenance, Decommissioned.
- Condition of the equipment: Good, Rusty / Overheated, Damaged but not leaking, Leaking.
- **Storage:** Open air; Open air / Locked; Indoor; Indoor / locked. In the electronic form, the relevant storage modality can be selected from a dropdown list.

Section C

- Record Number: The same as in Section A
- **Type of waste:** Information for the univocal identification of the type of waste, including Basel convention classification code and the Indian Waste Classification code.
- Packaging modality: None, Plastic or Steel drums, Paper or Plastic bags, Large containers. ADR code if available.
- Storage: Open air; Open air / Locked; Indoor; Indoor / locked.
- Geographical coordinates
- Land use of the site and of the surroundings: As per the Indian classification of land uses.

4.2.2. FORM "A". INFORMATION CONCERNING THE SITE AND THE PCB OWNER.

	Site code	(to be repeated in form "B" and "C")
Site Record info	Date	
	Inspector	
	Company name	
Information about the	Company type (NIC-2008)	*
company	Public / Private	
	Headquarter address	
Cita Cantast and	State	*
Site Contact and Address Information	Site address	
Address information	Geo ref. (°)	

	Location features	*
	Contact person name	
	Contact person's position	
	Phone	
	Fax	
	Email	
	Number of Staff at the site	
	Number of Transformers	
	Number of Capacitors	
Site Information	Number of other	
Site information	equipment	
	Electricity Consumption at site (KWh)	
	PCB Elimination plan?	

Fields marked with $\mbox{*}$ will be selected from a dropdown list in the electronic format of the forms

4.2.3. FORM "B". INFORMATION CONCERNING THE EQUIPMENT.

	Site Code	(the same as A)
	Label Code	(univocal code for each equipment, to be placed on the label)
Equipment	Name of the Manufacturer	
identification	Country of origin	
	Equipment Type	*
	Serial Number	
	Power rating	
	High Voltage (V)	
	Low Voltage (V)	
	Manufacturing date	
	Equipment weight, including dielectric oil (Kg)	
Equipment description	Oil Weight (Kg)	
	Trade name of the dielectric oil or insulating oil	
	PCB content in the liquid (ppm)	
	PCB analysis performed	*
	Information source	
	Operational status	*
Equipment condition	Condition of the equipment	*
Equipment condition	Storage	*
	Retro filled (Y/N)	*

Retro filling date	
Retro filling liquid	
Maintenance company	

Fields marked with * will be selected from a dropdown list in the electronic format of the forms

4.2.4. FORM "C". INFORMATION CONCERNING WASTE AND CONTAMINATED SITES.

	Site Code	(the same as A)
	Type of Waste including Basel code and Indian Waste Classification code	
	Estimated quantity (kg)	
PCBs	Packaging modality	*
Waste identification	Are containers leak proof?	
	Storage conditions	*
	Geographical coordinates	
	Site Name	
	Land use of the site and of the surroundings	
	Monitoring report if available (attach documents)	
PCB contaminated Site Identification	Clean-up plan if available (attach documents)	
	Clean-up report if available (attach documents)	

Fields marked with * will be selected from a dropdown list in the electronic format of the forms

4.2.5. STEPS IN PERFORMING THE QUESTIONNAIRE SURVEY

The following picture outlines the general arrangement and steps involved in carrying out the PCBs inventory.




Table 4 describes the steps involved in carrying out the PCBs inventory in detail.

Tal	Table 4: Steps in performing a PCBs questionnaire survey		
	Step description	Status of the existing PCB inventory	
1.	Establish a proper institutional collaboration. Electric power institutions and state and local level environmental authorities (like the Pollution Control Boards) are the key actors for performing a successful inventory. The electric power institutions provide important information on the owner of electric equipment (on electricity production and consumption); while the EPBs have important information on environmental monitoring, waste storage sites, environmental conditions of industries or electrical facilities, etc. It is important to secure the cooperation of industrial associations and industries to guarantee that information concerning the use or end life of the electrical equipment is provided	Status of the preliminary inventory with reference to Step 1: Nodal officers have been identified for the project at State Electricity Board and Pollution Control Boards	
2.	• • • • • • • • • • • • • • • • • • • •	Status of the preliminary inventory with	
	PCBs equipment and PCBs containing waste can be found.	reference to Step 2:	
	UNEP (2002) suggests considering the following industrial	In India, the following sectors were	
	sectors as main candidates for the PCB inventory	selected as relevant sectors for the PCBs	

- Electric utilities;
- Industrial facilities (Aluminium, copper, iron and steel, cement, chemicals, plastics, synthetics, petroleum refining industries).
- Railroad systems;
- Underground mining operations;
- Military installations;
- Residential and commercial buildings (including hospitals, schools, households, offices and stores)
- Research laboratories.

inventory:

Defense

Electric power generation and distribution Fertilizer

Pulp and Paper

Petrochemicals

Pharmaceuticals

Railroad systems

Ship Breaking / Recycling

Cement manufacturers

Iron and steel and Non-ferrous

Nuclear Power plants

3. Draft an inventory plan and establish an inventory database, starting from the address of the industries. A data base containing the information listed in the inventory form A, sections "Site Record info"; "Information about the company ", and "Site Contact and Address Information" shall be established.

Status of the preliminary inventory with reference to Step 3: A first database of industries (around 1000 addresses) was established. This database has not been entered in a standardized database file, and need to be re-organized following requirements of form "A"

4. **Training.** Trainingis a fundamental step to ensure that the staff performing the inventory is clear with the objective and criteria, and share the same standards and methodology. Workshop sessions aimed at informing the representatives of all the possible PCBs owner sectors, relevant stakeholders, and the operators must be held

Status of the preliminary inventory with reference to Step 4: More than 45 awareness meetings / workshops have been held since Jan. 2009, of which 27 are after the starting of the project. Most of the meetings / workshops have been addressed to the electric power sector, Pollution Control Board & the Steel industry.

5. Dispatch of all the inventory forms. The dispatch of inventory questionnaires must be performed by the most effective means: email, fax, post, depending on the infrastructure available.

Status of the preliminary inventory with reference to Step 5: Around 1000 inventory questionnaires sent to industry addressees.

- 6. **Interviews and follow up.** After sending inventory questionnaires to the industries, a follow up activity shall be conducted. The follow-up shall include:
 - a. The establishment of a direct contact (by phone or mail) with the addressees of the questionnaires to verify whether they received it and to assist them in the compilation of the questionnaires if necessary;
 - Site visit to a relevant number of potential owners of PCBs containing equipment and waste

Status of the preliminary inventory with reference to Step 6: Only 26 industries out of around 1000 contacted reported PCBs equipment (always PCB contaminated transformers). Follow up conducted in a limited amount of cases.

Status of the preliminary inventory with reference to Step 7. Totally, 1500 PCBs 7. **Sampling and analysis**. Sampling and analysis of the analysis have been performed under the project .Basically, all the tested dielectric oil in a relevant statistical sample of transformers are online transformers. Only transformers or other electrical equipment, including transformers installed before 1985 have mineral oil transformers, distribution transformers, and been tested. Cross contamination in stored equipmentshallbe performed. transformers installed after 1985, or in mineral oil transformers not verified. Status of the preliminary inventory with 8. Labeling. State level authorities should assign univocal reference to Step 8. Labeling of PCBs codes to the inventoried PCBs equipment and deploy contaminated equipment and the them to the owners of the PCBs containing equipment; consequent traceability of the equipment this activity is further explained in the Labeling section of was not ensured in the course of the first

4.3. PCBS USES TO BE CONSIDERED DURING IDENTIFICATION AND INVENTORY OF PCBS.

PCBs inventory.

PCBs may be found in three classes of applications: closed, partially closed and open applications.

4.3.1. CLOSED APPLICATIONS

this document.

A closed application is defined as "an application in which the PCBs are held completely within the equipment". In normal conditions the exposure of the environment or humans to PCBs contained in closed application is nil. However, exposure may occur in circumstances like maintenance, operations, damage of the equipment due to the aging of the equipment or misuse.

Step up transformers	Power plants
Distribution transformers	Power plants, transformer substation, electricity distribution network, large industrial plants, railways, large ships, hospitals
Power capacitors	Electricity distribution network, large industrial plants
Lighting ballasts	Offices, large building, hospitals
Switches	Transformer substations, electricity distribution network, large industrial plants, railways, large ships

4.3.2. PARTIALLY CLOSED APPLICATIONS

In partially closed applications, PCBs is not directly in contact with the environment; however emission to the environment may occur during typical use, leading in some cases to significant release. A typical example is the PCBs contamination of gas pipes due to the release of PCBs contained in the compressor oil from "compressor blow-by". Two major PCBs accidents in the world (the Yusho accident in Japan in 1968, and the Yu Cheng accident in Taiwan ten years later) were caused by the contamination of rice oil due to an accidental release of PCBs after a leak in the heat exchanger.

Heat transfer fluids	Chemical industry; petroleum refineries.

Hydraulic fluids	Any industrial process requiring hydraulic fluids. Mining equipment; ferrous and Non-ferrous metal industry.
Vacuum and compressors pumps	Natural gas transfer substations and pipes; any industrial facility requiring large compressors or vacuum pumps.

4.3.3. OPEN APPLICATIONS

PCBs have been used as an additive in paint and also to the paint of older ships, flame retardant in surface coatings, plasticizers in chlorine based plastic and rubber like PVC and neoprene.

Lubricants	Immersion oil for microscopes; brake linings; cutting oils; lubricating oils
Casting waxes	Pattern waxes for casting
Surface coatings	Paints (including the ones used for ship painting); surface treatment for textiles; carbonless copy paper; flame retardants;
Plasticizers	Gasket sealers; filling materials; PVC; rubber sealers

4.4. BRAND NAME AND PRODUCTION YEAR OF PCB CONTAMINATED TRANSFORMERS.

In Table 5, the list of trade name of PCBs containing transformers as from the first PCBs inventory in India is reported.

In Table 6, the percentage of PCB contaminated transformers by production year as from the first PCBs inventoryis reported. More than 95% of the contaminated transformers were produced before the year 1990. It is then reasonable to assign highest priority to the transformers produced before 1990, even though it cannot be excluded that transformers produced later on may still be cross contaminated by PCBs.

Table 5: PCB contaminated transformers by Brand and production year in India		
Transformer Brand Name	Produced from	Produced until
A.C.E.C Belgium	1939	1939
AmbarnathX"mers	1988	1988
ANDREW YULE	1985	1985
APEX	1977	1977
APEX	1988	1999
APEX Electrical	1974	1974
Ashok TRF	1977	1978
ASKAREL	1985	1985
BBL/INDIA	1987	1991

Table 5: PCB contaminated transformers by Brand and production year in India **Transformer Brand Name** Produced from Produced until **BHARAT BIJILEE** 1960 1986 **BHEL** 1977 1992 **BHEL/INDIA** 1985 2003 Canadian Gl. Ele 1966 1966 CEM 1968 1968 1968 **CEM France** 1968 CG India 1972 1972 CGL 1975 1981 Crompton N.A. N.A. **Crompton Greaves** 1966 1988 Crompton Parkinson 1966 1966 **CZECH** 1980 1980 **EARCS** 1979 1979 **ECE** N.A. N.A. Economy 1968 1968 Electric Factory TRF S.E.C 1939 1939 **EL-TRA** 1977 1979 **EMCO** 1962 1996 **EMCO TRF** 1980 1980 ETE 1975 1986 1977 1977 **ETEA GANZ Hungary** 1967 1967 GCE 1971 1993 **GEC Alstom** 1997 1997 HACKBRIDGE-HEWTTIC & EASUN (HHE) 1960 1992 **HBB** 1968 1972 HEL 1968 1968 **HHE Madras** 1968 1968 **Hind Rectifiers** 1961 1961 Hindustan Electric 1964 1976 IMP 1998 1998 **IND Coil** 1979 1985 Indian 1973 1973 **INDOTECH** 2006 2006 Johnson & Philips 1955 1966 1972 1972 Johnson Elect Co KAVIKA N.A. N.A. KEC 1984 1984 **KEC** India 1977 1984 KEL 1986 1986 1962 Kirloskar 1962

Transformer Brand Name	Produced from	Produced until
KIRLOSKAR/INDIA	1983	1984
M/S Bharat	1972	1972
M/s Bharat Bijlee	1983	1996
M/s BHEL	1984	1985
M/S BHEL Bhopal	1989	1989
M/s NGEF	1983	1990
M/s TELK	1984	1984
Marsons Electricals	N.A.	N.A.
MERLIN GERIN ELECTRO/FRANCE	1980	1980
Metro Pollition Vickers, England	1932	1937
Mitsubishi	1962	1962
National elecInd	1967	1967
Nelson Electricals Bombay	1981	1981
NGEF	1973	1984
NGEF Licence AEG,India	1974	1974
NGEF/INDIA	1991	1991
P&CT L,	1971	1971
PARCS	1980	1980
Power Lite	1979	1980
Radio & Electricals Ltd	1969	1969
RUSSIAN	1957	1981
Star Delta Electrical	1977	1977
T&R	2004	2004
TELK	1970	1980
TELK/INDIA	1983	1989
Thane Electric Supply	1981	1981
The National Electrical Industries Ltd,		
Bombay	1975	1975
TR & SWITCH GEAR Ltd	1962	1977
Volt Amp	1972	1984
VOLTAS	1977	1984

Table 6: PCB contaminated transformers by production year (%) in India		
Production Year	Percentage	
Before 1950	1.2	
From 1950 To 1960	12.9	
From 1960 To 1970	13.4	
From 1970 To 1980	39.1	

From 1980 To 1990	29.5
From 1990 To 2000	2.6
After 2000	1.4

4.5. TRADE NAMES OF PCBS

In Table 7, the list of the trade name of dielectric oil in PCBs containing transformers inventoried in the first PCBs inventory in India is provided. In around 25% of the cases, there was no information available regarding the brand name of the dielectric oil. Hence, while extending and updating the PCBs inventory, the prime focus is not on the transformers containing pure PCB oil alone.

Table 7: Trade name of dielectric oil found in PCBs contaminated transformers in India.		
Dielectric Oil Trade Name (in bold the pure PCB oils)	Percentage of transformers in the inventory	
CLOPHEN	33.5	
SOVTOL	18.7	
Mineral insulating oil	11.9	
Trf Oil	3.2	
Power oil	2.8	
Naphthenic	1.4	
Insulating Oil	0.9	
R-Temp	0.9	
Askarel	0.6	
Electrol	0.6	
Silicon Oil	0.1	
N.A.	25.5	

4.6. BRAND NAME AND PRODUCTION YEAR OF PCB CONTAMINATED CAPACITORS.

The first PCBs inventory in India did not cover either capacitors or switches. It should be noted that PCB equipment with an internal volume smaller than 0.05 liters is not subjected to the obligation of the Stockholm Convention, while PCB equipment with an internal volume from 0.05 to 5 liters is subjected to identification and removed from use, but not to inventory.

PCB capacitors with an internal volume greater than 5 liters fall entirely within the scope of the Stockholm convention (identification, labeling and phase out) and should be considered in any PCBs inventory.

In Table 8, a list of trade name and production year of power capacitors containing (or suspected to contain) PCBs is provided.

Brand name of the capacitors Production year until capacitors contain or prob contain PCBs AEg Hydra, Berlin Arcotronics, Italy AseaKabel, Sweden Production year until capacitors contain or prob contain PCBs Until 1982, all the capacitors labeled with "CD", "Cophen" All until 1977 All until 1981, all the capacitors labeled with "Aska	•
Arcotronics, Italy "Clophen" All until 1977	CPA",
' '	
AseaKabel, Sweden All until 1981, all the capacitors labeled with "Aska	
, , , , , , , , , , , , , , , , , , , ,	arel"
Asea – Lepper (or Dominit or Brilon D) All until 1980	
Baugatz Ludwig, Berlin All until 1983	
BaugatzKondensatorien, Austria All until 1982	
BICC Capacitors LTD, Helsby England	
(subsequently commercialized as ABB All capacitors until 1982, except dry capacitors	
capacitors)	
Brandt W. Gmbh, Leopoldstadt, Lippe All capacitors	
CAF Kondensatoren, Duisburg –	
Hamborn All capacitors	
ComarCondensatori, Italy All until 1981	
Cond. Fribourg, All until 1983	
Detron Stein All until 1981	
Dubiler, England All until 1982	
Ducati EnergiaSpA, Italy All until 1982	
Egra KG, All capacitors	
Elcontrol spa, Italy All until 1984	
ElectroniconGmbh All until 1985	
Elektrica (F.Kucera) All capacitors	
ElkondaGmbh, Germany All capacitors	
Felten + Guilleaume Energietechnik	
Cologne, Germany All until 1982	
Frako, Teningen All until 1983	
General Electric, Usa All until 1980	
Grunow Ernst KG, Monaco All capacitors	
Haefely SA, France and Germany All until 1984	
Hitachi, Japan All until 1982	
Hunts, England All until 1982	
I.B.M, Usa All until 1979	
ICar – Slimotor All until 1981	
Internally, USA All until 1979	
IskraSemic, Yugoslavia All until 1985	
IsokondGmbh, Germany All until 1985	
Italfarad Spa, Italy All until 1981	
Jensen Tobias, Denmark All with the letter "C" or "O", until 1982	
Otto Junker, Gmbh, Germany All until 1983	
Kapsch&Sohne, Austria All until 1982	
KD Kondensatoren, Monaco, Germany All until 1982	

Page | 19

Table 8: Power capacitors containing PCB by brand and production year (Modified after ANZECC ¹ , 1997)		
Brand name of the capacitors	Production year until capacitors contain or probably contain PCBs	
Knobel, Emenda GL	All until 1982	
Konig, Vienna	All until 1982	
Leclanché, SA, France	All until 1975	
Liljeholmens, Kabel AB, Stockholm,	All	
Sweden	All until 1981	
Leopold Vlk, Pocking Niederbayern	All capacitors	
Lorenzetti, Brasileira	All until 1982	
Mallory Capacitors, USA	All until 1979	
Mikafil AG, Switzerland	All until 1977	
NCC	All until 1982	
Neuberger Gmbh	All capacitors	
Neuko, Germany	All until 1982	
Nokia Capacitors, Finland	All until 1982	
Pressey TCC, England	All until 1982	
Rectiphase SA, France	All until 1982	
Richmont	All until 1982	
RoedersteinGmbh	All until 1983	
Ruppel& Co, Germant	All capacitors	
Saarland Kondensatorenbau	All capacitors	
Si Safco Colombes, France	All capacitors	
Siemes AG Dynamowerk, Berlin	All until 1982	
STR Standard Telephon + Radio	All capacitors	
SükoHerrsching D	All until 1982	
System Electric Gmbh	All until 1983	
Tesla, Czechoslovakia	All until 1986	
Thomson	All until 1982	
UnitraTelpod, Polski	All until 1986	
Varilec SA, France	All until 1984	
Varo S.R.L, Italy	All until 1982	
VA-RU Kondens, Eckernförde D	All capacitors	
Vauka MPKO GmbH	All capacitors	
Vlk Leopold, Pocking	All capacitors	
Wegowerke, Rinkling + Winterhalter,Freiburg / Breisgau D	All until 1982	
Wico, Japan	All until 1982	
Xamax AG, Embrach	All until 1984	
Zeh Wilhelm KG, Freiburg / Breisgau	All capacitors	
Zellweger, Uster ZH	All capacitors	

4.7. INDUSTRIAL SECTORS WHERE PCBS CONTAINING CAPACITORS ARE USED

In general, capacitors are used to compensate for the inductive reactive power required by the electrical load. Power capacitors can be therefore found in

- Buildings: Administrative buildings, Hospital, Museums, Railway Stations, Shopping Centers and in general large buildings (including the old buildings planned for demolition)
- Workshops and Industrial Manufacturing units;
- Wastewater treatment plants
- Power generation and power distribution substations;
- Refrigerationfacilities;
- Research institutions.

5. SAMPLINGAND ANALYSIS OFELECTRICAL EQUIPMENT

5.1. SAMPLING DIELECTRIC OIL FROM PCB TRANSFORMERS

Sampling of electrical equipment usually requires temporarily shutting down and fully deenergizing the equipment, so that risk of electrical shock for the operators can be minimized. Transformers (except the very small ones) are usually provided with one or more dielectric oil drainage valves from which the oil can be sampled. While sampling small transformers that are not equipped with circulation pump, it is important to drain the oil contained in the drainage valve and pipes before taking the sample. All countermeasures to avoid spilling of PCBs oil on the soilmust be adopted, and operators must wear proper Personal Protective Equipment (PPE). Oil sampling should be preferentially undertaken from the transformer bottom drainage valve instead of the expansion tank at the top. The following is the procedure for sampling transformer:

- Obtain clear, plastic tubing (Tygon).
- Attach one end of the tube to the electrical equipment sampling outlet valve and place the other end of the tube in the sample container.
- The tubing between the transformer and the container should be as short as possible to avoid leakage potential.
- Drain some oil through the sample valve and tubing into the overflow bucket or pan to ensure that no contaminants are present in the sampling line. Then close the sample valve.
- After draining some oil through the sampling line, place the tubing in the sample container.
- Open the sample valve on the transformer and fill the sample container.
- When the sample container is completely full of oil, close the transformer valve.
- Secure the cap tightly.

- Label the sample bottle with the appropriate sample label. Ensure complete labeling carefully and clearly, addressing all the categories or parameters.
- Complete all chain-of-custody documents and record them in the field logbook

5.2. SAMPLING DIELECTRIC OIL FROM PCB CAPACITORS

As PCB capacitors are sealed equipment, it is necessary to drill a small drainage hole for sampling oil at low speed, to avoid overheating of the capacitors body with possible burning of PCBs oil. It is mandatory to put the capacitor offline and completely de-energize it before starting the sampling procedure. All countermeasures to avoid spilling of PCBs oil on the soilmust be adopted, and operators must wear proper PPE. Since PCB capacitors are sealed, once drilled for sampling these equipment cannot be used anymore. Thus, sampling of PCBs capacitors cannot be carried out if the equipment is still in use. Once drilling operation has been completed, the sampling procedure is performed in the same way as described for the transformers.

5.3. LABELING AND STORING SAMPLES

Wide-mouth glass jars with PTFE caps must be used for storing samples. Sample volume must be enough to perform several analyses: a volume of at least 500 ml is recommended.

During the sampling activity, at least one person responsible for the analytical work should be present, in order to detect any sampling anomaly that could affect the analytical work, and to verify the sample code. The sampled equipment must not have been moved or undergone any further maintenance operation until analytical results are confirmed, and till the need for further sampling can be excluded. If, for unforeseen reasons, the need to move or maintain the equipment arise before analytical results arise, the analytical laboratory must be immediately informed. The analytical lab must inform without delay, the equipment owner on the analytical results.

Samples must be immediately sealed and labeled. On the label, the following information should be written: sampling date and time, address equipment serial number (the same entered in Form "B"), sampling serial number, operator's name and reference. Digital photo of the sampled equipment must be done. The above information, including the digital photos, should be recorded in a data base, which will also contain sampling results, for future reference. PCBs are persistent substances not expected to degrade significantly. However certain isomers can degrade more quickly when directly exposed to light. Hence, it is recommended to store the samples in a cold place at low temperature, and to perform analysis within one or two week after sampling.

5.4. PERSONAL PROTECTIVE EQUIPMENT (PPE) TO BE USED DURING SAMPLING

Before starting the sampling operation, a complete survey of the workplace to identify and assess possible hazards should be conducted. If no significant hazards are identified, other than the PCBs in the dielectric oil to be sampled, the PPE to be adopted during sampling operation can be limited

to a disposable suite, goggles and a proper chemical resistant glove. Wearing respiratory mask is not necessary as the risk of inhalation during sampling is limited. However, if the survey identifies possible PCBs contamination of the site, operator should also wear protective shoes, respiratory mask and a protective suite. Wearing helmet is generally mandatory in workplaces. It is recommended that a certain amount of different protective equipmentin compliance with the OSHA standards be made available to the sampling team before starting the sampling campaign.

5.5. PRELIMINARY ANALYSIS BY FAST KITS AND PORTABLE EQUIPMENT

While selecting the proper screening methodfor preliminary analysis of PCBs oil directly on field, the risk of false positive and false negative outcome should be carefully considered. Colorimetric or ion specific electrode methods based on the detection of chlorine – and subsequent normalization on the basis of the expected chlorine content of the PCB mixture – may be affected by a high false positive outcome if the dielectric oil contains other chlorinated compounds (for instance chlorobenzene) instead of PCBs. In such cases, recent evaluation trials performed by US-EPA on chlorine-based determination and on immunoassay methods indicate that the second is more apt for performing screening analysis for PCBs content in oil.

5.6. LABORATORY ANALYSIS OF PCBS

It is possible to detect and quantify all the different PCB congeners in a mixture by using the following analytical methodEN 12766 part 3, or the US EPA 1668 and the modified 1668A .These methods are recommended whenever there is the need to quantify specific PCB congeners, like dioxins.

In compliance with Stockholm Convention requirements, other analytical methods are also suitable: US EPA 8082, if the Aroclor number of the PCBs oil to be analyzed is known. This method will provide the overall amount of PCBs in oil.

While selecting the analytical method, it is important to verify the capability of the analytical laboratory for performing the specific method. Under GLP (Good Laboratory Practice), it is recommended to establish a ring test inter-calibration exercise among the participating labs to verify that the results from the different labs are comparable.

6. LABELING, TRACKING AND RECORD KEEPING OF PCBS CONTAINING EQUIPMENT AND WASTE

6.1. BASICS OF LABELLING

The objective of Labeling is to <u>inform</u> about the possible risk, <u>prevent</u> the outcome of an accident or PCBs releases and <u>track</u> the status and position of the PCBs equipment. And the purpose of placing a label on the PCBs containing equipment is to facilitate the identification of PCBs containing equipment properties which are not immediately evident from the observation of the equipment itself. A label with a Serial Number and a Database results in traceability.

The purpose of labeling ensures the need:

- 1. To know if the PCBs containing equipment is still being used in a factory;
- 2. To ensure thatthe operators and general public are informed (including, for instance, emergency operators during an accident) about the existence of PCBs containing equipment in their factory, so that they can adopt suitable management measures when needed;
- 3. Totrack the status and movement (within or from the factory, or are put off line or disposed) of PCBs labeled equipment.

Labeling and tracking are therefore strictly interrelated activities.

Constant updation of the Centralized Database based on the labeled equipment, clear assignment of responsibilities in distributing and serializing labels, updating inventories and monitoring the labeled objects ensures the "traceability" of the PCBs containing equipment.

Labeling and tracking of PCBs equipment would be based on the rationale listed in Table 9:

Table	Table 9: Rationale for PCBs Labeling and Tracking					
SL No.	PARAMETERS	REQUIREMENTS	DESCRIPTIONS			
1.	Target	Intended addressee	General Public			
1.	Identification	of PCB labels	Operators			
		Establishing Labeling standards	Establishment of Labeling standards is done			
			considering International standards like GHS norms			
		Authority to control compliance with Labeling standards and obligation	Enforcement of PCB labeling by Local authorities			
2.	Responsibilities		a. Pollution Control Board			
			b. Ministry of Environment & Forest (MOEF)			
			and Central Pollution Control Board (CPCB)			
			c. State Pollution Control Boards (SPCB) and			
			regional offices			
			d. PCB owners and industries			
	Regulatory Implication	Allowed uses of the PCBs labeled equipment	Subjected to restriction to sell, buy, dismantle,			
			export PCBs labeled equipment			
			Subjected to obligation to inform authorities about			
			change of status, movement outside or inside a			
3.			factory, maintenance, etc.			
		Criteria to establish	Clear rules to be established for labeling of			
		if a particular object	equipment "possibly" contaminated by PCBs, since			
		needs to be / not to	it is not possible to analyze all the equipment			
		be labeled	possibly contaminated by PCBs in a short time			
4.	Information	Information to be	Decided in accordance with the target needs,			
		printed on the label	International standards and technical features of			

			the tracing system.
5.			Production of PCBs labels by PCB owners or a 'label
			factory'
	Printing and	Printing and	Labels must be more durable than the labeled
] .	Distribution	Distribution of labels	equipment themselves
			Establishment of a system for the distribution of
			Univocal Serial number for PCB labels
6.		Building and	Establishment of a bi-univocal relationship between
	Database	maintaining a	the PCBs labeled equipment and the Database
		database for the	Maintaining the Database at the local as well as the
		PCBs labeled	national level
		equipment	Assignment of proper resources
	Enforcement		To define a clear system of sanctions and incentives
			To assign responsibilities
			To inspect the following:
7.		Enforcement of the	a. Labeling of PCBs equipment in due time
/.		labeling system	b. Compliance of PCBs label with labeling
			standards
			c. Management of the PCBs labeled equipment
			with respect to the rules and requirements

Each of the above 7 requirements is further discussed in detail in the sections below.

6.2. LABELING OF PCBsCONTAINING EQUIPMENT

6.2.1. TARGET IDENTIFICATION

- Labels must include information about the person in-charge of emergency response. This
 would allow them to adopt the correct countermeasures in case of an accident (fire,
 leakage, etc.)
- Labels must include information about the person in-charge of handling, transporting and disposing PCB waste. This would result in reducing further risk to the environment by adopting the suitable technical rules for handling, transporting and disposing of waste.
- Labels must inform the general public that the labeled waste/equipment may present some danger to the health and also to the environment.
- Labels must contain contact reference (names, telephone numbers) for emergency and normal operation on PCB equipment.
- Labels should contain univocal reference numbers / codes for the control authorities.

6.2.2. CLEAR ASSIGNMENT OF RESPONSIBILITIES.

As Party of the Stockholm Convention, the Government of India is in-charge of identifying, labeling and removing PCBs from use and MOEF (Ministry of Environment and Forests) is the GEF focal

point for the Stockholm Convention on POPs, and is therefore in-charge of drafting the bills concerning the management of PCBs (including inventory, labeling, disposing), and enforcing the legislation once issued. The following should be consideredwhile arranging the inventory and labeling tasks:

- The Pollution Control Board of each state in India should be in-charge of coordinating the identification of PCBs in its territory. The Central Pollution Control Board should coordinate with the State Pollution Control Board (SPCB) to provide them with technical guidance and standards, and to collect and store at central level the information gathered at the State level.
- 2. The Ministry of Environment & Forests and its Central Pollution Control Board would:
 - a) Draft and circulate standard methodologies and documents for the identification and analysis of PCBs equipment of waste.
 - b) Design, build and maintain a Web Based PCB database, which should exchange information with the State database of PCB inventory.
 - c) Elaborate the standards for the labeling of PCBs equipment.
 - d) Provide technical assistance to the State Pollution Control Board on the PCB identification and labeling issues
 - e) Provide training to the State Pollution Control Board on PCBs inventory and labeling issues.

For the above purposes, a permanent organization should be established at the Central Pollution Control Board.

- 3. The State Pollution Control Boards or the regional offices should perform the tasks listed below:
 - a) List the industries and economic activities who are more likely to be users or owners of PCBs equipment (see chapter "PCBs Application by Industrial Sector);
 - Identify the industries/companies of the above list and the contact point for each industry/company by coordinating with the relevant State Chamber of Commerce or equivalent organizations;
 - c) Perform awareness training and dissemination;
 - d) Perform questionnaire survey by sending appropriate forms to the industries;
 - e) Confirm doubtful results by telephone call, site visits, sampling and analysis;
 - f) Distribute Univocal label serial numbers to the owner of PCBs contaminated equipment for the PCBs equipment to be labeled;

- g) Store information on PCBs equipment on a Web-based PCBs inventory database.
- 4. PCB owners and industries should:
 - a) Fill the PCB inventory forms in the correct format with the information required, by using hardcopies or electronic forms provided by SPCB;
 - b) Label PCBs equipment with standard labels serialized with the serial number provided by the SPCB, in compliance with the rules established for the PCBs inventory and labeling system;
 - c) Adopt any safety measure prescribed by the State Pollution Control Board;
 - d) Report on any variation concerning the PCBs equipment listed (for instance, decontamination, maintenance, transportation to another site, transportation for disposal etc.,) to the local authority in-charge for updation of PCBs database;
 - e) Comply with the requirement established by the India Hazardous Waste Rules, with special reference to the handling and transportation of PCBs containing waste.

6.2.3. REGULATORY IMPLICATION OF LABELING

Below, a list of proposed rules for the management of PCB labeled equipment is proposed.

- 1. Labels would have the legal meaning of a certificate issued by the local or central authority on the basis of the information provided by the owner of the equipment.
- 2. In general, three different PCBs labels would be used:
 - a. "PCBs containing equipment" label: Serialized and to be placed onto equipment which is certainly contaminated by PCBs over 50 ppm;
 - b. "Equipment potentially contaminated by PCBs" label: Serialized and to be placed onto equipment which, based on available information, is probably contaminated by PCBs over 50 ppm;
 - c. "<u>PCB Free</u>" label:NOT serialized as traceability is not necessary for non PCBs equipment and to be placed onto equipment which after analysis has been found to be not contaminated by PCBs.
- 3. Once identified as PCBs or PCBs suspected, the equipment must be labelled without delay.
- 4. After sampling and analysis, if it is found that the PCBs concentration of a labeled PCBs equipment is below 50 ppm, the authority must be provided with a copy of the analytical certificate, and the PCBs label can be removed and replaced with a "PCB free" label.

- 5. After sampling and analysis, if the measured PCBs concentration of a suspected PCBs equipment is found to be above 50 ppm, the authority must be provided with the analytical certificate, and the equipment must be labeled with a "PCBs containing equipment" label.
- 6. Equipment labeled as "Equipment potentially contaminated by PCBs" should be subjected to sampling and analysis of PCBs within a set deadline.
- 7. Each label serial number will be associated to a unique PCBs containing equipment; hence each PCB containing equipment will be identified by its specific label serial number. If, due to the equipment size, more labels are necessary for labeling a PCBs containing equipment, these labels will have the same serial number.
- 8. Instructions printed on the label are mandatory and must be fulfilled by the person in-charge.
- 9. Labels cannot be removed, deteriorated, hidden or replaced with other labels. In case labels are lost, deteriorated or destroyed by accidental causes, they must be replaced without delay.

6.2.4. INFORMATION TO BE PRINTED ON THE LABEL

The UN Global Harmonized System for substance classification and labeling and packaging should be adopted as reference standard.

Substance Identification	Name: Polychlorobiphenyls; PCB	CE Number: 215-648-1 CAS Number: 1336-36-3
Hazard	STOT RE 2*	May cause damage to respiratory system through prolonged or repeated exposure
classification and category codes:	Aquatic Acute Aquatic Chronic	Hazardous to the aquatic environment, chronic and acute
Hazard statement	H373**	May cause damage to respiratory system through prolonged or repeated exposure
(code)	H400	Very toxic to aquatic life
(code)	H410	Very toxic to aquatic life with long lasting effect
Pictogram and	GHS08	\$
sign warning	GHS09	
codes	Wng	
Hazard statement	H373**	May cause damage to respiratory system through prolonged or repeated exposure
(code)	H410	Very toxic to aquatic life with long lasting effect
Supp. Hazard Statement		
Specific Conc. Limit	STOT RE 2 H373: C ≥ 0.005 %	

Note	C	Supplier must state on label if the substance
Note		is a specific isomer or a mixture of isomers

- 1. Label of PCBs containing equipment should clearly indicate the following information, or equivalent:
 - a. The word "Warning" followed by "This equipment contains PCBs (Polychlorinated Biphenyls)
 - b. The serial number and the barcode of the serial number, if feasible.
 - c. Labeling date
 - d. Last Maintenance date of the Equipment
 - e. Information on the type of hazard and health effects, with respect to UN classification and labeling.
 - f. A sentence reminding that "It is severely forbidden to open this equipment. If it is necessary to open, move, replace or maintain this equipment, call the person incharge at the number "xxxxxxxxx"
 - g. A phone number to be called in case of leakage, fire or any other emergencies
- 2. On the basis of the above indication, a possible example for a PCB label is reported below





PCBs



Polychlorinated Biphenyls

The PCBs contained in this equipment is capable to cause cumulative permanent effect to the organism and to severely contaminate the environment. It is severely forbidden to open this equipment. If it is necessary to open, move, replace or repair this equipment, call the number 0091 – 11 – 123456789

In case of fire, leakage or any other emergency involving this equipment contact immediatly the emergency number below.

EMERGENCY HOTLINE 0091 - 11 - 987654321

UNIVOCAL EQUIPMENT CODE: ABC123456789CAB

6.2.5. PRINTING, DISTRIBUTING AND PLACING LABELS.

Once the equipment has been identified as containing PCBs, the owner of the equipment shall without delay contact the relevant authority for a PCBs serial number for each PCBs containing equipment

After receiving an application for one or more PCBs serial number, the authority shall send without delay to the owner of PCBs equipment, by fax or by mail, a list of PCBs serial number label and the specification for the PCBs label.

A temporary label could be used until the final label is ready.

After receiving the relevant serial numbers from the authority, the owners of PCBs containing equipment shall place them in a prominent position on the exterior of a PCBs containing equipment so that it can be easily read.

The design criteria for labels are: high visibility (for instance, a black text over a yellow background); high durability of the material as well as the printed text (both must last at least as long as the equipment itself), even if exposed to the rain and sun; and proper size.

With reference to the label sample provided above, a suggested size for the label could be in the order of 150x150 mm, as from USA and Canadian standards.

6.2.6. BUILDING AND MAINTAINING THE DATABASE

Each label must be associated with a record in a centralized database owned and managed by the relevant authorities oensure traceability. Two levels can be contemplated: centralized databases at the State level and National level database containing all the databases provided by the States.

The database shall have the same structure as that of the PCBs Inventory form.

6.2.7. ENFORCEMENT

A suitable supervision plan shall follow the implementation of the labeling system. Supervision shall be performed at 2 levels:

- 1. Supervision carried out by a Central authority on the activities of Provincial authority: The objective is to check that the system implemented by the Provincial authority is in place, and that it is in compliance with the technical specification and the national legislation.
- 2. Supervision carried out by a Local authority on the activities of the PCB owners: The objective is to verify that a) the equipment that must be labeled hasactually been labeled; b) the conformity between the information reported on the labels and the properties of the labeled equipment and c) the labeled equipment are used as indicated in the regulation requirements.

6.3. LABELING OF PCB CONTAMINATED AREAS (SIGNALING)

The main objective of signaling contaminated areas is to prevent people from being exposed to the contaminant present in the areaand also to mark the PCB storage area or PCB contaminated area for future reference. In case of contaminated areas, traceability is not required. But the PCB waste generated from the contaminated area should be traceable. Moreover, PCB contaminated areas should be inventoried, possibly by using a Centralized or a Web based Database. In case these sites are not permanently attended, signals and fences must be maintained and inspected regularly.

Signals should clearly indicate:

The strict prohibition to enter the site

- The nature of the hazard (PCB)
- A number to be called in case of emergency or accident
- The univocal area code.

A tentative example for a warning signal is shown below.




WARNING

This area is contaminated by

PCBs





EMERGENCY HOTLINE 0091 - 11 - 987654321

UNIVOCAL AREA CODE: ABC123456789CAB

7. ANNEX 1. NIC-2008 CLASSIFICATION OF INDUSTRIES

Section A Agriculture, forestry and fishing

Division 01 Crop and animal production, hunting and related service activities

Division 02 Forestry and logging

Division 03 Fishing and aquaculture

Section B Mining and quarrying

Division 05 Mining of coal and lignite

Division 06 Extraction of crude petroleum and natural gas

Division 07 Mining of metal ores

Division 08 Other mining and quarrying

Division 09 Mining support service activities

Section C Manufacturing

Division 10 Manufacture of food products

Division 11 Manufacture of beverages

Division 12 Manufacture of tobacco products

Division 13 Manufacture of textiles

Division 14 Manufacture of wearing apparel

Division 15 Manufacture of leather and related products

Division 16 Manufacture of wood and products of wood and cork, except furniture;

Division 17 Manufacture of paper and paper products

Division 18 Printing and reproduction of recorded media

Division 19 Manufacture of coke and refined petroleum products

Division 20 Manufacture of chemicals and chemical products

Division 21 Manufacture of pharmaceuticals, medicinal chemical and botanical products

Division 22 Manufacture of rubber and plastics products

Division 23 Manufacture of other non-metallic mineral products

Division 24 Manufacture of basic metals

Division 25 Manufacture of fabricated metal products, except machinery and equipment

Division 26 Manufacture of computer, electronic and optical products

Division 27 Manufacture of electrical equipment

Division 28 Manufacture of machinery and equipment n.e.c.

Division 29 Manufacture of motor vehicles, trailers and semi-trailers

Division 30 Manufacture of other transport equipment

Division 31 Manufacture of furniture

Division 32 Other manufacturing

Division 33 Repair and installation of machinery and equipment

Section D Electricity, gas, steam and air conditioning supply

Division 35 Electricity, gas, steam and air conditioning supply

Group 351 Electric power generation, transmission and distribution

35101 Electric power generation by hydroelectric power plants

35102 Electric power generation by coal based thermal power plants

35103 Electric power generation by non-coal based thermal (e.g. diesel, gas)

35104 Electric power generation and transmission by nuclear power plants

35105 Electric power generation using solar energy

35106 Electric power generation using other non-conventional sources

35107 Transmission of electric energy

35109 Collection and distribution of electric energy to households, industrial, commercial and other usersn.e.c.

Group 352 Manufacture of gas; distribution of gaseous fuels through mains

Group 353 Steam and air conditioning supply

Section E Water supply; sewerage, waste management and remediation activities

Division 36 Water collection, treatment and supply

Division 37 Sewerage

Division 38 Waste collection, treatment and disposal activities; materials recovery

Division 39 Remediation activities and other waste management services

Section F Construction

Division 41 Construction of buildings

Division 42 Civil engineering

Division 43 Specialized construction activities

Section G Wholesale and retail trade; repair of motor vehicles and motorcycles

Division 45 Wholesale and retail trade and repair of motor vehicles and motorcycles

Division 46 Wholesale trade, except of motor vehicles and motorcycles

Division 47 Retail trade, except of motor vehicles and motorcycles

Section H Transportation and storage

Division 49 Land transport and transport via pipelines

Division 50 Water transport

Division 51 Air transport

Division 52 Warehousing and support activities for transportation

Division 53 Postal and courier activities

Section I Accommodation and Food service activities

Division 55 Accommodation

Division 56 Food and beverage service activities

Section J Information and communication

Division 58 Publishing activities

Division 59 Motion picture, video and television programme production, sound recordingand music publishing activities

Division 60 Broadcasting and programming activities

Division 61 Telecommunications

Division 62 Computer programming, consultancy and related activities

Division 63 Information service activities

Section K Financial and insurance activities

Division 64 Financial service activities, except insurance and pension funding

Division 65 Insurance, reinsurance and pension funding, except compulsory socialsecurity

Division 66 Other financial activities

Section L Real estate activities

Division 68 Real estate activities

Section M Professional, scientific and technical activities

Division 69 Legal and accounting activities

Division 70 Activities of head offices; management consultancy activities

Division 71 Architecture and engineering activities; technical testing and analysis

Division 72 Scientific research and development

Division 73 Advertising and market research

Division 74 Other professional, scientific and technical activities

Division 75 Veterinary activities

Section N Administrative and support service activities

Division 77 Rental and leasing activities

Division 78 Employment activities

Division 79 Travel agency, tour operator and other reservation service activities

Division 80 Security and investigation activities

Division 81 Services to buildings and landscape activities

Division 82 Office administrative, office support and other business support activities

Section O Public administration and defence; compulsory social security

Division 84 Public administration and defence; compulsory social security

Section P Education

Division 85 Education

Section Q Human health and social work activities

Division 86 Human health activities

Division 87 Residential care activities

Division 88 Social work activities without accommodation

Section R Arts, entertainment and recreation

Division 90 Creative, arts and entertainment activities

Division 91 Libraries, archives, museums and other cultural activities

Division 92 Gambling and betting activities

Division 93 Sports activities and amusement and recreation activities

Section S Other service activities

Division 94 Activities of membership organizations

Division 95 Repair of computers and personal and household goods

Division 96 Other personal service activities

Section T Activities of households as employers; undifferentiated goods- and

services producing activities of households for own use

Division 97 Activities of households as employers of domestic personnel

Division 98 Undifferentiated goods- and services-producing activities of private

Section U Activities of extraterritorial organizations and bodies

Division 99 Activities of extraterritorial organizations and bodies