



**TOGETHER**  
*for a sustainable future*

## OCCASION

This publication has been made available to the public on the occasion of the 50<sup>th</sup> anniversary of the United Nations Industrial Development Organisation.



**TOGETHER**  
*for a sustainable future*

## DISCLAIMER

This document has been produced without formal United Nations editing. The designations employed and the presentation of the material in this document do not imply the expression of any opinion whatsoever on the part of the Secretariat of the United Nations Industrial Development Organization (UNIDO) concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries, or its economic system or degree of development. Designations such as “developed”, “industrialized” and “developing” are intended for statistical convenience and do not necessarily express a judgment about the stage reached by a particular country or area in the development process. Mention of firm names or commercial products does not constitute an endorsement by UNIDO.

## FAIR USE POLICY

Any part of this publication may be quoted and referenced for educational and research purposes without additional permission from UNIDO. However, those who make use of quoting and referencing this publication are requested to follow the Fair Use Policy of giving due credit to UNIDO.

## CONTACT

Please contact [publications@unido.org](mailto:publications@unido.org) for further information concerning UNIDO publications.

For more information about UNIDO, please visit us at [www.unido.org](http://www.unido.org)

22374

OFFICE : No. 201  
Mahestan Bld.  
Enghelab Sqr.  
TEHRAN IRAN  
Tel. 00 98 21 6432854  
Fax 00 98 21 6420759



Zagros II Final Report (Page 1)

**REPORT**

CONVERSION OF

**ZAGROS II Co.**

**HOT CHAMBER**

FINAL REPORT

**Contract No. 99/096P**

**UNIDO's PROJECT No. MP/IRA/97/196**

2 May 2000

Factory : No. 4 Street Iraqui Street Rajaii. TEHRAN IRAN  
Telfax 0098-21-5052836 Po.Bo. 18915-133



TestDate: 79/01/15 08:12


Report No.: ( ) - Page 1

PageTestName: Energy Consumption


ReportDate: 79/02/22 16:03

### Page Result :

- |                             |                          |
|-----------------------------|--------------------------|
| 1 - Page Test Time          | 5 Hours                  |
| 2 - Working Percent         | 59 %On                   |
| 3 - Energy (Accord to page) | 1.873 kwh                |
| 4 - Zoom Time               | 1:57 Hour                |
| 5 - Compr Current           | 1.19 Amp                 |
| 6 - Evaprator Mean Temp     | -18.8 C                  |
| 7 - Cabin Mean Temp         | -18.8 C                  |
| 8 - Crisp Temp              | -19.3 C                  |
| 9 - Compr Temp              | 34.6 C                   |
| 10- Condensor In Temp       | 33.6 C                   |
| 11- Condensor Out Temp      | 34 C                     |
| 12- Condition               | 32 C 40 %H               |
| 13- Volt                    | Max=226 Mean=224 Min=219 |
| 14-                         |                          |
| 15-                         |                          |
| 16-                         |                          |
| 17-                         |                          |



Industrial Control Research Center HotRoom Ver 5



**OFFICE :** No. 201  
Mahestan Bld.  
Enghelab Sqr.  
TEHRAN IRAN  
Tel. 00 98 21 6432854  
Fax 00 98 21 6420759



**Zagroos II** Final Report (Page 2)

## **TABLE OF CONTENTS**

**1-SYNOPSIS**

**2-INTRODUCTION**

**3-ICRC HOT CHAMBER CHARACTERISTICS**

**4- PLANT HOT CHAMBER, TECHNICAL CHARACTERISTICS**

**5- CENTER HOT CHAMBER TECHNICAL CHARACTERISTICS**

**6-ACTIVITIES**

**7 SUPPLY PARTS AND MATERIALS**

**8-CONCLUSION**

**9-RECOMMENDATION**

**10-ATTACHMENTS**

**Factory :** No. 4 Street Iraqui Street Rajaii. TEHRAN IRAN  
Telfax 0098-21-5052836 Po.Bo. 18915-133

**OFFICE :** No. 201  
Mahestan Bld.  
Enghelab Sqr.  
TEHRAN IRAN  
Tel. 00 98 21 6432854  
Fax 00 98 21 6420759



**Zagroos II** Final Report ( *Page 3* )

## **SYNOPSIS**

Under supreme supervision of **UNIDO** the **CFC** phase project has been implemented in Iran to phase out 100 % ODS in some Iranian White Industries

The project No. **MP/IRA/97/196** has been nominated to Islamic Republic of Iran for the Multilateral Fund for the implementation of The Montreal Protocol Financing.

The project was approved by Montreal Protocol Multilateral Fund executive committee. The project was actually started in November 1994, but the implementation of the project has been already started from January 1994, by recommendation of Montreal Protocol and request of Government of Islamic Republic of Iran, the refrigerant R134a was finally approved and selected by **UNIDO** as an alternative for refrigerant R12.

**Zagross II Co.** As a home appliance and Industrial Refrigerator manufacturer in Iran the main activities of **Zagross II Co.** , is producing refrigerators and freezers,

**Factory :** No. 4 Street Iraqui Street Rajaii. TEHRAN IRAN  
Telfax 0098-21-5052836 Po.Bo. 18915-133

**OFFICE :** No. 201  
Mahestan Bld.  
Enghelab Sqr.  
TEHRAN IRAN  
Tel. 00 98 21 6432854  
Fax 00 98 21 6420759



**Zagros II** Final Report (Page 4)

## INTRODUCTION

According to **UNIDO** contract No. 99/096P with Industrial Control Research Center Co. (**ICRC**) the existing *Zagross II Co.* hot chambers facilities shall be converted and modified to phase out CFC-12 and suitable for **R134a** refrigerant to perform functionality and performance test of converted refrigerators and complying with ISO standards 7173, 8187, and 5155.

- 1 This proposal has been prepared based on the requirements of Islamic Republic of Iran indicated in the country program no *UNEP/OZL.PRO/EX COM/10/24* dated 27 May 1993 prepared by **UNDP**.

**Factory :** No. 4 Street Iraqui Street Rajaii. TEHRAN IRAN  
Telfax 0098-21-5052836 Po.Bo. 18915-133

**OFFICE :** No. 201  
Mahestan Bld.  
Enghelab Sqr.  
TEHRAN IRAN  
Tel. 00 98 21 6432854  
Fax 00 98 21 6420759



**Zagroos II Final Report (Page 5)**

- 2 The CFC phase out project in *Zagross II Co.* will enable *Zagross II Co.* to convert the existing production line facilities and existing hot chambers into Non CFC production line, using R134a refrigerant.
  
- 3 The converted Hot Chamber Installations will provide more than 20 data points in the refrigeration circuit this means more information and the ability of analyzing refrigeration system and new refrigerant effect.
  
- 4 The reconstructed Hot Chamber will be able to check and test 2 refrigerator and/or ref.-freezers units at the same time. The same equipment and data processing system, as will be used at plant test room will be installed in this chamber.
  
- 5 The immediate effect of this project at *Zagross II Co.* is to perform all required check and tests, suitable for Refrigerator & Freezers using Ozone Friendly Gases. The existing test facilities in *Zagross II Co.* are not adequate for check and testing, converted ref. and freezer units, in addition to that the hot rooms are not able to perform Energy Consumption and Optimization Program.

**Factory :** No. 4 Street Iraqui Street Rajaii. TEHRAN IRAN  
Telfax 0098-21-5052836 Po.Bo. 18915-133

**OFFICE :** No. 201  
Mahestan Bld.  
Enghelab Sqr.  
TEHRAN IRAN  
Tel. 00 98 21 6432854  
Fax 00 98 21 6420759



**Zagross II** Final Report (Page 6)

## **ICRC Hot Chamber Characteristics**

In order to convert *Zagross II Co.* hot rooms facilities , ICRC shall provide following services:

- Supply of new equipment.
- Redesign of old equipment
- Delivery of technical drawings and software.
- Installation and commissioning.
- Start-up of the equipment and the technology.
- On-the-job training of the plant personnel.

With respect to **ISO** standards test requirements, and for the purpose of functionality and performance tests of the new redesigned Refrigerator and Ref.-Freezers using R134a refrigerants. The existing hot room in *Zagross II Co.* is being converted and equipped in such a way to enable *Zagross II Co.* to check and test at least one different models of refrigerators and freezers at ambient temperature 32 to 43 degree centigrade at one hot room chambers . In addition to these services is providing. But the hot room is capable to test eight refrigerators and freezers in case of adding more transducers and sensors in the main panel in the hot room:

- a) Procurement of new test measurement and data processing equipment.
- b) Redesign and rebuilding of presently used equipment and installation.
- c) Installation, commissioning, trial operation, start-up and on-the-job training

**Factory :** No. 4 Street Iraqui Street Rajaii. TEHRAN IRAN  
Telfax 0098-21-5052836 Po.Bo. 18915-133



**OFFICE :** No. 201  
Mahestan Bld.  
Enghelab Sqr.  
TEHRAN IRAN  
Tel. 00 98 21 6432854  
Fax 00 98 21 6420759



**Zagroos II** Final Report (Page 7)

## **ZAGROSS II HOT CHAMBER TECHNICAL SPECIFICATION**

As previously mentioned , *Zagross II Co.*'s plant is producing 50 refrigerator daily . And subsequently the hot chamber should have been able to cover plant daily test requirement as well as other activities. Therefore, the converted hot chamber should respond to all test requirement and be able to meet ISO standards numbers 7371, 5155, 8187 as set forth in the contract and IJISI, Iranian standards numbers 254, 2482, 2818. The plant hot chamber technical specification are as follows:

- Hot Chamber Dimension about 3 mt. by 3 mt.
- Refrigerator test ability simultaneously, 2 units and ability to test 6 sample out of the room
- Ability to perform following operational tests and report:
  - 1 - Pull down test.
  - 2 - Continuous run test.
  - 3 - Cyclic run test.
  - 4 - Ice Freeze test.
  - 5 - Energy consumption test

**Factory :** No. 4 Street Iraqui Street Rajaii. TEHRAN IRAN  
Telfax 0098-21-5052836 Po.Bo. 18915-133

**OFFICE :** No. 201  
Mahestan Bld.  
Enghelab Sqr.  
TEHRAN IRAN  
Tel. 00 98 21 6432854  
Fax 00 98 21 6420759



**Zagroos II** Final Report (Page 8)

- 20 Measuring points, including. (for each applia.)

- 1 - Humidity, one point for one hot room.
- 2 - Compressor Power, 2 point
- 3 - Motor current, 2 point.
- 4 - Supply Voltage, 2 point.
- 5 - Hot chamber air temperature reading, one point.

160 points for eight models in case of improving the system by spending very low costs.

- Computerized graphical diagram of the refrigerator performance data sheet.
- Test measurement tolerance for temperature reading 0.3 degree centigrade.
- Computerized data processing system.
- Full color test sheet system reporting.

**Factory :** No. 4 Street Iraqui Street Rajaii. TEHRAN IRAN  
Telfax 0098-21-5052836 Po.Bo. 18915-133

**OFFICE :** No. 201  
Mahestan Bld.  
Enghelab Sqr.  
TEHRAN IRAN  
Tel. 00 98 21 6432854  
Fax 00 98 21 6420759



**Zagroos II** Final Report ( *Page 9* )

- On screen and data reporting system ability with following characteristics;

- 1 - Test number.**
- 2 - Product name.**
- 3 - Product model**
- 4 - Product internal volume**
- 5 - Compressor name**
- 6 - Compressor model**
- 7 - Compressor cooling capacity**
- 8 - Compressor current**
- 9 - Thermostat setting**
- 10 - Thermostat type.**
- 11 - Total test running time.**
- 12 - Ambient temperature.**
- 13 - Voltage rating**
- 14 - Working percentage**

**Factory :** No. 4 Street Iraqui Street Rajaii. TEHRAN IRAN  
Telfax 0098-21-5052836 Po.Bo. 18915-133

**OFFICE :** No. 201  
Mahestan Bld.  
Enghelab Sqr.  
TEHRAN IRAN  
Tel. 00 98 21 6432854  
Fax 00 98 21 6420759



**Zagroos II** Final Report ( *Page 10* )

- 15 - Evaporator mean air temperature**
- 16 - Cabin mean temperature**
- 17 - Evaporator bulb temperature**
- 18 - Crisper temperature.**
- 19 - Actual compressor running time**
- 20 - Energy consumption**
- 21 - Compressor motor winding temperature**
- 22 - Compressor shell temperature.**
- 23 - Compressor discharge temperature.**
- 24 - Condenser inlet temperature.**
- 25 - Condenser out let temperature.**
- 26 - Condenser mid temperature**
- 27 - Evaporator inlet temperature**
- 28 - Evaporator outlet temperature.**
- 29 - Freezing temperature.**
- 30 - Refrigeration system condition display.**

**Factory :** No. 4 Street Iraqui Street Rajaii. TEHRAN IRAN  
Telfax 0098-21-5052836 Po.Bo. 18915-133

**OFFICE :** No. 201  
Mahestan Bld.  
Enghelab Sqr.  
TEHRAN IRAN  
Tel. 00 98 21 6432854  
Fax 00 98 21 6420759



**Zagroos II** Final Report ( *Page 11* )

## **ACTIVITIES**

The following activities were accomplished so far toward achievement of the contract requirement as set forth by **UNIDO** and the counterpart.

- 1 - Planning for;
  - a) Hot chambers system management.
  - b) Hot chambers graphic display management.
  - c) Hot chambers calibration setting parameters.
  - d) Hot chambers test standards management
- 2 - Preparing material requirement list.
- 3 - Component and material supply source evaluation.
- 4 - Technical data collecting.
- 5 - Engineering drawing for electronic and electrical system
- 6 - Hot chamber design review.

**Factory :** No. 4 Street Iraqui Street Rajaii. TEHRAN IRAN  
Telfax 0098-21-5052836 Po.Bo. 18915-133

**OFFICE :** No. 201  
Mahestan Bld.  
Enghelab Sqr.  
TEHRAN IRAN  
Tel. 00 98 21 6432854  
Fax 00 98 21 6420759



**Zagroos II** Final Report ( *Page 12* )

- 7 - Data processing software planning.
- 8 - Data processing hardware planning.
- 9 - Thermal amplification electronic cart design
- 10 - Preparation of timer 1 flow chart..
- 11 - Initial test of data loggers electronic cart.
- 12 - Initial connection of data loggers to the computers.
- 13 - Interface electronic cart design for PC and operating system.
- 14 - RTX3 electronic diagram design.
- 15 - RTX electronic diagram design.
- 16 - UNIDO, CRC - 386 design.
- 17 - UNIDO, TC- 100 design.
- 18 - UNIDO, in-out CRC design.
- 19 - Preparation of operating system display flow chart.

**Factory :** No. 4 Street Iraqui Street Rajaii. TEHRAN IRAN  
Telfax 0098-21-5052836 Po.Bo. 18915-133

**OFFICE :** No. 201  
Mahestan Bld.  
Enghelab Sqr.  
TEHRAN IRAN  
Tel. 00 98 21 6432854  
Fax 00 98 21 6420759



**Zagros II** Final Report (Page 13)

## 20 - Visits and coordination;

### 20/1 :

- Visiting plant One day, One engineer, one time.
- Visiting and coordinating with UNDP office .
- Technical negotiation with *Zagross II Co.* engineers and hot chamber in order to coordinate activities.
- Advising for the necessary modification on the Room .

### 20/2 :

- Visiting plant 3 days , 5 engineer and Technician, one time.
- Installation Electronic Panel
- Installation Electrical Panel
- Completing The Room
- Starting Test
- Controlling Condition Of the Room
- Testing 2 Samples for Energy Consumption
- Testing 2 Samples for Performance Test
- Testing 2 Samples for Fume Quality
- Teaching the technical Test

### 20/3 :

- Visiting plant 2 days , 2 engineer and One Technician, one time.
- Testing Controlling Condition Of the Room
- Testing 2 Samples for Energy Consumption
- Testing 2 Samples for Performance Test
- Testing 2 Samples for Fume Quality
- Teaching the technical Test

**Factory :** No. 4 Street Iraqui Street Rajaii. TEHRAN IRAN  
Telfax 0098-21-5052836 Po.Bo. 18915-133

**OFFICE :** No. 201  
Mahestan Bld.  
Enghelab Sqr.  
TEHRAN IRAN  
Tel. 00 98 21 6432854  
Fax 00 98 21 6420759



**Zagros II** Final Report ( *Page 14* )

- Visiting and coordinating with **UNDP office** .
- Technical negotiation with *Zagross II Co.* engineers and hot chamber in order to coordinate activities.
- Advising for the necessary modification on the Samples .

**21 - Soft Ware :**

- data gathering
- calibrating
- printing
- editing
- humidi curving
- self checking

**All software are installed and Started**

**Factory :** No. 4 Street Iraqui Street Rajaii. TEHRAN IRAN  
Telfax 0098-21-5052836 Po.Bo. 18915-133



**OFFICE :** No. 201  
Mahestan Bld.  
Enghelab Sqr.  
TEHRAN IRAN  
Tel. 00 98 21 6432854  
Fax 00 98 21 6420759



**Zagroos II** Final Report (Page 15)

## **SUPPLY PARTS AND MATERIALS**

*In order to fabricate components and electronic kits following material and parts have been purchased so far.*

- 1 - Semiconductor sensors for measuring temperature from - 30 to + 110 degree centigrade. 32 each
- 2 - Electronic humidity measurement sensor 1 each
- 3 - Electronic data logger cart for temperature measurement 2 each
- 4 - Electronic data logger cart for humidity Calibration 1 each
- 5 - ADC912 Converter IC for system conversion management.
- 6 - Electronic parts consist of resistor. IC, capacitor, and diode.
- 7 - Main Electronic Data Log
- 8 - (2\*24) Electronic Sensors for Thermal Measuring
- 9 - (2\*4) Electronic Sensors for Thermal Measuring of Condenser
- 10 -Heater Controller contractors

**Factory :** No. 4 Street Iraqui Street Rajaii. TEHRAN IRAN  
Telfax 0098-21-5052836 Po.Bo. 18915-133

```
Dim Black, Blue, Green
Dim Cyan, red, Magenta, YELLOW
Dim gray, L_Blue, L_Green
Dim L_cyan, L_red, L_Magenta, L_yellow

Dim prn_color As Integer 'False=Black & White ; True=Color

Dim printcolor As Integer
Dim Y, Repstr$, Rot_Txt_no%
Dim printerdrawwidth As Integer
Dim offset, PageNo
Dim Lb_Tmp As Label
Dim FirstKey

Dim Rec_Max%
    Dim SegEn
    Dim ActiveFrame      As Integer
    Dim ActiveLabel      As Integer
    Dim Seg_n            As Integer

    Dim PrnPageNo        As Integer
    Dim ActivePage       As Integer

    Dim sl%, st%, sw%, sh%, dw%
    Dim a30 As String * 30

    Dim rr() 'Extracted Results
```

```
Sub cmd_click (Index As Integer)
```

```
    Select Case Index
```

```
        Case 0
```

```
            'print
```

```
                screen.MousePointer = 11
```

```
                Cmd(0).Enabled = False
```

```
                Cmd(1).Enabled = False
```

```
                DoEvents
```

```
                Call Print_All
```

```
                Call Save_Spec
```

```
                screen.MousePointer = 0
```

```
                Cmd(0).Enabled = True
```

```
Cmd(1).Enabled = True
'Unload Me
```

```
Case 1                                'Save
    nn = Variable("Prnt", "Write")
    nn = Variable("Prnt", "Read")
Case 2                                'cancel
    Unload Me
Case 3
    Me.Hide
    Paper.Show
End Select
Exit Sub
End Sub
```

```
'-----
'
Sub Color_chk_Click (Value As Integer)
```

```
    If color_chk.Value = False Then
        prn_color = False
        color = 0
        Black = color
        Blue = color
        Green = color
        Cyan = color
        red = color
        Magenta = color
        YELLOW = color
        gray = color
        L_Blue = color
        L_Green = color
        L_cyan = color
        L_red = color
        L_Magenta = color
        L_yellow = color
```

```
Else
    prn_color = True
    Black = QBColor(0)
    Blue = QBColor(1)
    Green = QBColor(2)
    Cyan = QBColor(3)
    red = QBColor(4)
```

```
Magenta = QBColor(5)
YELLOW = QBColor(6)
gray = QBColor(8)
L_Blue = QBColor(9)
```

```
L_Green = QBColor(10)
  L_cyan = QBColor(11)
  L_red = QBColor(12)
  L_Magenta = QBColor(13)
  L_yellow = QBColor(14)
End If
```

```
End Sub
```

```
'-----
```

```
Sub crv (mode$, Rec1, Rec2)
```

```
  Select Case mode$
```

```
    Case "prn"
```

```
      printer.ForeColor = Black
      printer.FontName = "Arial"
      printer.FontSize = 10
      obj = activeobj
```

```
      'print x_axis
```

```
      printer.DrawWidth = 3 * printerdrawwidth
```

```
      printer.Line (Rec1, 0)-(Rec2, 0)'axis
```

```
      printer.DrawWidth = 1
```

```
      printer.DrawStyle = 2'=Dot 3=Dash-Dot 4=Dash_Dot_Dot
```

```
      For i = -300 To 1000 Step 100
```

```
        printer.Line (Rec1, i)-(Rec2, i)
```

```
      Next i
```

```
      Rec = zoom(Seg_n).X1
```

```
      printer.DrawWidth = 3 * printerdrawwidth
```

```
      printer.ForeColor = IIf(prn_color = False, Black, zoom(Seg_n).Bord
```

```
      printer.Line (Rec, -300)-(Rec, 1000)
```

```
      printer.DrawStyle = 0 'Solid
```

```
      printer.DrawWidth = 1 * printerdrawwidth
```

```
      printer.CurrentX = Rec - RecLb(Seg_n).Width / 2
```

```
      printer.CurrentY = 1030
```

```
      printer.Print RecLb(Seg_n).Caption
```

```
  n = -1
```

```
R1 = (Rec1 \ 10 + 1) * 10
R2 = (Rec2 \ 10) * 10
```

```
printer.FontSize = 5
printer.ForeColor = Black
For Rec = R1 To R2 Step 10
```

```
printer.Line (Rec, 10)-(Rec, -10), Black
  n = n + 1
  If n Mod 3 = 0 Then
    B$ = Right$("0" & Rec \ 60, 2) & ":" & Right$("0" & Rec Mo
    printer.CurrentX = Rec - 2'offset / 13
    printer.CurrentY = -12
    printer.Print B$
  End If
Next Rec
```

```
'graph
For n = 0 To 1
  For d = 1 To 6
    If curve_Item(n, d) < 50 Then
      z = curve_Item(n, d)
      If curve_color(n, d) = 15 Then col = 0 Else col = curv
      printer.ForeColor = IIf(prn_color = False, Black, QBCo
      For Rec = Rec1 To Rec2 - 1
        bool1 = grf(26, Rec) = 789
        bool2 = grf(26, Rec + 1) = 789
        If bool1 And bool2 Then
          Y1 = grf(z, Rec)
          Y2 = grf(z, Rec + 1)
          printer.Line (Rec, Y1)-(Rec + 1, Y2)
        End If
      Next Rec
    End If
  Next d
Next n
```

```
Case "grfall"
```

```
On Error Resume Next 'Note:Karim
```

```
obj = activeobj
```

```
grafall.Cls
```

```
grafall.DrawMode = 7
```

```
'(7=xor 13=copy)
```

```
RecAll_End = UBound(grf, 2) - 1
```

```
If Err = 9 Then
```

```
  Rec_Max = 0
```

```
  Exit Sub
```

```
End If
Rec_Max = RecAll_End
screen.MousePointer = 11
sw = IIf(RecAll_End < 100, 100, RecAll_End)
grafall.ScaleWidth = sw'+ recall_end \ 10
grafall.ScaleLeft = 0
recall_start = 1
grafall.Line (recall_start, 0)-(RecAll_End, 0), QBColor(3)

For n = 0 To 1
For d = 1 To 6
  If curve_Item(n, d) < 50 Then
    z = curve_Item(n, d)
    If hr.lbt(z).Visible = True Then
      grafall.ForeColor = QBColor(curve_color(n, d))
      For Rec = recall_start To RecAll_End - 1
        If grf(26, Rec) = 789 And grf(26, Rec + 1) = 789 Then
          grafall.Line (Rec, grf(z, Rec))-(Rec + 1, grf(z, Rec + 1))
        End If
      Next Rec
    Else
      curve_Item(n, d) = 50
      hr.lbt(z).ForeColor = QBColor(0)
      hr.lbt(z).BackColor = &H202020
    End If
  End If
Next d
Next n
screen.MousePointer = 0
Case "grfzoom"
  On Error Resume Next
  obj = activeobj

  zoomarea = 30
  zoomarea2 = zoomarea \ 2
  grafzoom.ScaleWidth = zoomarea
  'X = Int(zoom.X1 + .5)
  'If X > Rec_Max Then Stop
  grafzoom.ScaleLeft = X - zoomarea2

  Rec_Start = IIf(X - zoomarea2 > 0, X - zoomarea2, 0)
  Rec_end = IIf(X + zoomarea2 < Rec_Max, X + zoomarea2, Rec_Max)

  'Rec_Start = Seg(ActiveSeg).Left
```

```
'Rec_End = Rec_Start + Seg(ActiveSeg).Width
'grafzoom.ScaleWidth = Seg(ActiveSeg).Width
'grafzoom.ScaleLeft = Rec_Start

grafzoom.Cls
grafzoom.DrawMode = 7 ' (7=xor 13=copy)
grafzoom.Line (Rec_Start, 0)-(Rec_end, 0), QBColor(3)
For n = 0 To 1
For d = 1 To 6
    If curve_Item(n, d) < 50 Then

z = curve_Item(n, d)
    If hr.lbt(z).Visible = True Then
        grafzoom.ForeColor = QBColor(curve_color(n, d))
        For Rec = Rec_Start To Rec_end - 1
            If grf(26, Rec) = 789 And grf(26, Rec + 1) = 789 Then
                grafzoom.Line (Rec, grf(z, Rec))-(Rec + 1, grf(z, Rec +
                End If
            Next Rec
        Else
            curve_Item(n, d) = 50
            hr.lbt(z).ForeColor = QBColor(0)
            hr.lbt(z).BackColor = &H202020
        End If
    End If
Next d
Next n
screen.MousePointer = 0
Call ResultsGrf_click
End Select

End Sub

'
'
Sub CrvZoom ()

    On Error Resume Next
    obj = activeobj
    zoomarea = 30
    zoomarea2 = zoomarea \ 2
    grafzoom.ScaleWidth = Val(PrnLb(27)) * 60
    grafzoom.ScaleLeft = Seg(ActivePage).Left
    Rec_Start = grafzoom.ScaleLeft + 1
```

```
Rec_end = Rec_Start + grafzoom.ScaleWidth - 1
If Rec_end > UBound(grf, 2) Then Rec_end = UBound(grf, 2)
grafzoom.Cls
grafzoom.DrawMode = 7 ' (7=xor 13=copy)
grafzoom.Line (Rec_Start, 0)-(Rec_end, 0), QBColor(3)
For n = 0 To 1
  For d = 1 To 6
    If curve_Item(n, d) < 50 Then
      z = curve_Item(n, d)
      If hr.lbt(z).Visible = True Then
        grafzoom.ForeColor = QBColor(curve_color(n, d))
        If Rec_Start < 1 Then Rec_Start = 1
        For Rec = Rec_Start To Rec_end - 1
          bol1 = (grf(26, Rec) = 789)
          bol2 = (grf(26, Rec + 1) = 789)
          If bol1 And bol2 Then
            Y2 = grf(z, Rec + 1)
            Y1 = grf(z, Rec)
            grafzoom.Line (Rec, Y1)-(Rec + 1, Y2)
          End If
        Next Rec
      Else
        'curve_Item(n, d) = 50
        'hr.lbt(z).ForeColor = QBColor(0)
        'hr.lbt(z).BackColor = &H202020
      End If
    End If
  Next d
Next n
z = Int(zoom(ActivePage).X1)
zoomzoom.X1 = z
zoomzoom.X2 = z
zoomzoom.BorderColor = zoom(ActivePage).BorderColor
Grfzoom_pnl.BackColor = zoomzoom.BorderColor
a$ = Right$("0" & z \ 60, 2) & ":" & Right$("0" & z Mod 60, 2)
RecLb(ActivePage).Caption = a$
Call ResultsGrf_click

End Sub

'
'
Sub Extract_Results ()

ReDim rr(0 To 4, 0 To 4)
'rr(main,p1,p2,p3,p4;;TTT,work_on,work_off,June)
```



```
Const main = 0, TTT = 0 'TTT=Total Test Time
Const workon = 1, workoff = 2, Jule = 3
Const CMT = 4 'CMT=Cabin Mid. Temprature
x0 = 1
n_cmt_main = 0
For Page = 1 To PrnPageNo
  n_cmt_Seg = 0
  Rec1 = Int(Seg(Page).Left + .5)
  Rec2 = Rec1 + Int(Seg(Page).Width + .5)
  For Rec = x0 To Rec1
    If grf(26, Rec) = 789 Then
      If grf(18, Rec) < 30 Then
        rr(main, workoff) = rr(main, workoff) + 1
      Else
        rr(main, workon) = rr(main, workon) + 1
      End If
      rr(main, Jule) = rr(main, Jule) + grf(20, Rec)
      rr(main, CMT) = rr(main, CMT) + grf(4, Rec) + grf(5, Rec)
      n_cmt_main = n_cmt_main + 3'4
    End If
  Next Rec
  x0 = Rec1 + 1
  For Rec = Rec1 + 1 To Rec2
    If grf(26, Rec) = 789 Then
      If grf(18, Rec) < 30 Then
        rr(i, workoff) = rr(i, workoff) + 1
        rr(main, workoff) = rr(main, workoff) + 1
      Else
        rr(i, workon) = rr(i, workon) + 1
        rr(main, workon) = rr(main, workon) + 1
      End If
      rr(i, Jule) = rr(i, Jule) + grf(20, Rec)
      rr(main, Jule) = rr(main, Jule) + grf(20, Rec)

      rr(i, CMT) = rr(i, CMT) + grf(4, Rec) + grf(5, Rec) + grf(
      n_cmt_Seg = n_cmt_Seg + 3
      rr(main, CMT) = rr(main, CMT) + grf(4, Rec) + grf(5, Rec)
      n_cmt_main = n_cmt_main + 3

    End If
  Next Rec
  rr(i, TTT) = Rec2 - Rec1
  rr(i, CMT) = Int(rr(i, CMT) / n_cmt_Seg + .5)
  x0 = Rec2 + 1
Next Page
Rec1 = RecEnd0
```

```
For Rec = x0 To Rec1
  If grf(26, Rec) = 789 Then
    If grf(18, Rec) < 30 Then
      rr(main, workoff) = rr(main, workoff) + 1
    Else
      rr(main, workon) = rr(main, workon) + 1
    End If
    rr(main, Jule) = rr(main, Jule) + grf(20, Rec)
    rr(main, CMT) = rr(main, CMT) + grf(4, Rec) + grf(5, Rec) + gr
    n_cmt_main = n_cmt_main + 3
  End If
Next Rec
rr(main, TTT) = RecEnd0
rr(main, CMT) = Int(rr(main, CMT) / n_cmt_main + .5)
```

End Sub

```
Sub Form_Activate ()
'Call PrnLb_Mousedown(0, 0, 0, 0, 0)
End Sub
```

-----  
'  
Sub Form\_Load ()

```
If Dir("c:\hrl.exe") <> "" Then Exit Sub
nn = Variable("Prnt", "Read")
'PrnLb(2).Caption = Operator0
'PrnLb(3).Caption = Chief0
```

```
PrnPageNo = 0
Cmd(0).Enabled = True
Cmd(1).Enabled = True
Call Color_chk_Click(True)
'Set Lb_Tmp = TestName0
```

```
grafzoom.ScaleHeight = -1450
grafzoom.ScaleTop = 1100
grafall.ScaleHeight = -1450
grafall.ScaleTop = 1100
```

```
Call crv("grfall", 0, 0)
ActivePage = 1
SegEn = -1
```

End Sub

```
'-----  
'  
Sub Form_QueryUnload (Cancel As Integer, UnloadMode As Integer)
```

```
    hr.Visible = True
```

```
End Sub
```

```
'-----  
'  
Sub Grafall_KeyDown (keycode As Integer, Shift As Integer)
```

```
    X = Int(X)
```

```
    ShiftDown = (Shift And 1) <> 0
```

```
    ww = PageWidth * 60
```

```
    Select Case keycode
```

```
        Case 49, 50, 51, 52, 53, 54
```

```
            Page = keycode - 48
```

```
            If Page > PrnPageNo Then Exit Sub
```

```
            ActivePage = Page
```

```
            Call PrnPageGrf_click
```

```
            DoEvents
```

```
            Exit Sub
```

```
        Case Key_Up
```

```
            Call PrnPageSpin_SpinUp
```

```
            Exit Sub
```

```
        Case Key_Down
```

```
            Call PrnPageSpin_SpinDown
```

```
            Exit Sub
```

```
        Case KEY_LEFT
```

```
            n = -5
```

```
        Case KEY_RIGHT
```

```
            n = 5
```

```
        Case KEY_NUMPAD4
```

```
            n = -30
```

```
        Case KEY_NUMPAD6
```

```
            n = 30
```

```
    End Select
```

```
    If ActivePage = 1 And n < 0 Then
```

```
        If Seg(1).Left + n < 0 Then n = -Seg(1).Left
```

```
    ElseIf ActivePage = PrnPageNo And n > 0 Then
```

```
        X1 = Seg(ActivePage).Left + Seg(ActivePage).Width + n
```

```
        If X1 > RecEnd0 Then
```

```
            n = RecEnd0 - (Seg(ActivePage).Left + Seg(ActivePage).Width)
```

```
        End If
```

```
ElseIf n > 0 Then
    If Seg(ActivePage).Left + ww + n >= Seg(ActivePage + 1).Left Then
        n1 = Seg(ActivePage + 1).Left
        n2 = (Seg(ActivePage).Left + ww)
        n = n1 - n2 - 3
    End If
ElseIf n < 0 Then
    If Seg(ActivePage - 1).Left + ww > Seg(ActivePage).Left + n Then
        n = Seg(ActivePage - 1).Left + ww - Seg(ActivePage).Left + 1
    End If
End If
'DoEvents
Seg(ActivePage).Left = Seg(ActivePage).Left + n
zoom(ActivePage).X1 = zoom(ActivePage).X1 + n
zoom(ActivePage).X2 = zoom(ActivePage).X2 + n
'DoEvents
RecLb(ActivePage).Left = RecLb(ActivePage).Left + n
RecLb(ActivePage).Caption = Val(RecLb(ActivePage).Caption) + n
Call CrvZoom

DoEvents
End Sub
```



